



# AMERICAN BAMBOO SOCIETY

## Bamboo Species Source List No. 31 Spring 2011

This is the thirty-first year that the American Bamboo Society (ABS) has compiled a Source List of bamboo plants and products. The List includes more than 490 kinds (species, subspecies, varieties, and cultivars) of bamboo available in the US and Canada, and many bamboo-related products.

The ABS produces the Source List as a public service. It is published on the ABS website: [www.AmericanBamboo.org](http://www.AmericanBamboo.org). Paper copies are sent to all ABS members and can also be ordered from ABS for \$5.00 postpaid. Some ABS chapters and listed vendors also sell the Source List. Please see page 3 for ordering information and pages 54 and following for more information about the American Bamboo Society, its chapters, and membership application.

The vendor sources for plants, products, and services are compiled annually from information supplied by the vendors. We have tried to record all information accurately, but some error is inevitable and information may change during the life of the Source List. If you find errors, please report them to the Source List editors (see page 3). No guarantee is offered for the reliability of individual vendors, but if you feel that a listed vendor has not provided good service, you may report your concerns to the editors.

### Species Table

The Species Table lists bamboos in alphabetical order by botanical name. The botanical name for a species is a binomial comprised of the genus and the specific member of that genus. For example, the botanical name *Phyllostachys aurea*, is comprised of the genus, *Phyllostachys*, and a specific member of that genus, *aurea*. Common names are listed beneath the botanical names. For example, *Phyllostachys aurea* is sometimes called Golden Bamboo or Fishpole Bamboo.

A species may also have recognized variations. In descending order of significance, they are subspecies, variety, and *forma*. Plants of cultivated origin with recognized variation may be listed as cultivars and are also included. Since issue No. 23, the Source List has rationalized the names below species level. Cultivar names are used instead of botanical *forma* names, as they have almost identical rank and are more appropriate for cultivated, rather than wild plants. Only subspecies, variety, or cultivar names have been used in this list.

Several existing cultivar names are not fully in accord with requirements for naming cultivars. In the interests of nomenclature stability, conflicts such as these are overlooked to allow continued use of familiar names rather than the creation of new ones. The Source List editors reserve the right to continue recognizing widely used names that may not be fully in accord with the International Code of Nomenclature for Cultivated Plants (ICNCP) and to recognize identical cultivar names in different species of the same genus as long as the species is stated.

Many new bamboo cultivars still require naming, description, and formal publication. Growers with new cultivars should consider publishing articles in the ABS magazine, "Bamboo." Among other requirements, keep in mind that new cultivars must satisfy three criteria: distinctiveness, uniformity, and stability. Additional information is available from the International Society for Horticultural Science in the document, "How to name a new cultivar." The document is available on the Web at: [www.ishs.org/icra/index.htm](http://www.ishs.org/icra/index.htm)

### Numeric Limitations

The species table includes numerics for maximum height, maximum diameter, minimum temperature, and sunlight requirements. These numerics are not absolutes, but are intended to afford a quick, rough, relative comparison among bamboos. They are not a substitute for a deeper understanding of the cultural requirements and performance of each bamboo in the context of the cultural conditions in which it will be grown.

**Maximum height and diameter:** The figures cited for maximum height and diameter are only achievable in optimal growing conditions in a large grove, clump, or forest that has been established for as long as a decade or more. Bamboo grown in a pot, a small garden plot, or in less than ideal conditions will likely be substantially smaller than the stated maximums. On the other hand, the stated maximums are not intended to indicate world records, but an approximate of the largest culms of mature plants grown in favorable conditions.

**Minimum temperature:** The minimum temperature is the point at which leaf damage begins to appear after a short exposure to the temperature. Culm and rhizome death generally occur at much lower temperatures. However, many variable conditions affect minimum temperature tolerance, including wind, humidity, soil moisture, snow cover, plant maturity, plant health, protection by structures, trees, and

other plants, and duration and frequency of low temperatures. A plant may tolerate the minimum temperature for a night or two, but may not tolerate weeks at a temperature five degrees warmer. Drying winds and the absence of snow cover might kill an immature plant outright, whereas a sheltered more established plant might be entirely unscathed. The cold hardiness of a new introduction is only a best estimate, and revisions are made as more information becomes available. Minimum temperatures in the table are only relative approximations. The Source List editors and the ABS are not responsible for any damage or loss arising from the data provided.

**Sunlight:** Sunlight requirements are listed on a scale from 1 to 5. A rating of 1 indicates full shade and a 5 indicates full sun. Ratings 2 through 4 are intermediate progressions along the scale. Most bamboos can grow successfully in a broad range of conditions, though the greatest vigor will occur in a narrower range. The numeric ratings for sunlight are only relative approximations. For example, a *Phyllostachys* that generally thrives in full sun in the Northeast may prefer some shading in the intense arid summers of the Southwest. Conversely, a *Sasa* that generally requires mostly shady conditions in the Southeast may thrive in full sun in the coastal Pacific Northwest. Keep in mind that other conditions are also significant factors. For example, even if a *Fargesia* is provided with ideal semi-shaded conditions, it may not thrive if air temperature and soil are too hot.

**Plant sources:** The last column “Plant Sources Vendor Codes” lists the source code for each vendor. The vendors corresponding to the source codes and detailed vendor information are listed on page 38 and following.

**Products and services:** Products and services and the source codes corresponding to the vendors are listed on page 37. American and foreign vendors are listed on the pages that follow. Some of the products and services sources in foreign countries also carry plants, but cannot legally ship plants to the United States.

Descriptions for some vendors may indicate ‘Visits by appointment.’ Many growers and product and service providers are part-time or small business operations without a store or sales staff. If you arrive without an appointment, you may find no one available. To make an appointment, phone or e-mail the vendor in advance. Many vendors also offer plants or products for ordering by mail, phone, or the Internet. “Wholesale only” vendors serve only retailers or landscapers and do not offer retail service.

## Common names

Garden books, gardeners, and landscapers frequently refer to bamboos by common names. To help you find corresponding botanical names, the following list includes some of the common names in use in the United States and their botanical equivalents. For additional common names in a

variety of languages see:

[http://www.plantnames.unimelb.edu.au/Sorting/Bamboo\\_names.html](http://www.plantnames.unimelb.edu.au/Sorting/Bamboo_names.html)

## Japanese names

	Botanical name
Hachiku	<i>Phyllostachys nigra</i> ‘Henon’
Hoteichiku	<i>Phyllostachys aurea</i>
Kikkochiku	<i>Phyllostachys edulis</i> ‘Heterocyclus’
Kumazasa	<i>Sasa veitchii</i> (not <i>Shibataea kumasaca</i> )
Kurochiku	<i>Phyllostachys nigra</i>
Madake	<i>Phyllostachys bambusoides</i>
Medake	<i>Pleioblastus simonii</i>
Moso	<i>Phyllostachys edulis</i>
Narihira	<i>Semiarundinaria fastuosa</i>
Okame-zasa	<i>Shibataea kumasaca</i>
Yadake	<i>Pseudosasa japonica</i>

## Chinese names

	Botanical name
Cha Gang zhu	<i>Pseudosasa amabilis</i>
Che Tong zhu	<i>Bambusa sinospinosa</i>
Fang zhu	<i>Chimonobambusa quadrangularis</i>
Fo du zhu	<i>Bambusa ventricosa</i>
Gui zhu	<i>Phyllostachys bambusoides</i>
Han zhu	<i>Chimonobambusa marmorea</i>
Hong Bian zhu	<i>Phyllostachys rubromarginata</i>
Hou zhu	<i>Phyllostachys nidularia</i>
Hui Xiang zhu	<i>Chimonocalamus pallens</i>
Jin zhu	<i>Phyllostachys sulphurea</i>
Ma zhu	<i>Dendrocalamus latiflorus</i>
Mao zhu	<i>Phyllostachys edulis</i>
Qiong zhu	<i>Chimonobambusa tumidissinoda</i>
Ren Mian zhu	<i>Phyllostachys aurea</i>
Shui zhu	<i>Phyllostachys heteroclada</i>
Wu Ya zhu	<i>Phyllostachys atrovaginata</i>
Xiang Nuo zhu	<i>Cephalostachyum pergracile</i>
Zi zhu	<i>Phyllostachys nigra</i>

## English names

	Botanical name
Arrow	<i>Pseudosasa japonica</i>
Beechey	<i>Bambusa beecheyana</i>
Blue	<i>Himalayacalamus hookerianus</i>
Black	<i>Phyllostachys nigra</i>
Buddha’s Belly	<i>Bambusa ventricosa</i>
Candy Stripe or	<i>Himalayacalamus falconeri</i>
Candy cane	‘Damarapa’

Canebrake	<i>Arundinaria gigantea</i>
Chinese Goddess	<i>Bambusa multiplex</i> 'Riviereorum'
Chinese Thorny	<i>Bambusa sinospinosa</i>
Common	<i>Bambusa vulgaris</i>
Dwarf Fern Leaf	<i>Pleioloblastus distichus</i>
Dwarf Whitestripe	<i>Pleioloblastus fortunei</i>
Fernleaf	<i>Bambusa multiplex</i> 'Fernleaf'
Fountain	<i>Fargesia nitida</i>
Giant Thorny	<i>Bambusa bambos</i>
Giant Timber	<i>Bambusa oldhamii</i>
Green Mountain	<i>Yushania alpina</i>
Golden	<i>Phyllostachys aurea</i>
Golden Golden	<i>Phyllostachys aurea</i> 'Holo-chrysa'
"Heavenly Bamboo"	not a bamboo ( <i>Nandina domestica</i> )
Hedge	<i>Bambusa multiplex</i>
Himalayan Blue	<i>Himalayacalamus hookerianus</i>
Horsehoof	<i>Bambusa lapidea</i>
Iron Range	<i>Neololeba atra</i>
Japanese Timber	<i>Phyllostachys bambusoides</i>
"Lucky Bamboo"	not a bamboo ( <i>Dracaena sanderiana</i> )
Male	<i>Dendrocalamus strictus</i>
Marbled	<i>Chimonobambusa marmorea</i>
Mexican Weeping	<i>Otatea acuminata</i> subsp. <i>aztecorum</i>
Monastery	<i>Thyrsostachys siamensis</i>
Oldham's	<i>Bambusa oldhamii</i>
Painted	<i>Bambusa vulgaris</i> 'Vittata'
Punting Pole	<i>Bambusa tuldoidea</i>
River Cane	<i>Arundinaria gigantea</i>
Square	<i>Chimonobambusa quadrangularis</i>
Stone	<i>Phyllostachys angusta</i> & <i>P. nuda</i>
Sweetshoot	<i>Phyllostachys dulcis</i>
Switch Cane	<i>Arundinaria tecta</i>
Tea Stick	<i>Pseudosasa amabilis</i>
Temple	<i>Semiarundinaria fastuosa</i>
Timor Black	<i>Bambusa lako</i>
Tonkin Cane	<i>Pseudosasa amabilis</i>
Tortoise Shell	<i>Phyllostachys edulis</i> 'Heterocyclus'
Tropical Black	<i>Gigantochloa atroviolacea</i>
Umbrella	<i>Fargesia murielae</i>
Water	<i>Phyllostachys heteroclada</i>
Weaver's	<i>Bambusa textilis</i>
Wine	<i>Oxytenanthera braunii</i>
Yellow Groove	<i>Phyllostachys aureosulcata</i>

We hope that you find this publication useful and that it will encourage you to further explore the wonderful world of bamboo.

Bill Hollenback and Ted Jordan Meredith  
Source List Editors  
(Source List compilation and editing)  
SourceList@AmericanBamboo.org

Chris Stapleton,  
Species List Editor  
(Species List nomenclature and taxonomy)  
SpeciesList@AmericanBamboo.org

## Credits for assistance

Very special thanks to Chris Stapleton. Dr. Stapleton is a renowned bamboo taxonomist and foremost expert on Old World montane bamboos. Dr. Stapleton brings a level of technical rigor to the Species List that would not otherwise be possible. We are greatly indebted to Dr. Stapleton for his assistance.

Bill Hollenback, Lead Source List Editor, has devoted countless hours to the Source List's compilation, including online input design and implementation, database management, and the endless details of list compilation. Bill also maintains the online Source List and photographic database at [www.BambooWeb.info](http://www.BambooWeb.info). Our special thanks to Bill for his instrumental efforts in making these important resources available to us.

Many other ABS members have contributed significantly to the Source List. Without the volunteer help of our members, this valuable resource would not be possible. Our thanks and appreciation to all who have contributed.

And finally, we also thank all those who have made suggestions for adjustments to the species listings and improvements to the Source List. Now is the time to submit your changes or suggestions for next year.

## Ordering reprints

Copies of this list are available from some of the listed vendors, from some chapter offices, and from:

ABS Membership Office  
315 S Coast Highway 101,  
Suite U, PMB 212  
Encinitas, CA 92024-3555

To order, please send \$5.00 for each copy of the Source List (Price includes postage and handling). Volume discounts are only available on orders placed prior to publication.

Paid  
Advertisement

# Bamboo

## Headquarters.com



**Features:**

- Specimens
- Giant Timber
- Ground Cover
- Large Clumpers
- Erosion Control
- Hedges / Screening
- Over 250 Species

Rhizome Barrier  
(Cut and shipped to your request)

Visit our website for complete details and NEW online store:  
[www.BambooHeadquarters.com](http://www.BambooHeadquarters.com)  
Vista, CA (866) 293-2925

## Synonyms

The following are synonyms that often cause confusion. The former name may be entirely incorrect in the case of misidentification; it may have been in an inappropriate genus; or it may be a name that was not in accord with requirements for taxonomic nomenclature.

## Table of synonyms and corrected names

Former Name	Current Name	Former Name	Current Name
ACIDOSASA gigantea	INDOSASA gigantea	FARGESIA angustissima	BORINDA angustissima
'ARTHROSTYLIDIUM sp.' (hort.)	CHUSQUEA circinata	FARGESIA crassinodus	THAMNOCALAMUS crassinodus
ARUNDINARIA alpina	YUSHANIA alpina	'FARGESIA dracocephala' (hort.)	FARGESIA apicirubens
ARUNDINARIA amabilis	PSEUDOSASA amabilis	'FARGESIA dracocephala' 'White Dragon' (hort.)	FARGESIA apicirubens 'White Dragon'
ARUNDINARIA anceps	YUSHANIA anceps	FARGESIA frigida	BORINDA frigidorum
ARUNDINARIA auricoma	PLEIOBLASTUS viridistriatus	FARGESIA fungosa	BORINDA fungosa
ARUNDINARIA falconeri	DREPANOSTACHYUM falcatum var. sengteeaanum	FARGESIA sp. 'A-4'	FARGESIA adpressa
ARUNDINARIA fangiana	SAROCALAMUS fangianus	FARGESIA sp. 'Rufa'	FARGESIA dracocephala 'Rufa'
ARUNDINARIA hookerianus	HIMALAYACALAMUS hookerianus	GELIDOCALAMUS fangianus	SAROCALAMUS fangianus
ARUNDINARIA macrosperma	ARUNDINARIA gigantea	GIGANTOCHLOA atrovioleacea 'Timor Black'	BAMBUSA lako
ARUNDINARIA maling	YUSHANIA maling	GIGANTOCHLOA luteostriata	BAMBUSA luteostriata
ARUNDINARIA tessellata	THAMNOCALAMUS tessellatus	GIGANTOCHLOA verticillata	GIGANTOCHLOA pseudoarundinacea
ARUNDINARIA vagans	SASAELLA ramosa	'HIMALAYACALAMUS asper' (hort.)	HIMALAYACALAMUS planatus
BAMBUSA arundinacea	BAMBUSA bambos	HIMALAYACALAMUS falconeri var. glomeratum	DREPANOSTACHYUM falcatum var. sengteeaanum
BAMBUSA disseminator	BAMBUSA dissiminator	'HIMALAYACALAMUS intermedius' (hort.)	YUSHANIA boliana
BAMBUSA forbesii	NEOLELEBA atra	'NEOMICROCALAMUS microphyllus' (hort.)	HIMALAYACALAMUS planatus
BAMBUSA glaucescens	BAMBUSA multiplex	NEOSINOCALAMUS affinis	BAMBUSA emeiensis
BAMBUSA multiplex 'Green Alphonse'	BAMBUSA multiplex 'Midori Green'	OTATEA acuminata 'Mayan Silver'	'Chrysotrichus'
BAMBUSA mutabilis	BAMBUSA textilis 'Mutabilis'	OTATEA aztecorum	OTATEA glauca 'Mayan Silver'
BAMBUSA edulis	BAMBUSA odashimae	OTATEA aztecorum	OTATEA acuminata ssp. aztecorum
BAMBUSA tuloides 'Clone X'	BAMBUSA sp. 'Clone X'	PHYLLOSTACHYS cerata	PHYLLOSTACHYS heteroclada
BAMBUSA tuloides 'Ventricosa'	BAMBUSA ventricosa	PHYLLOSTACHYS congesta	PHYLLOSTACHYS atrovaginata
'BAMBUSA variegata' (hort.)	BAMBUSA glaucophylla	PHYLLOSTACHYS decora	PHYLLOSTACHYS mannii 'Decora'
BAMBUSA vulgaris 'Striata'	BAMBUSA vulgaris 'Vittata'	PHYLLOSTACHYS heterocycla	PHYLLOSTACHYS edulis 'Heterocycla'
BASHANIA faberi	SAROCALAMUS faberi	PHYLLOSTACHYS heterocycla pubescens	PHYLLOSTACHYS edulis
BORINDA boliana	YUSHANIA boliana	PHYLLOSTACHYS heterocycla pubescens 'Anderson'	PHYLLOSTACHYS edulis 'Anderson'
CHIMONOBAMBUSA falcata	HIMALAYACALAMUS hookerianus	PHYLLOSTACHYS purpurata	PHYLLOSTACHYS heteroclada 'Purpurata'
'CHUSQUEA breviglumis' (hort.)	CHUSQUEA gigantea	PHYLLOSTACHYS purpurata 'Solidstem'	PHYLLOSTACHYS heteroclada 'Solidstem'
'CHUSQUEA nigricans' (hort.)	CHUSQUEA culeou 'Caña Prieta'	PHYLLOSTACHYS purpurata 'Straightstem'	PHYLLOSTACHYS heteroclada
'CHUSQUEA quila' (hort.)	CHUSQUEA valdiviensis	PLEIOBLASTUS akibensis	PLEIOBLASTUS kongosanensis 'Akibensis'
DENDROCALAMUS affinis	BAMBUSA emeiensis	PLEIOBLASTUS gramineus	PLEIOBLASTUS gramineus
DENDROCALAMUS membranaceus	BAMBUSA membranacea	'Raseetsu-chiku'	'Monstrispiralis'
DREPANOSTACHYUM falcatum	HIMALAYACALAMUS hookerianus	PLEIOBLASTUS variegatus	PLEIOBLASTUS fortunei
'DREPANOSTACHYUM falconeri' (hort.)	DREPANOSTACHYUM falcatum var. sengteeaanum	QIONGZHUEA tumidissinoda	CHIMONOBAMBUSA tumidissinoda
'DREPANOSTACHYUM hookerianum' (hort.)	HIMALAYACALAMUS falconeri	SASA asahinae	SASA shimidzuana
DREPANOSTACHYUM sengteeaanum			

**Former Name**

SASA humilis  
 SASA pygmaea  
 SASA tessellata  
 SASA variegata  
 'SASA veitchii 'Minor'' (hort.)

**Current Name**

PLEIOBLASTUS humilis  
 PLEIOBLASTUS pygmaeus  
 INDOCALAMUS tessellatus  
 PLEIOBLASTUS fortunei  
 SASA hayatae

SASAELLA glabra 'Albostriata'

SASAELLA masamuneana  
 'Albostriata'

SASAELLA masamuneana  
 rhyncantha

SASAELLA masamuneana

SASAELLA rhyncantha

SASAELLA masamuneana

SEMIARUNDINARIA villosa

SEMIARUNDINARIA okuboi

SINARUNDINARIA

FARGESIA

TETRAGONOCALAMUS

CHIMONOBAMBUSA

angulatus

quadrangularis

'THAMNOCALAMUS

FARGESIA murielae

spathaceus' (hort.)

YUSHANIA aztecorum

OTATEA acuminata ssp.  
 aztecorum

Paid

Advertisements



**BAMBOO & RATTAN WORKS, Inc.**  
*In Business since 1880*

470 Oberlin Ave. South  
 Lakewood, NJ 08701  
 Phone: 732-370-0220  
 Fax: 732-905-8386  
 Website:  
[www.bambooandrattan.com](http://www.bambooandrattan.com)




**Bamboo Source**

(979) 345-2906

P. O. Box 167  
 West Columbia, TX 77486  
 Email [brazoscitrus@msn.com](mailto:brazoscitrus@msn.com)

George W. Shackelford  
 Mobile (979) 481-1237  
 Fax (979) 345-4229



**Diana Fell**

office: 772.221.7227  
 fax: 772.221.7228  
 cell: 772.245.9068

4505 SW Kanner Hwy  
 Stuart, Florida 34997  
 Diana@newshootsbamboo.com

[www.newshootsbamboo.com](http://www.newshootsbamboo.com)

Fruitland  
 Farms

Nursery &  
 Landscaping

22095 SW 182 Ave  
 Miami, FL 33170  
 Ph: 786-877-5264



**PURA VIDA TROPICALS**

a Limited Liability Corporation

Bamboos, Gingers, Palms & Exotics,  
 Landscape Consultation

**BAMBOO BOB DIMATTIA**

**CELL: 760-519-0397**

**PHONE: 760-726-4038**

(CALL FOR APPOINTMENT)

**EMAIL:** [bamboobob@cox.net](mailto:bamboobob@cox.net)

[www.puravidatropicals.com](http://www.puravidatropicals.com)



**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

<b>ACIDOSASA</b>	A genus of bamboos native to south coastal China; shoots are sour.					
<b>A. edulis</b>	<b>40.0</b> 12.2	<b>2.0</b> 5.1		5	Culms green, glabrous. Sheath turns from green to brown. Shoots said to be delicious.	C6 I4 J4 K7
<b>AMPELOCALAMUS</b>	Tender clumping bamboos of pendulous or scrambling habit, with ribbed culms and large culm sheath blades, from China to Nepal.					
<b>A. scandens</b>	<b>30.0</b> 9.1	<b>0.3</b> 0.8	<b>23</b> -5	3	Very prominent leaf sheath bristles and corky swollen nodes. Many subequal branches, central branch may be as large as culm.	C6 D0 J4 K5 K7
<b>ARUNDINARIA</b>	Genus of small to medium size hardy running bamboos, with numerous branches at each node and persistent culm sheaths. New shoots in spring. Native to the US only. All other species should be moved to different genera.					
<b>A. appalachiana</b> Hill Cane	<b>6.0</b> 2.0				Recently described new species. Deciduous	I4 K2
<b>A. funghomii</b>	<b>30.0</b> 9.1	<b>1.1</b> 2.8	<b>0</b> -18	4	Chinese. New culms covered with a gray bloom. Handsome, only grows about 4 ft tall in cold climates. May be Pseudosasa cantori.	B6 B7 C6 D0 H2 H9 I4 J4 K2
<b>A. gigantea</b> RIVER CANE	<b>20.0</b> 6.1	<b>1.0</b> 2.5	<b>-10</b> -23	5	Native to the U.S. Once grew from Georgia and Texas to Maryland and Ohio.	A1 B0 B3 C1 C6 C7 C8 D0 D8 E7 E8 F6 F8 G4 G7 G8 H0 H2 H8 I3 I4 J4 K0 K4 K5 K6
<b>A. gigantea 'Macon'</b> MACON RIVERCANE	<b>20.0</b> 6.1	<b>1.0</b> 2.5	<b>-22</b> -30	5	More upright and hardier than the species; reported to stay evergreen with little leaf burn.	B3 D0 E6 E7 G1 G4 I4 J4 K2
<b>A. tecta</b> SWITCH CANE	<b>6.0</b> 1.8	<b>0.5</b> 1.3	<b>-10</b> -23	5	Similar to A. gigantea but generally smaller. It differs in persistent culm sheaths, air channels in its rhizomes, and can grow in wet ground.	B3 C1 C6 C7 D0 E7 F0 F6 G1 G4 G7 G8 H2 I3 I4 J8 J9 K2 K5 K6
<b>BAMBUSA</b>	Genus of tropical and subtropical clumping bamboos, usually giant, with numerous branches at a node, one or three much larger than the rest. New shoots appear in late summer or fall in their native areas.					
<b>B. arnhemica</b>	<b>25.0</b> 7.6	<b>4.0</b> 10.2	<b>32</b> 0	5	From Northern Territory, Australia, along water courses. Dense clumps, thick culms, short internodes, low branches.	I8 K5
<b>B. balcooa</b>	<b>60.0</b> 18.3	<b>6.0</b> 15.2	<b>25</b> -4	5	From India. Tangled clumps make harvest difficult. Strong, used for construction, crafts, shoots.	A3 A9 C6 C7 D8 K7
<b>B. bambos</b> GIANT THORNY	<b>100.0</b> 30.5	<b>7.0</b> 17.8	<b>30</b> -1	5	Fast growing, thick-walled, soft. Lower branches are long, wiry and armed with thorns. Edible shoots. Used for paper in India.	A0 A3 A9 B7 C6 C7 D8 I8 K5 K7
<b>B. basihirsuta</b>	<b>40.0</b> 12.2	<b>3.0</b> 7.6	<b>28</b> -2	5	Erect tight clumps.	
<b>B. beecheyana</b> BEECHEY BAMBOO	<b>50.0</b> 15.2	<b>5.0</b> 12.7	<b>21</b> -6	5	Culms with short internodes generally arch strongly and are covered with white powder when young. Big thick-walled culms; edible shoots in much demand.	A3 A9 B0 C1 C6 C7 D0 D8 G4 G9 H5 I8 J3 J4
<b>B. beecheyana var. pubescens</b>	<b>50.0</b> 15.2	<b>5.0</b> 12.7	<b>21</b> -6	5	More erect, thicker nodal hair, branching lower, no virus	A3 B0 D8 K7
<b>B. blumeana</b>	<b>60.0</b> 18.3	<b>4.0</b> 10.2	<b>30</b> -1	5	A tall thorny bamboo from India and Indonesia where used for building material, baskets and edible shoots.	C1 C6 C7 G4 I8 K7

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

**BAMBUSA**

<i>B. boniopsis</i>	15.0 4.6	1.0 2.5	28 -2	5	A small green bamboo from Hainan; a recent import. Narrow leaves.	A9 C1 C6 C7 D8 F9 G4 I6 K7
<i>B. burmanica</i>	50.0 15.2	4.0 10.2	32 0	5	Strong, nearly solid culms. Leaves up to 12 by 2 inches. Dense clumps, shrubby, lower branches spiny.	B2 C1 C6 C7 G4 I8 K7
<i>B. chungii</i>	33.0 10.0	2.5 6.4	21 -6	5	Culms covered with white powder. Thin walled. Used in papermaking, weaving.	A0 A3 A6 A9 B0 B2 B5 B7 C1 C5 C6 C7 C9 D0 D1 D4 D8 E2 E3 F0 F9 G4 G9 I6 I8 J1 J4 J8 K2 K3 K5 K7 L0
<i>B. chungii</i> var. <i>barbelatta</i>	22.0 6.7	1.5 3.8	21 -6	5	Grows to about 3/4 the size, with lighter ring of hair around new culm nodes and looser culm sheath blade.	A0 A3 B0 B2 C1 C6 C7 C9 D1 D4 D8 E2 E3 F0 G4 H5 I6 I8 J1 J8 K2 K7
<i>B. cornigera</i>	35.0 10.7	3.0 7.6			Culms zigzag, and internodes are slightly curved.	D8 G4 J1 K7
<i>B. dissimulator</i>	50.0 15.2	3.0 7.6	25 -4	5	A giant tropical, produces many thick walled, arching or erect, tough culms with long branches.	A3 C1 C6 C7 D0 D8 G4 J1 J4 K5 K7
<i>B. dissimulator</i> 'Albinodia'	50.0 15.2	3.0 7.6	25 -4	5	Similar to the type but with pronounced white rings above and below the nodes.	D0 J4 K4
<i>B. distegia</i>	30.0 9.1	4.0 10.2	25 -4	5	Green internodes with a slightly bending top but not drooping. It is said to tolerate light frosts.	C1 C6 D8 F0 K7
<i>B. dolichoclada</i> Long-Branch Bamboo	65.0 20.0	4.0 10.2	25 -4	5		C6 D1 D8 K7
<i>B. dolichoclada</i> 'Stripe'	65.0 19.8	4.0 10.2	25 -4	5	A beautiful giant from Taiwan. The culms are a waxy yellow with dark green stripes.	A0 A3 A9 B0 C1 C7 D0 D8 I8 J4 K4 K5
<i>B. dolichomerithalla</i> 'Green stripe'	35.0 10.7	2.0 5.1	25 -4	5	This cultivar has yellow-green culms striped with dark green. Introduced in 1980 from Taiwan.	A3 B0 B5 C1 C6 C7 D0 D8 F0 G4 J1 J3 J4 K4 K5 K7 L0
<i>B. dolichomerithalla</i> 'Silverstripe'	35.0 10.7	2.0 5.1	25 -4	5	This cultivar has culms striped with silver. Introduced in 1980 from Taiwan.	A0 A3 A6 A9 B0 B2 B7 C1 C5 C6 C7 D0 D4 D8 E2 E3 F0 G4 J1 J4 K2 K3 K4 K7
<i>B. emeiensis</i> 'Chrysotrichus'	35.0 10.7	2.5 6.4	24 -4		<i>B. emeiensis</i> was known as <i>Neosinocalamus affinis</i> . When moved to <i>Bambusa</i> it needed a new name to avoid confusion with <i>Bambusa affinis</i> , a different species. 'Chrysotrichus' has light yellow culms with dark green lines.	
<i>B. emeiensis</i> 'Flavidovirens'	35.0 10.7	2.5 6.4	24 -4		Green stripes on pale green or yellow/gold culms.	A0 A3 B2 C1 C6 C9 D1 D8 E3 G4 K3 K7
<i>B. emeiensis</i> 'Viridiflavus'	35.0 10.7	2.5 6.4	24 -4		Culms erect with yellow stripes alternating 180° on each internode.	A0 A3 A6 A9 B0 B2 C1 C6 C9 D1 D4 D8 E2 E3 F0 F9 G4 J1 K3 K7
<i>B. eutuldoides</i>	45.0 13.7	2.0 5.1	21 -6	5	Straight, erect, thick-walled culms; some with fine white stripes. Grown in Hong Kong area.	A0 A3 B0 C9 D0 D1 I8 J4
<i>B. eutuldoides</i> 'Viridivittata'	25.0 7.6	1.0 2.5	21 -6	5	Yellow culms with varying dark green stripes. New shoots have pink and peach tones. Low branching.	A0 A3 A6 B0 B2 B3 B7 C1 C5 C6 C7 C9 D0 D1 D4 D8 E2 E3 F0 F9 G4 I6 I8 J1 J4 J8 K2 K3 K5 K7
<i>B. gibba</i>	25.0 7.6	2.0 5.1	32 0	5	Side branches often have soft spines. It is used as a fence; oil is extracted from the culms.	A0 A3 A9 B2 C1 C6 D8 F0 G4 I6 K3 K5 K7
<i>B. glaucophylla</i> MALAY DWARF	15.0 4.6	1.0 2.5	30 -1	5	Dense, erect, bushy, variegated. Used as an ornamental hedge, easy to prune to desired shape. Previously sold as <i>Bambusa variegata</i> .	A0 A3 B2 C1 C6 D8 E0 F0 F9 I6 I8 J1 K7 L0

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

**BAMBUSA**

<b><i>B. intermedia</i></b>	<b>40.0</b> 12.2	<b>3.0</b> 7.6	<b>25</b> -4	<b>5</b>	Dark green with purple stripes.	B2 C7 D8 F0 J1 K7
<b><i>B. lako</i></b> TIMOR BLACK	<b>50.0</b> 15.2	<b>3.5</b> 8.9	<b>28</b> -2	<b>5</b>	From Timor. Purple-black culms striped faint green. Similar to <i>G. atrovioleacea</i> . Has branches on lower part of culms. Sheath blades erect.	A0 A3 A9 B0 B2 C1 C5 C6 C7 C9 D0 D1 D4 D8 E0 E2 E3 F0 F9 G4 I6 I8 J1 J3 J8 K3 K4 K5 K7 L0
<b><i>B. lapidea</i></b> HORSEHOOF BAMBOO	<b>35.0</b> 10.7	<b>3.5</b> 8.9	<b>28</b> -2	<b>5</b>	Thick walled culms; slightly swollen and almost solid at the base. From Hainan, China.	
<b><i>B. longispiculata</i></b>	<b>50.0</b> 15.2	<b>4.0</b> 10.2	<b>30</b> -1	<b>5</b>	Culm green, with light green stripes near the base and rings at nodes. Open clumps, straight culms, thin walls, long internodes. Many plants sold under this name may have been <i>Bambusa tulda</i> 'Striata'.	A9 C1 C6 D0 D8 G4 K7
<b><i>B. maculata</i></b> PRING TUTUL			<b>28</b> -2	<b>5</b>	From Bali; local name pring tutul. Splotchy canes when mature. Used for making furniture.	A0 A3 C1 C6 C9 G4 K7
<b><i>B. malingensis</i></b>	<b>35.0</b> 10.7	<b>2.5</b> 6.4	<b>21</b> -6	<b>5</b>	An attractive medium-size tropical, produces many culms each year, taller under trees. Reportedly tolerates wind well.	A0 A3 A9 B0 B2 B5 B7 C1 C5 C6 C7 C9 D0 D4 D8 E2 E3 F0 G4 G5 G9 I6 J1 J3 J4 K2 K3 K5 K7
<b><i>B. multiplex</i></b> HEDGE BAMBOO	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>18</b> -8	<b>5</b>	Each node bears a large number of branches down to the culm base, making a dense hedge. Hardest of the <i>Bambusa</i> , grown down to 12F by some in otherwise very favourable sites.	A0 A3 A6 A9 B0 B3 B5 B6 B7 B8 C1 C6 C7 C9 D0 D8 E2 E3 F0 F6 F7 G4 G9 H9 I4 J1 J4 K3 K8
<b><i>B. multiplex</i> 'Alphonse Karr'</b>	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>18</b> -8	<b>5</b>	Similar to the species, but the culms and branches are bright yellow with irregular longitudinal narrow dark green stripes. New shoots and culms are often reddish.	A3 A6 A9 B0 B3 B5 B6 B7 B8 C1 C5 C6 C7 C9 D0 D4 D8 D9 E0 E2 E3 E7 E9 F0 F6 F7 G4 G5 G9 H1 H5 H7 H9 I4 I5 J3 J4 J8 K0 K2 K3 K5 K6 K7 L0
<b><i>B. multiplex</i> 'Fernleaf'</b> FERNLEAF BAMBOO	<b>20.0</b> 6.1	<b>0.5</b> 1.3	<b>18</b> -8	<b>5</b>	Usually small in size with 10 to 20 closely spaced, two ranked leaves. Often culms come up that have reverted to the larger leaves.	A3 A6 A9 B0 B3 B8 C1 C6 C7 C9 D0 D8 D9 E2 E3 E9 F0 G1 G4 G9 I4 J4 K2 K3 K5 K7 K8
<b><i>B. multiplex</i> 'Fernleaf Stripestem'</b> FERNLEAF STRIPESTEM	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>18</b> -8	<b>5</b>	Similar to 'Fernleaf' except that the culms are reddish or yellowish and striped with green.	A3 B0 B3 C1 C6 D8 F0 F9 J4 K2 K3 K5 K7
<b><i>B. multiplex</i> 'Golden Goddess'</b>	<b>10.0</b> 3.1	<b>0.5</b> 1.3	<b>18</b> -8	<b>5</b>	A dwarf form similar to 'Fernleaf' but with larger leaves. The culms tend to be yellowish.	A3 A6 B0 B3 B5 B7 C1 C5 C6 C7 C9 D0 D4 D8 D9 E2 E3 F0 F7 G1 G4 G5 G7 G9 H5 H9 I4 I6 J1 J3 J4 K2 K3 K5 K7 K8
<b><i>B. multiplex</i> 'Goldstripe'</b>	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>18</b> -8	<b>5</b>	Mature green culms have a gold stripe that bleeds into the green.	A3 A6 B0 C6 D0 D8 H5 J1 J4 K7
<b><i>B. multiplex</i> 'Lucky Silverstripe'</b>	<b>25.0</b> 7.8	<b>1.3</b> 3.2	<b>18</b> -8	<b>5</b>	New leaves have white stripes and the culms have thin silver stripes. The cultivar has twisted and curved culms reminiscent of "Lucky Bamboo". Some of the culms twist up to 90 degrees between nodes.	C6 C9
<b><i>B. multiplex</i> 'Midori Green'</b> GREEN ALPHONSE	<b>15.0</b> 4.6	<b>1.5</b> 3.8	<b>18</b> -8	<b>5</b>	Similar to 'Alphonse Karr', but the culms and branches are light green with dark green stripes.	A3 A6 B0 C1 C6 C7 D0 D8 E9 G4 G9 H5 I4 J4 J8 K5
<b><i>B. multiplex</i> 'Riviereorum'</b> CHINESE GODDESS	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>18</b> -8	<b>5</b>	Has solid culms and tiny leaves; similar to 'Fernleaf' but smaller, more delicate looking.	A3 A6 B0 B3 B7 C1 C6 C7 D0 D8 D9 E2 E7 E8 F0 F6 G1 G4 G7 G9 H5 I3 I4 J1 J3 J4 K0 K2 K7



**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

**BAMBUSA**

<b><i>B. multiplex 'Silverstripe'</i></b>	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>18</b> -8	5	Many leaves have white stripes and some culms are also striped with white.	A3 A6 A9 B0 B3 B5 B6 B7 B8 C1 C6 C7 C9 D0 D4 D8 E0 E2 E3 E9 F0 F6 F9 G4 G5 G9 H5 H9 I3 J1 J4 K2 K5 K7
<b><i>B. multiplex 'Tiny Fern'</i></b>	<b>3.0</b> 0.9	<b>0.2</b> 0.5	<b>18</b> -8	5	A dwarf form with leaves often less than 1' long, but can grow larger.	A3 B0 B7 C1 C6 C7 D0 D8 D9 F0 F6 G4 G9 H1 H5 H9 I4 K2 K5 K7
<b><i>B. multiplex 'Tiny Fern Striped'</i></b>	<b>3.0</b> 0.9	<b>0.2</b> 0.5	<b>18</b> -8	5	Same as Tiny Fern, but with striped culms.	A3 B0 B3 B5 C1 C6 F0 G4 K2 K5
<b><i>B. multiplex 'Willowey'</i></b> WANG TSAI	<b>10.0</b> 3.1	<b>0.5</b> 1.3	<b>18</b> -8	5	Culms droop or arch strongly with small, narrow leaves.	A6 B7 C1 C6 D0 G4 K2 K7
<b><i>B. nutans</i></b>	<b>40.0</b> 12.2	<b>3.0</b> 7.6	<b>28</b> -2	5	From Thailand. Nutans means "nodding," which it does. The culms have a white ring below the nodes.	A3 A9 C1 C6 C7 D0 D8 G4 K7
<b><i>B. odashimae</i></b>	<b>65.0</b> 19.8	<b>3.0</b> 7.6	<b>25</b> -4	5	Ex Taiwan, large dark green leaves, edible shoots. Called <i>B. edulis</i> before, which is a synonym of <i>Phyllostachys edulis</i> .	A9 C1 C6 C7 E2 E3 F0 G4
<b><i>B. oldhamii</i></b> GIANT TIMBER	<b>55.0</b> 16.8	<b>4.0</b> 10.2	<b>21</b> -6	5	The most common giant tropical bamboo grown in the U.S. Culms straight and erect with relatively short branches. Leaves are rather wide.	A0 A3 A6 A9 B0 B2 B5 B7 B8 C1 C3 C5 C6 C7 C9 D0 D1 D4 D8 E0 E2 E3 E9 F0 F9 G1 G4 G5 G9 H5 H7 I6 I8 J1 J3 J4 J8 K2 K3 K4 K5 K7 L0
<b><i>B. oliveriana</i></b>	<b>45.0</b> 13.7	<b>2.0</b> 5.1	<b>32</b> 0	4	Densely clumping with thick-walled, glossy green culms.	C1 C6 D0 D1 D8 G4 K7 L0
<b><i>B. pachinensis</i></b>	<b>33.0</b> 10.1	<b>2.4</b> 6.1	<b>25</b> -4	5	Medium size with yellowish culms, it resembles <i>B. textilis</i> .	A3 B5 C1 C3 C6 D0 G4 I8 J1 J4 K5 K7
<b><i>B. pervariabilis</i></b>	<b>33.0</b> 10.1	<b>2.4</b> 6.1	<b>32</b> 0	5	Erect, thick walled. Lower internodes have branches and yellow stripes on culm and sheaths. Used to make farm tools, punting poles in China.	A0 A3 A9 B0 C1 C6 D8 G4 I6 I8 K5 K7
<b><i>B. pervariabilis 'Viridistriatus'</i></b>	<b>33.0</b> 10.1	<b>2.4</b> 6.1	<b>25</b> -4	5	Recently introduced from China. Similar to the above but much more highly coloured. New shoots are yellow with green stripes maturing to yellow/gold with varying dark green stripes.	A0 A3 A6 B0 B2 B5 B7 C1 C5 C6 C7 C9 D0 D1 D4 D8 E2 E3 F0 F9 G4 I6 I8 J1 J4 J8 K3 K5 K7
<b><i>B. rigida</i></b>	<b>40.0</b> 12.2	<b>2.3</b> 5.8	<b>32</b> 0	5	Erect. Internodes long. Sheaths persistent. Many branches at nodes. Leaves oblong, 3-9", dark green.	C6 F9 I6 K7
<b><i>B. rutila</i></b>	<b>40.0</b> 12.2	<b>2.0</b> 5.1	<b>28</b> -2	5	Thick walls, swollen nodes, lower part of culm zigzag. Ring of whitish hair below nodes. Leaves narrow.	
<b><i>B. sinospinosa</i></b> CHINESE THORNY	<b>70.0</b> 21.3	<b>5.0</b> 12.7	<b>20</b> -7	5	A thorny bamboo with rather small leaves, and interlaced low thorny branches, impenetrable hedge.	A3 B0 B7 C1 C6 C7 D0 D8 G4 I8 J8 K5 K7
<b><i>B. sp. 'Clone X'</i></b>	<b>75.0</b> 22.9	<b>2.8</b> 7.1	<b>21</b> -6	5	A vigorous bamboo with extremely thick walls, ivory nodal bands, whitish bloom. Identification uncertain.	A0 A3 A6 B0 B2 B5 C5 C6 C7 C9 D8 E2 E3 F0 G9 J1 K2 K7
<b><i>B. sp. 'Hirose'</i></b>	<b>55.0</b> 16.8	<b>5.0</b> 12.7	<b>21</b> -6	5	Tightly clumping, upright, to 50-60ft, 4-6ins, poorly known, possibly <i>B. oldhamii</i> .	B0 C1 C6 C7 D8 F0 G4 K7 L0
<b><i>B. sp. 'Nana'</i></b>	<b>25.0</b> 7.6	<b>2.5</b> 6.4	<b>28</b> -2	5	A medium-sized timber bamboo from Thailand. Straight, strong. Some yellow stripes. Note <i>B. nana</i> is a synonym of <i>B. multiplex</i> .	A3 A9 B0 C1 C6 D1 D4 D8 F0 G4 I8 J1 K7
<b><i>B. sp. 'Polymorpha'</i></b>	<b>65.0</b> 19.8	<b>6.0</b> 15.2	<b>32</b> 0	5	Green culms densely covered with grayish white silky hair; branches short, slender, and dense. ID uncertain.	C7 D1 D8 K7

**GENUS species****COMMON NAME**Max  
Height  
feet/  
metersMax  
diam  
inch/  
cmMin  
Temp  
°F  
°CShade  
Sun  
5=full  
sun**Comments - Description****Vendor Codes**

(see pages 38 and following)

**BAMBUSA**

<b><i>B. sp. 'Richard Waldron'</i></b>	<b>10.0</b> 3.0	<b>0.5</b> 1.2	<b>20</b> -7	5	Compact erect small bamboo similar to <i>B. multiplex</i> , identity and origins uncertain.	A9 C6 D1 D4 D8 E2 E3 F0 F9 J1 K3 K7
<b><i>B. stenostachya</i></b>	<b>70.0</b> 21.3	<b>6.0</b> 15.2	<b>28</b> -2	5	Basal internodes almost solid. Thorny. Culm sheaths persistent. Useful in building.	C6 K7
<b><i>B. suberecta</i></b> Jesse Durko Bamboo	<b>25.0</b> 7.7	<b>1.0</b> 2.5	<b>25</b> -4		A beautiful, relatively small-growing ornamental bamboo that has both variegated leaves and striated culms.	D1 D8 K7
<b><i>B. textilis</i></b> WEAVER'S BAMBOO	<b>40.0</b> 12.2	<b>2.0</b> 5.1	<b>18</b> -8	5	Tight clumps. An extremely handsome plant that arches gracefully. The thin-walled culms are used for weaving.	A0 A3 A6 A9 B0 B5 B6 B7 B8 C1 C3 C5 C6 C7 C9 D0 D1 D4 D8 D9 E2 E3 E9 G4 G5 G9 H5 I6 I8 J1 J3 J4 J9 K0 K2 K3 K4 K5 K7 L0
<b><i>B. textilis var. albostrata</i></b>	<b>40.0</b> 12.2	<b>2.0</b> 5.1	<b>18</b> -8	5	Same as above except culms are white striped.	A0 A3 A6 A9 B0 B2 C1 C6 F0 I6 J4 K4 K7
<b><i>B. textilis var. glabra</i></b>	<b>30.0</b> 9.1	<b>1.0</b> 2.5	<b>18</b> -8	5	Slender, as var. <i>gracilis</i> , but with glabrous culms and culm sheaths.	A0 A3 B0 C1 C6 C7 D8 K7
<b><i>B. textilis var. gracilis</i></b>	<b>30.0</b> 9.1	<b>1.3</b> 3.3	<b>18</b> -8	5	Culm more slender than the typical <i>B. textilis</i> , nodding top, graceful foliage.	A0 A3 A6 A9 B0 B2 B5 B6 C1 C5 C6 C7 C9 D0 D1 D4 D8 E2 E3 E7 F0 F9 G4 G9 I6 I8 J1 J4 K2 K3 K4 K5 K7 L0
<b><i>B. textilis 'Dwarf'</i></b>	<b>18.0</b> 5.5	<b>1.3</b> 3.2	<b>18</b> -8	5	Shorter, less erect	A3 A6 B0 B2 C6 D0 D1 D8 E3 F0 I6 J1 K7
<b><i>B. textilis 'Knapaha'</i></b>	<b>50.0</b> 15.2	<b>2.5</b> 6.4	<b>18</b> -8	5	Grows larger than normal <i>B. textilis</i> in Florida, with lower half of culms prominently blue & branchless. Very similar to 'Mutabilis'.	A0 A3 A9 B0 B2 C6 C7 C9 D0 D1 D4 D8 E3 F0 G4 G9 I6 J1 K2 K3 K7
<b><i>B. textilis 'Maculata'</i></b>	<b>25.0</b> 7.6	<b>1.0</b> 2.5	<b>18</b> -8	5	Culms and base of new culm sheaths have purple streaks.	A0 A3 A9 B2 C1 C6 C9 E3 F0 G4 I6 K3 K7
<b><i>B. textilis 'Mutabilis'</i></b>	<b>40.0</b> 12.2	<b>2.3</b> 5.8	<b>18</b> -8	5	Persistent blue-white bloom and long internodes. Previously misidentified as <i>B. mutabilis</i> and as <i>B. textilis var. fusca</i> .	A0 A3 A9 B0 B2 B5 C1 C5 C6 C7 C9 D0 D1 D4 D8 E3 F0 G4 G9 I6 J1 J4 K2 K3 K5 K7
<b><i>B. textilis 'Scranton'</i></b>	<b>30.0</b> 9.1	<b>2.0</b> 5.1	<b>18</b> -8	5	A more open clumper with shorter branches.	A3 C1 C6 D0 D1 D8 G4 K7
<b><i>B. tulda</i></b>	<b>70.0</b> 21.3	<b>4.0</b> 10.2	<b>30</b> -1	5	The large, straight, thick walled culms make this one of the most useful tropical bamboos. Frequently solid near the base.	A3 A9 C1 C6 G4 K7
<b><i>B. tulda 'Striata'</i></b>	<b>70.0</b> 21.3	<b>4.0</b> 10.2	<b>30</b> -1	5	Like the species, the culms are striped near the base, but more prominently.	A3 A9 B2 C1 C6 C7 D8 F9 G4 K7
<b><i>B. tuldoidea</i></b> PUNTING POLE	<b>55.0</b> 16.8	<b>2.3</b> 5.8	<b>21</b> -6	5	Somewhat similar to <i>B. tulda</i> but not as large and more hardy. It produces a large number of thick walled culms growing in a tight clump.	A3 B0 B5 B7 C1 C6 C7 C9 D0 D8 E2 E3 E9 F0 F9 G4 G5 H5 I8 J1 J4 J9 K3 K5 K7
<b><i>B. variostrata</i></b>	<b>35.0</b> 10.7	<b>3.0</b> 7.6	<b>28</b> -2	5	New shoots covered with bloom, culm has white stripes, useful and edible.	A9 B2 D0 D8 J1 K7
<b><i>B. ventricosa</i></b> BUDDHA'S BELLY	<b>55.0</b> 16.8	<b>2.3</b> 5.8	<b>21</b> -6	5	It becomes a dwarf with swollen internodes when grown in pots under dry conditions. In the ground it reverts to a giant with zigzag culms and branches.	A0 A3 A6 A9 B0 B2 B3 B5 B8 C1 C5 C6 C7 C9 D0 D4 D8 D9 E2 E3 E9 F0 F9 G1 G4 G5 G9 H1 H5 I4 I6 I8 J1 J4 J9 K2 K4 K5 K7
<b><i>B. ventricosa 'Kimmei'</i></b>	<b>55.0</b> 16.8	<b>2.3</b> 5.8	<b>21</b> -6	5	As the above, but with yellow culms striped with green.	A0 A3 A6 A9 B0 B2 B3 B7 C1 C4 C5 C6 C9 D0 D8 E2 E3 E7 E9 F0 F9 G4 G5 G9 H5 I6 I8 J1 J4 K2 K5 K7
<b><i>B. vulgaris</i></b> COMMON BAMBOO	<b>50.0</b> 15.2	<b>4.0</b> 10.2	<b>30</b> -1	5	Common throughout the tropical world. Open clump, culms spaced a foot or two apart. Culm cuttings root very easily. Used for banana props.	A0 A3 A9 B0 B5 B7 C1 C6 C7 D4 D8 E9 F9 G4 G9 I8 K4 K5 K7

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
feet/  
meters

**Max**  
**diam**  
inch/  
cm

**Min**  
**Temp**  
°F  
°C

**Shade**  
**Sun**  
5=full  
sun

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### BAMBUSA

<b><i>B. vulgaris 'Vittata'</i></b> PAINTED BAMBOO	<b>50.0</b> 15.2	<b>4.0</b> 10.2	<b>30</b> -1	5	Similar to the species, golden yellow culms with green vertical stripes that look like drip marks. A very popular ornamental. Potted culm cuttings do not always survive.	A0 A3 A9 B0 B2 B5 B7 C1 C6 C7 C9 D0 D4 D8 E0 E2 E3 F0 F9 G4 H1 I6 I8 J1 J3 J9 K2 K3 K4 K5 K7
<b><i>B. vulgaris 'Wamin'</i></b>	<b>16.0</b> 4.9	<b>3.0</b> 7.6	<b>30</b> -1	5	A dwarf form with short and swollen lower green internodes.	A0 A3 A9 B0 B2 B5 B7 B8 C1 C5 C6 C7 C9 D0 D1 D4 D8 E2 E9 F0 F9 G4 G9 I4 I6 I8 J1 J9 K2 K3 K4 K5 K7 L0
<b><i>B. vulgaris 'Wamin Striata'</i></b>	<b>16.0</b> 4.9	<b>3.0</b> 7.6	<b>30</b> -1	5	Dwarf with short and swollen lower internodes, light green culms striped with dark green.	A0 A3 A9 B0 B2 B7 C1 C5 C6 D1 D8 F9 I6 I8 J4 K3 K4 K5 K7 L0

<b>BAMBUSA Crosses</b>	When Bambusas have flowered in recent years, some growers have tried crossing them.					
<b><i>B. odashimae X B. tuldooides</i></b>			<b>23</b> -5		Erect with long internodes. Previously <i>B. edulis X tuldooides</i>	C7 J4

<b>BASHANIA</b>	Genus of medium size Chinese running bamboos.					
<b><i>B. fargesii</i></b>	<b>20.0</b> 6.1	<b>2.0</b> 5.1	<b>5</b> -15	4	Native to the mountains of China. Leaves up to a foot long.	B3 B4 B9 C1 C6 D0 D7 D9 E6 E7 G1 G4 G7 G8 H5 H7 I3 I4 J0 J4 K0 K5
<b><i>B. qingchengshanensis</i></b>	<b>10.0</b> 3.0	<b>0.9</b> 2.3	<b>-5</b> -20		Hardier and smaller than <i>B. fargesii</i>	I4

<b>BORINDA</b>	Clump-forming mountain bamboos from Bhutan, Tibet, Yunnan, & Sichuan, with different flowers to <i>Fargesia</i> and shorter rhizomes than <i>Yushania</i> . Culms usually blue at first, usually with very fine grooves.					
<b><i>B. albocerea</i></b>	<b>20.0</b> 3.7	<b>1.0</b> 2.0	<b>15</b> -9	3	4 clones introduced, aka Yunnan 1/95; 2/95; 3a/95; 3b/95.	A3 B3 B4 D0 E7 J0 J4 J5 K5
<b><i>B. angustissima</i></b>	<b>18.0</b> 5.5	<b>0.8</b> 2.0	<b>10</b> -12	3	From Sichuan. Arching culms with white powder and purple sheaths at first, and narrow leaves. Was listed as a <i>Fargesia</i> .	A3 B3 B4 B8 C1 D0 D9 E0 E6 E7 F7 F8 G4 G7 H7 I3 I5 J4 J5 K0 K5
<b><i>B. contracta</i></b>	<b>15.0</b> 4.6	<b>0.8</b> 2.0	<b>15</b> -9	3	From Yunnan. Bushy with many culms.	B3 D0 E7 H7 J4 K5
<b><i>B. frigidorum</i></b>	<b>12.0</b> 3.7	<b>0.7</b> 1.8	<b>5</b> -15	3	Small culms. Very tough persistent culm sheaths become red. Leaves small, mostly deciduous. Shoots in August.	B3 D0
<b><i>B. fungosa</i></b>	<b>20.0</b> 6.1	<b>1.0</b> 2.5	<b>20</b> -4	3	Yunnan, from 6,000 to 9,000 feet. Shoots sweet, culms used for weaving.	A3 B3 B4 C1 D0 D9 E6 E7 F7 G1 G4 G5 G7 H5 H7 I3 I4 I8 J0 J3 J4 K5 L1
<b><i>B. fungosa 'White Cloud'</i></b>					A little smaller and more tender than the species. The leaves have an akebono look with a little white striping	B3 D0 E7 I8 J4
<b><i>B. KR 5288</i></b>	<b>12.0</b> 3.7	<b>0.8</b> 2.0	<b>15</b> -9		Very weepy habit	B3 E7
<b><i>B. lushuiensis</i></b>	<b>25.0</b> 6.1	<b>1.5</b> 3.8	<b>20</b> -4	3	aka Yunnan 4/95.	B3 D0 E7 J4 K5
<b><i>B. macclureana</i></b>	<b>15.0</b> 4.6	<b>1.0</b> 2.5	<b>15</b> -9	3	Purple branches, it's leaves are pubescent on the lower surface making it one of the bamboos very resistant to bamboo mites.	B3 E0 E4 E7 F7 K5

**GENUS species**  
**COMMON NAME**

**Max**   **Max**   **Min**   **Shade**  
**Height**   **diam**   **Temp**   **Sun**  
**feet/**   **inch/**   **°F**   **5=full**  
**meters**   **cm**   **°C**   **sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### BORINDA

<i>B. nujiangensis</i>	20.0 6.1	1.5 3.8	15 -9	3	aka Yunnan 3c/95. Previously misidentified as <i>Fargesia yulongshanensis</i> . Thick culm walls like <i>B. papyrifera</i> , but with smaller, darker, narrower leaves.	B3 D0 D9 E7 J4
<i>B. papyrifera</i>	25.0 6.1	2.0 5.1	15 -9	3	New culms are powdery blue-white aging to yellow, with prominent fine vertical grooves.	B3 C1 D0 D9 E4 E7 G4 H5 J4 J5 K5
<i>B. perlonga</i>	20.0 6.1	1.5 3.8	15 -9	3	aka Yunnan 6/95 (Lushui Co.). Very long culm sheaths with some hairs. Dense, light green, broad leaves, blue culms.	B3 E7 J4 K5
<i>B. sp. 'Muliensis'</i>	6.0 1.8	0.3 0.8	10 -12	3	From Sichuan (Muli Co.). Broad, deciduous leaves.	B3 J4 K5
<i>B. yulongshanensis</i>					Linder's introduction	B3 D0 E7 F7 K5

<b>BRACHYSTACHYUM</b>	Genus similar to <i>Semiarundinaria</i> having one species, one variety.					
<i>B. densiflorum</i>	20.0 6.1	1.0 2.5	5 -15	3	Young culms hairy; leaves up to 7 inches long and an inch wide. Used for fishing rods and crafts. May be misidentified.	B3 C6 D0 E0 F6 H9 I3 I4 J0 J4
<i>B. densiflorum var. villosum</i>	20.0 6.1	1.0 2.5	0 -17	3	As above but base of culm sheaths densely hairy.	

<b>CEPHALOSTACHYUM</b>	Tall, shrubby or climbing bamboos with generally slender, stiff and thin-walled culms. From India, China, Madagascar, Malaysia, Indonesia.					
<i>C. pergracile</i>	30.0 9.1	2.0 5.1	32 0	5	Culms are straight and erect, covered with white bristly hairs. Used as a flavor-adding vessel for cooking rice.	C7 D1 I6 K5 K7
<i>C. virgatum</i>	50.0 15.2	4.0 10.2		5	Thin walled, drooping. Manifold branching. Some plants introduced may actually be a <i>B. multiplex</i> .	

<b>CHIMONOBAMBUSA</b>	Medium size running bamboos, often with raised, sometimes thorny nodes, and quadrangular culms, initiating new shoots in the fall or winter, hence "Winter bamboos".					
<i>C. macrophylla 'Intermedia'</i>	10.0 3.1	0.5 1.3			The only other <i>Chimonobambusa</i> species with prominently swollen nodes, but much smaller than <i>C. tumidissinoda</i> and with larger leaves.	B0 B3 C6 E7 F7 G7 H7 I4 K2 K5
<i>C. marmorea</i> MARBLED BAMBOO	6.0 1.8	0.5 1.3	15 -9	3	New shoots and culm sheaths are marbled with cream and purple. The almost solid culms turn dark purple.	A3 A6 B3 B4 B8 B9 C1 C3 C6 D0 D9 E0 E6 E7 F7 G4 G7 H5 J4 J8 K0 K5
<i>C. marmorea 'Variegata'</i>	6.0 1.8	0.5 1.3	16 -9	3	Same, except the leaves have narrow white stripes.	A3 B3 B4 B7 B8 B9 C1 C6 D0 E6 E7 F7 G4 I4 J4 J8 K0 K2 K5 K7
<i>C. quadrangularis</i> SQUARE BAMBOO	25.0 7.6	1.5 3.8	15 -9	4	Prominent nodes. Culms are square in cross section with rounded corners, especially on large mature plants.	A3 A6 B0 B3 B7 B8 B9 C1 C3 C6 D0 D9 E0 E6 E7 F7 G4 G5 G7 H5 I8 J0 J3 J4 K0 K2 K5 K7
<i>C. quadrangularis 'Joseph de Jussieu'</i>	25.0 7.6	1.5 3.8	15 -9	4	Also known as 'Nagamineus'. Yellow culms with green sulcus & few green stripes, with some white leaf stripes.	B3 D0 J4
<i>C. quadrangularis 'Suow'</i>	25.0 7.6	0.5 1.3	15 -9	4	Culms are yellow with a few green stripes of varying width.	B3 B4 C6 D0 D9 E6 E7 F7 G4 G7 H5 I8 J4 J8 K2 K5 L1

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### CHIMONOBAMBUSA

<i>C. quadrangularis</i> <i>'Yellow Groove'</i>	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>15</b> -9	4	Like the species, but with a yellow sulcus.	B3 C6 D0 E7 J4
<i>C. szechuanensis</i>	<b>19.0</b> 5.8	<b>1.0</b> 2.5	<b>10</b> -12	4	Round culms, sheaths and leaves all with tendency to strong red-purple coloration.	B3 C6 I4
<i>C. tumidissinoda</i>	<b>20.0</b> 6.1	<b>1.3</b> 3.3	<b>10</b> -12	4	A rare Chinese bamboo noted for its inflated culm nodes. Used for walking sticks in Sichuan, and highly prized for dried shoots. Also known as Qiongzhuea tumidissinoda.	A3 B0 B3 B4 B7 B9 C1 C6 D0 D3 D5 D7 D9 E0 E6 E7 F0 F6 F7 F8 G4 G7 G8 H5 H7 H9 I5 I8 J0 J4 J5 J8 K2 K5 L1

<b>CHIMONOCALAMUS</b>	A group of medium-sized clumping bamboos from Yunnan, China with culms bearing thorny basal nodes. Similar to Chimonobambusa but clumping and less hardy, from 1400 to only only 2000 meters in subtropical mountainous regions. Shoots are very good eating.					
<i>C. pallens</i>	<b>26.0</b> 8.0	<b>1.2</b> 3.0		5	Erect culms, woody with root thorns at internode. Culm sheaths have green and purple striping.	B3 C1 D0 E4 G4 J4 J8 K5 K7

<b>CHUSQUEA</b>	A genus of C & S American bamboos that contains 134 described species, and possibly another 70 yet to be described. They are mostly clumping mountain bamboos, but some are runners. The solid culms usually bear one dominant branch and numerous branchlets.					
<i>C. andina</i>	<b>12.0</b> 3.7	<b>1.0</b> 2.5	<b>0</b> -18	4	Found at the treeline, the highest altitude species in Chusquea. Small spiky blue leaves.	B3 D0 D5 E7 K5
<i>C. circinata</i>	<b>22.0</b> 6.7	<b>1.0</b> 2.5	<b>25</b> -4	4	Dark arching culms, whorls of small leaves, comes from central and southern Mexico. Clumping. previously misidentified as Arthrostylidium.	A3 C1 D0 G4 I8 J8 K5
<i>C. circinata 'Chiapas'</i>			<b>28</b> 0		Previously misidentified as Arthrostylidium. Broader leaves and yellower shoots. From lower altitude and not so hardy.	A3 D0 K5
<i>C. coronalis</i>	<b>23.0</b> 7.0	<b>0.8</b> 2.0	<b>30</b> -1	4	A clumping bamboo with numerous tiny leaves on branchlets that completely encircle the culms. Possibly the most beautiful bamboo in cultivation.	A3 B3 C1 D8 E0 G4 I8 J3 J8 K5 K7 L0
<i>C. culeou</i>	<b>15.0</b> 4.6	<b>1.0</b> 2.5	<b>0</b> -18	5	Hardy clumper, from southern Chile, long cultivated in Europe. Has many branches per node, all equal size. Many different clones available of varying hardiness and form.	A3 B3 B4 B8 B9 D0 D3 D5 D9 E6 F7 G7 H5 H7 I3 I5 I8 J0 J4 K5 L1
<i>C. culeou 'Argentina'</i>	<b>15.0</b> 4.6	<b>1.3</b> 3.2	<b>0</b> -18	4	These seedlings are longer branched than their Chilean cousins. Sometimes identified as Chusquea argentina.	A3 B3 D0 K5
<i>C. culeou 'Caña Prieta'</i>	<b>15.0</b> 4.6	<b>1.0</b> 2.5	<b>0</b> -18	5	Darker culms, becoming red-brown or nearly black. Previously misidentified as C. nigricans.	A3 B3 B9 D0 D5 E7 I5 I8 J4 J5 K5
<i>C. culeou 'Hillier's Form'</i>	<b>9.0</b> 2.8	<b>0.8</b> 2.0	<b>5</b> -15	4	Stubby branches and compact leaves are combine with smaller stature. Considered to be a seedling variation of C. culeou.	A3 B3 D0 D5 E7 J4 K5
<i>C. cumingii</i>	<b>10.0</b> 3.1	<b>0.8</b> 2.0	<b>10</b> -12	5	Native to semiarid central Chile. Coastal range on exposed slopes. Sometimes clambering. Numerous tiny stiff, very sharp leaves.	A3 B3 C1 D0 E7 G4 J4 K5 K7
<i>C. delicatula</i>	<b>12.0</b> 3.6	<b>0.3</b> 0.6	<b>30</b> -1		Scrambling small-leaved tender species from Peru.	A3 B3 D0

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### CHUSQUEA

<i>C. foliosa</i>	20.0 6.1	1.5 3.8	24 -4	3	Long thin drooping leaves, golden culms with green nodes.	A3 B3 C1 D0 G4 K5
<i>C. galeottiana</i>	20.0 6.1	0.8 2.0	28 -2	3	A tropical climbing/arching bamboo from cloud forests in southern Mexico.	D0
<i>C. gigantea</i>	25.0 7.6	1.5 3.8	0 -18	5	Shoots red, culms light and dark green. Closely allied to <i>C. culeou</i> . Many branches per node, one to three thicker and very long. An "open clumper." Has been sold as <i>C. breviglumis</i> .	A3 B3 B8 B9 C4 D0 D3 D9 E6 E7 G7 H5 I5 J0 J4 J5 K0 K5
<i>C. glauca</i>	10.0 3.1	0.5 1.3	20 -7	3	Probably the largest-leaved Chuquea. Vining habit but stays upright without support. Seeds came from plants collected in Mexico at 6000' elevation.	C1 D0 E7 K5
<i>C. liebmannii</i>	33.0 10.1	1.0 2.5	32 0	4	Mexico to Costa Rica. Culms are strongly arching, sometimes clambering. Spine-like roots on the nodes, takes drier conditions than most bamboos.	D0 I8 J8 K5 K7
<i>C. macrostachya</i>	15.0 4.6	0.5 1.3	0 -18	3	Native to southern Chile where it grows at elevations up to 3,000 feet.	D0 J4
<i>C. mimosa ssp. australis</i>	15.0 4.6	1.0 2.5	20 -2	3	From southern Brazil. Small leaves, on stiff burgundy-red culms.	A3 B3 C1 D0 I8 J4 K5 K7
<i>C. montana</i>	6.0 1.8	0.3 0.8	0 -18	3	From the southern forests of Chile. A small clumping sub-alpine species. Swollen nodes.	A3 D0
<i>C. muelleri</i>	6.0 1.8	0.2 0.5	32 0	2	From eastern Mexico. Culms delicate and trailing, 2-6 branches per node.	A3 D0
<i>C. pittieri</i>	25.0 7.6	2.0 5.1	24 -4	5	The culms grow up, then arch over and hang down or climb on trees. Thorny nodes, especially near base. One of the largest of the genus.	A3 B3 C1 D0 G4 I8 K5
<i>C. simpliciflora</i>	50.0 15.2	0.4 1.0	32 0	3	A vining species that clammers over trees and other plants.	A3
<i>C. sp. 'Chiconquiaco'</i>	10.0 3.1	0.5 1.3	20 -7	3	From cloud forest of Veracruz Mexico. This small-leaved vining species is an unusual Chusquea with a spreading habit.	A3 D0 K5
<i>C. sp. 'Las Vigas'</i>	8.0 2.4	0.5 1.3	20 -7	3	Large leaves and very pretty rosy-red new shoots and arching culms. It has a fairly vigorous spreading and clambering habit.	A3 D0 I8 J4 K5
<i>C. subtilis</i>	20.0 6.1	1.0 2.5	24 -4	3	Closely resembles <i>C. foliosa</i> . Very fine leaves, from high elevation in Costa Rica.	A3 D0 K5
<i>C. sulcata</i>	15.0 4.6	0.8 2.0	32 0	4	A clumper. Culms erect, become golden yellow with age and light. Fine leaves, many branches per node. Southern Mexico to Costa Rica.	A3 D0 H5 K5
<i>C. tomentosa</i>	25.0 7.6	1.5 3.8	24 -4	3	A large, tall, vining plant with very long dark green leaves.	A3 C1 D0 E0 G4 K5
<i>C. uliginosa</i>	15.0 4.6	0.5 1.3	0 -18	3	Native to southern Chile. Grows at the edge of seasonally inundated wetlands.	A3 B3 D0 J4

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### CHUSQUEA

<i>C. valdiviensis</i>	<b>25.0</b> 7.6	<b>1.0</b> 2.5	<b>0</b> -18	4	A climbing bamboo from southern Chile, formerly sold as <i>C. quila</i> . Self-supporting culms reach 25 ft, but culms can scramble on to 40 ft on tree branches. Climbs to reach the light.	A3 B3 D0 K5
<i>C. virgata</i>	<b>25.0</b> 7.6	<b>0.8</b> 2.0			From Costa Rica. Culms mottled with purple, erect at the base and arching, nodes swollen.	B3 C1 D0 G4 I8

<b>DENDROCALAMUS</b>	Giant tropical clumping bamboos similar to Bambusa, often with bigger branches and leaves, and hairier culms.					
<i>D. asper</i>	<b>100.0</b> 30.5	<b>8.0</b> 20.3	<b>32</b> 0	5	An impressive ornamental growing rapidly under favorable conditions. Shoots are large, of the highest quality for food. Thai and Indonesia clones differ.	A0 A3 A9 B0 B2 B5 C1 C5 C6 C7 D8 F0 F9 G4 I6 I8 J3 K3 K5 K7 L0
<i>D. asper 'Betung Hitam'</i>	<b>100.0</b> 30.5	<b>8.0</b> 20.3	<b>32</b> 0	5	A black cultivar of <i>D. asper</i> . Rare.	A0 A3 A9 B0 B2 C1 C6 D1 D8 E2 F0 G4 I6 I8 K3 K7 L0
<i>D. brandisii</i>	<b>100.0</b> 30.5	<b>8.0</b> 20.3	<b>32</b> 0	5	Thick walled culms; similar to <i>D. giganteus</i> . Shoots of high quality, edible raw.	A0 A3 A9 B2 B7 C1 C5 C6 C7 D8 E2 G4 I6 I8 K3 K5 K7 L0
<i>D. brandisii 'Black'</i>		<b>8.0</b> 20.3	<b>25</b> -4	5	A very attractive, fast growing black bamboo. Live culms are black but dry to a dark brown color, very valuable for furniture etc.	D8
<i>D. brandisii (variegated)</i>	<b>100.0</b> 30.5	<b>12.0</b> 30.5	<b>32</b> 0	5	Like the species but with variegated leaves. An unnamed cultivar.	A9 D1 I8
<i>D. calostachyus</i>	<b>70.0</b> 21.3	<b>5.0</b> 12.7	<b>25</b> -4	5	This may be a misidentification of a cultivar of <i>D. strictus</i> . Used for construction.	C6 D8 F0
<i>D. giganteus</i>	<b>100.0</b> 30.5	<b>12.0</b> 30.5	<b>25</b> -4	5	From Burma, perhaps the largest bamboo in the world. Leaves can be up to 20 inches long and 4 inches wide.	A0 A3 A9 B0 B2 B7 C1 C6 C7 D0 D8 G4 I8 J1 J4 K3 K5 K7
<i>D. giganteus (Quail Clone)</i>	<b>100.0</b> 30.5	<b>12.0</b> 30.5	<b>25</b> -4	5	Propagated from the large specimen at Quail Botanical Gardens in California.	A3 B2 C1 C6 D8 F0 G4 K7
<i>D. giganteus (variegated)</i>			<b>25</b> -4		Variegated leaves. An unnamed cultivar.	I8 K7
<i>D. hamiltonii</i>	<b>80.0</b> 24.4	<b>7.0</b> 17.8	<b>27</b> -3	5	Native from the Himalayas to Laos, with pendulous pruinose culms, leaves up to 15 inches long.	A0 A3 A9 B2 C1 C6 D0 D8 F0 G4 I8 K3 K5 K7
<i>D. jianshuiensis</i>	<b>55.0</b> 16.8	<b>5.0</b> 12.7	<b>25</b> -4	5	Similar to <i>D. hamiltonii</i> , but from China, with fimbriate culm sheath ligule.	A3 C1 C6 C7 D8 F0 G4 I8 K5 K7
<i>D. jianshuiensis (variegated)</i>	<b>55.0</b> 16.8	<b>5.0</b> 12.7		5	As above but with variegated leaves. An unnamed cultivar.	
<i>D. latiflorus</i>	<b>65.0</b> 19.8	<b>8.0</b> 20.3	<b>25</b> -4	5	From southern China. The large, dark green leaves are 10 to 16 inches long and 3 to 4 inches wide.	A0 A3 C5 C6 D7 D8 I8 K5 K7 L0
<i>D. latiflorus 'Mei-nung'</i>	<b>65.0</b> 19.8	<b>8.0</b> 20.3	<b>25</b> -4	5	Similar, but with light green culms striped with dark green.	A0 A3 C1 C7 D8 G4 I8 K5 K7
<i>D. membranacea</i>	<b>70.0</b> 21.3	<b>4.0</b> 10.2	<b>28</b> -2	5	A strong growing bamboo with very straight culms forming loose clumps. Looks like <i>Bambusa</i> but DNA now suggesting <i>Dendrocalamus</i> was the correct genus.	A0 A3 A9 C1 C6 C7 C9 D8 E2 G4 I6 I8 K5 K7

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### DENDROCALAMUS

<i>D. minor</i>	25.0 7.6	2.0 5.1		5	Culm top bending and drooping. Culm annulus and sheath annulus near the culm base have a yellowish brown ring.	A0 A3 A9 C1 C6 C7 D1 D8 G4 I8 K7
<i>D. minor 'Amoenus'</i>	25.0 7.6	2.0 5.1	25 -4	5	Culms pale yellow with green stripes, smaller than the type.	A0 A3 A9 B0 B2 B7 C1 C5 C6 C7 C9 D1 D4 D8 E2 E3 F0 F9 G4 G9 I6 I8 J1 J8 K3 K5 K7 L0
<i>D. sikkimensis</i>	65.0 19.8	8.0 20.3	35 2	5	Large culms become brownish red. Culm sheaths densely velvety with large auricles. Used for containers and water buckets.	A3 B7 C6 I8 K7
<i>D. sinicus</i>	120.0 36.5	12.0 30.5	27 -3	5	Largest bamboo species in China. Culm heavily pruinose with drooping tip, some basal internodes short and asymmetrical, & ring of yellowish brown silky hair on nodes.	D8 K7
<i>D. sp. 'Maroochy'</i>	33.0 10.0	8.0 20.3	25 -4	5	Beautiful impressive arching new bamboo with yellow striated culms. Useful as a main feature in a garden. It may be a Gigantochloa.	C6 D1 D8 F0 K7
<i>D. sp. 'Parker's Giant'</i>	80.0 24.4	12.0 30.5		5	BIG! An unidentified, giant, timber bamboo. Discovered by Jim Parker in Hawaii. Massive, thick culms.	D1 D8 E2 F0 J1 K3 K7
<i>D. strictus</i> MALE BAMBOO	60.0 18.3	5.0 12.7	30 -1	5	Common bamboo of India, used mainly for pulp. Culms not very straight, often small and usually solid. Flowers frequently. Most internet seed is from this, marketed as anything pretty.	A0 A6 A9 B0 B7 C1 C6 C7 D8 E2 F0 G4 K5 K7
<i>D. validus</i>	45.0 14.0	4.0 10.2	25 -4	5	Errect culms with slightly convex internodes.	C7 D1 D8 K7
<i>D. yunnanicus</i>	80.0 24.4	7.0 17.8		5	From southeast Yunnan and from Vietnam. Pale green. Used for shoots, construction, pipes, rafts.	C1 C6 D8 E2 G4 I8 K7

<b>DINOCHLOA</b>	High-climbing clumping bamboos native from Burma to the Philippines, with solid culms that twine around trees and other plants for support. Large fleshy fruits, from the size of a pea to a golf ball.					
<i>D. malayana</i>	30.0 9.1	0.5 1.3	28 -2	3	From Malaysia and Thailand. Leaves large and shiny. Rough culms and internodes, and hairy culm sheaths.	C6 D1 K7
<i>D. scandens</i>	30.0 9.1	0.5 1.3	28 -2	3	Has black culms, usually solid, and large ovate leaves. Plants in the U.S. may be <i>D. malayana</i> .	C7 K7

<b>DREPANOSTACHYUM</b>	Small to medium size clumping, bamboos, elegant leaves. Smaller than Himalayacalamus Culm sheaths hairy inside at top. Branches many and all equal, while Himalayacalamus species also have a dominant central branch.					
<i>D. khasianum</i>	12.0 3.7	0.5 1.3	28 -2	3	The new culms are dark green covered with white powder which gives them a bluish look. Several species have been grown under this name. Identity of the US clone is uncertain.	A3 B3 C1 C6 D0 D1 D8 E0 E2 E7 F9 G4 I8 J4 K5 K7
<i>D. falcatum</i> var. <i>sengteeianum</i>	30.0 9.1	1.1 2.8	20 -7	3	Bright green culms, small, papery thin leaves. Hardest Drepanostachyum. Was sold in the US as <i>D. falconeri</i> .	A3 B3 B8 C1 D0 E7 G4 J4 K5



**GENUS species****COMMON NAME**

Max Height feet/ meters	Max diam inch/ cm	Min Temp °F °C	Shade Sun 5=full sun
----------------------------------	----------------------------	-------------------------	-------------------------------

**Comments - Description****Vendor Codes**

(see pages 38 and following)

<b>FARGESIA</b>	Clumping bamboos from the alpine conifer forests of west and southwest China. Medium to small and all very cold hardy, but not tolerant of very high summer temperatures. Flowers like toothbrushes. Culms smooth.									
<b><i>F. adpressa</i></b>	<b>18.0</b> 5.5	<b>1.3</b> 3.3	<b>0</b> -18	3	From Sichuan; similar to <i>F. robusta</i> . This plant has been sold as <i>Fargesia</i> sp. A-4. Open clumps of purplish-green culms. Some of the plants may be <i>F. murieliae</i> .	A3 B3 B4 D0 D9 E6 G7 J4 K0 K5				
<b><i>F. apicirubens</i></b> RED-TIPPED BAMBOO	<b>16.0</b> 4.9	<b>0.8</b> 2.0	<b>-5</b> -23	3	Native to China at elevations over 6,000 feet. A new species previously misidentified as <i>F. dracocephala</i> .	B3 B4 B9 C1 D0 D3 D5 D9 E0 E4 E6 E7 F7 F8 G4 G7 H7 I3 J4 K0 K4 K5 K6 L1				
<b><i>F. apicirubens</i> 'White Dragon'</b>	<b>8.0</b> 2.4	<b>0.5</b> 1.3	<b>-5</b> -21	3	Selected seedling with Akebono style white variegation on spring leaves.	B3 C4 D5 E7 G7 H5 I8 J4 K4 K5				
<b><i>F. denudata</i></b>	<b>16.0</b> 4.9	<b>0.5</b> 1.3	<b>3</b> -18	3	From Sichuan. Similar to <i>F. murieliae</i> , but leaves are smaller and more delicate. Culms branch out after the first winter.	B3 B4 B9 C1 D0 D5 D9 E0 E6 E7 F7 F8 G7 H0 H7 J0 J4 K4 K5				
<b><i>F. denudata</i> 'Xian I'</b>	<b>11.0</b> 3.4	<b>0.5</b> 1.3	<b>0</b> -18	2		B3 D0 E7				
<b><i>F. dracocephala</i> 'Rufa'</b>	<b>10.0</b> 3.0	<b>0.5</b> 1.2	<b>0</b> -18	2	From Sichuan. Early shoots. Also known as Gansu 95-1. Close to the description of the real <i>F. dracocephala</i> .	A3 B0 B3 B4 B9 C1 C4 C6 D0 D3 D5 D7 D9 E0 E4 E6 E7 F7 F8 G0 G4 G7 H0 H1 H5 H6 H7 H8 I4 J0 J4 J5 K0 K4 K5 K6 L1				
<b><i>F. murieliae</i></b> UMBRELLA BAMBOO	<b>15.0</b> 4.6	<b>0.5</b> 1.3	<b>-15</b> -26	2	Similar to <i>F. nitida</i> but with green culms. May be the hardiest bamboo in the U.S. Grows at above 10,000 feet in China, important panda food.	A3 B3 B8 C1 D0 D7 D9 E0 E7 F7 F8 G4 G7 H5 H8 I3 J0 J5 K4 K5 K6 K8				
<b><i>F. murieliae</i> (next generation seedlings)</b>	<b>15.0</b> 4.6	<b>0.5</b> 1.3	<b>-15</b> -26	2	Clone introduced by Wilson in 1907 set seed in 1980s & 90s and died. Seedling variants are available under many cultivar names.	B3 B4 C1 D0 E0 E4 E6 E7 F7 F8 G4 G7 H7 I3 J4 J5 K0 K4 K5 K6				
<b><i>F. murieliae</i> 'SABE 939'</b>	<b>15.0</b> 4.6	<b>0.5</b> 1.3	<b>-15</b> -26	2	A different introduction, brought in by the Sino-American Botanical Expedition of 1980. It also flowered, and has been identified as <i>F. murieliae</i> . Seedlings will have new cultivar names.	B4 D0 K5				
<b><i>F. Murieliae</i> 'Vampire'</b>	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>-13</b> -25	4	Upright with extremely attractive red stems and small dark green leaves.	B3 E7				
<b><i>F. nitida</i></b> FOUNTAIN BAMBOO	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>-15</b> -26	2	Upright culms with thick grey deciduous wax may become nearly black. Sheaths orange-ribbed. From 1889 seed many old generation cultivars named, but most now flowering and probably all about to die.	A3 B3 B4 B8 B9 C1 C3 C4 D0 D3 D5 D9 E0 E4 E6 E7 F7 F8 G4 G5 G7 H1 H5 H7 H8 I8 J0 J4 K0 K4 K5 K6 K8 L1				
<b><i>F. nitida</i> 'Genf'</b>	<b>12.0</b> 3.7		<b>-15</b> -26		Red Culms. Is also called <i>F. Jiuzhaigou</i> 'Genf' and <i>F. Sp.</i> 'Genf'.	B3 D5 E7 K5				
<b><i>F. nitida</i> 'Jiuzhaigou'</b>	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>-15</b> -26	2	New introductions. Several new seedling clones from Jiuzhaigou Reserve.	B3 B4 D0 D3 D5 D9 E0 E4 E7 F8 G7 H0 H1 H5 H8 I5 J0 J4 K4 K5 K6 L1				
<b><i>F. robusta</i></b>	<b>16.0</b> 4.9	<b>1.0</b> 2.5	<b>0</b> -18	4	From Sichuan Province, China, at elevations over 8,000 feet.Early shoots.	A3 B3 B4 B6 B8 B9 C1 C4 D0 D3 D5 D7 D9 E0 E4 E6 E7 F7 F8 G1 G4 G7 H1 H5 H6 H7 I3 I4 I5 J0 J4 J5 K0 K4 K5 K6 K8 L1				
<b><i>F. robusta</i> 'Campbell'</b>	<b>16.0</b> 4.9	<b>1.0</b> 2.5	<b>0</b> -18	4	Upright form with small leaves	A3 B3 B4 E4 E7 J5				
<b><i>F. robusta</i> 'Pingwu'</b>	<b>15.0</b> 4.7	<b>0.8</b> 2.0	<b>0</b> -18	4	Has dark green foliage and light green culms, new shoots are hairy and rusty red upon emergence from the ground in early spring. The leaf size is intermediate between Campbell and Wolong. Culm sheaths persist and soon fade to a light color, almost white.	B3 E4 E7				

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### **FARGESIA**

<b><i>F. robusta</i> 'Wolong'</b>	<b>17.0</b> 5.2	<b>1.0</b> 2.5	<b>0</b> -18	4	Collected in Wolong, Sichuan in 1996. More vigorous, with larger leaves. Bamboo 23: 16. 2002.	A3 B3 B4 D3 D5 D9 E4 E7 F7 F8 G7 H1 J4 J5 K4 K5
<b><i>F. sp. 'Scabrida'</i></b>			<b>-5</b> -21	4	From Pingwu, Sichuan. Orange sheaths as <i>F. dracocephala</i> 'Rufa' but with more culm wax. Not <i>F. scabrida</i> .	A3 B3 C1 D0 D5 D8 D9 E0 E4 E7 F7 F8 G7 H0 H7 H8 I5 J4 J5 K0 K5
<b><i>F. utilis</i></b> TUNGCHUAN #3	<b>13.0</b> 4.0	<b>0.5</b> 1.3	<b>0</b> -18	4	From Yunnan, culms curve upwards with pendulous cascading foliage. May be <i>Borinda</i> but flowers unknown.	B3 B4 D0 D3 D7 D9 E6 E7 G7 I3 I5 K0 K4 K5

<b>GAOLIGONGSHANIA</b>	A genus with one species. From Yunnan, China.					
<b><i>G. megalothyrsa</i></b>	<b>6.0</b> 1.8	<b>0.4</b> 1.0	<b>0</b> -18	3	From Yunnan, China, near the Burmese border, at 1300-2600 meters altitude. Small, bushy and slow.	C1

<b>GIGANTOCHLOA</b>	Giant, tropical, clumping bamboos similar to <i>Bambusa</i> . <i>G. atrovioleacea</i> , <i>G. atter</i> , <i>G. robusta</i> , and <i>G. pseudoarundinacea</i> were formerly all considered to be forms of <i>G. verticillata</i> . Rarely flower or come true from seed, and may be "natural hybrids."					
<b><i>G. albociliata</i></b>	<b>30.0</b> 9.1	<b>2.0</b> 5.1	<b>30</b> -1	4	Tight clump. It has long (up to an inch) culm leaf ligules, narrow leaves. Light gray-green culms, white stripes.	C1 C6 G4 K7 L0
<b><i>G. apus</i></b> BAMBU TALI	<b>65.0</b> 19.8	<b>4.0</b> 10.2	<b>27</b> -3	5	Common in Java, not found anywhere in the wild. Used for many purposes. It has large leaves, up to 15 inches long and 2 1/2 inches wide. Young culms are hairy.	A3 A9 C1 C6 C7 K5 K7 L0
<b><i>G. atrovioleacea</i></b> TROPICAL BLACK	<b>50.0</b> 15.2	<b>3.5</b> 8.9	<b>25</b> -4	5	From Java and Sumatra. Brown to black culms striped faint green. Dark green leaves. Sheath blades reflexed.	A0 A3 A9 B2 B5 C1 C5 C6 C7 D1 D4 D8 E2 E3 F0 F9 G4 I6 I8 J1 J8 K5 K7 L0
<b><i>G. atter</i></b>	<b>50.0</b> 15.2	<b>4.0</b> 10.2	<b>28</b> -2	5	From Java. Sweet shoots, strong straight culms. Sheath covered with black hairs. Used for furniture.	A3 A9 B2 B5 C6 I8 K7 L0
<b><i>G. hasskarliana</i></b>	<b>30.0</b> 9.1	<b>2.5</b> 6.4	<b>28</b> -2	5	Native to west Java; dense clumps planted as hedges and used to weave baskets.	A3 C1 C6 K7
<b><i>G. Hitam Hijau</i></b>	<b>20.0</b> 6.1	<b>1.5</b> 3.8	<b>28</b> -2	5	Hitam Hijau means black and green. Very dark green culms with occasional white stripes and dramatically arching tops.	A3 K7
<b><i>G. levis</i></b>	<b>45.0</b> 13.7	<b>5.0</b> 12.7	<b>28</b> -2	5	Young culm densely covered with brown or white tomentum, turning whitish gray when full grown. Edible shoots.	C1 C6 D1 G4 K7
<b><i>G. luteostriata</i></b>	<b>30.0</b> 9.1	<b>2.0</b> 5.1	<b>28</b> -2	5	Erect with full foliage on top. Young leaves variegated white/green. Canes green, intermittent white stripes.	B2 C6 D1 D8 E2 F0 I6 I8 J1 J8 K3 K7 L0
<b><i>G. maxima</i></b>	<b>45.0</b> 13.7	<b>4.0</b> 10.2	<b>28</b> -2	5	Variegated culms with cream-colored stripes. The exact ID of plants that have been sold in the past under this name is not clear; also see <i>G. pseudoarundinacea</i> .	A3 A9 B2 C1 C6 C7 D8 G4 I8 K7 L0
<b><i>G. pseudoarundinacea</i></b>	<b>100.0</b> 30.5	<b>5.0</b> 12.7	<b>28</b> -2	5	Formerly included in <i>G. verticillata</i> complex. The culms when young are light green, with thin yellow stripes.	A3 A9 C1 C5 C6 C7 D8 E2 F0 G4 I8 K5 K7 L0

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### GIGANTOCHLOA

<i>G. ridleyi</i>	50.0 15.2	2.0 5.1	32 0	5	A very useful straight culmed, large-leafed, handsome bamboo. Tight habit with persistent culm sheaths.	A0 C1 C6 G4 I8 K7
<i>G. robusta</i>	60.0 18.3	3.5 8.9	28 -2	5	Large, erect, strong. Java, Sumatra. Used for pipes, construction, handicrafts, shoots. Yellow stripes near base.	A3 C6
<i>G. sp. 'Bali White Stripe'</i>	30.0 9.1	3.0 7.6	28 -2	5	White stripes on leaves and culms.	C6 D1 K7
<i>G. sp. 'marga'</i> Tiger Stripe'	20.0 6.2	1.2 3.0	28 -2	5	Named for the striping on the culm sheaths. AKA G4761	D1 K7
<i>G. sp. 'Rachel Carson'</i>	59.0 18.0	3.0 7.6	28 -2	5	Attractive cream stripes on a vivid green culm and large leaves. Cream striped green shoots. A striking larger ornamental with a tropical look.	D1 K7
<i>G. sp. 'Sumatra 3751'</i>	60.0 18.3		28 -2	5	Purple stripes on green canes. May be Gigantochloa kuring, "buluh kuring hitam" and may be bigger.	A3 C1 C6 C7 D8 G4 I8 K7 L0
<i>G. sp. 'Widjaja 3827'</i>					Large, erect culms, with cream-colored stripes. Strong.	A3 C6
<i>G. wrayii</i>	30.0 9.1	3.0 7.6	30 -1	5	Long internodes; used for basket making in Malaysia. Culms erect, slightly arching outwards.	A0 A3 A9 C1 C6 G4 K7

<b>GUADUA</b>	A genus of giant, thorny, tropical clumping bamboos native to the New World. Clumps very open. Some older references include them in Bambusa.					
<i>G. amplexifolia</i>	50.0 15.2	4.0 10.2	28 -2	5	Short internodes, nearly solid in the lower part of the arching culms. Useful, but not as strong as <i>G. angustifolia</i> .	A0 A9 C7 D8 I6 I8 J8 K5 K7 L0
<i>G. angustifolia</i>	100.0 30.5	9.0 22.9	30 -1	5	The largest of the American bamboos, native Venezuela to Peru, used for house construction and furniture. Thorny. Open clumps.	A0 A9 B0 C6 D8 F0 I6 I8 J1 K7 L0
<i>G. angustifolia 'Bicolor'</i>	100.0 30.5	8.0 20.3	30 -1	5	Culms have vertical yellow and green stripes. Also known as 'Striata'.	A9 B2 C6 C7 I8 J8 K5 K7 L0
<i>G. angustifolia 'Less Thorny'</i>	100.0 30.5	8.0 20.3	30 -1	5	A clone with significantly fewer and smaller thorns.	A0 A9 C6 C7 I6 I8 K7 L0
<i>G. chacoensis</i>	65.0 19.8	6.0 15.2	30 -1	5	A large woody thorny green bamboo, with erect culms, from Bolivia to Uruguay. May grow taller than listed.	A9 C1 C6 D8 F0 G4 I8 K5 K7
<i>G. longifolia</i>	30.0 9.1	2.0 5.1	30 -1	5	Leaves long and narrow like Otatea, rhizomes with very long necks. Covers river banks in Mexico.	J8 K5
<i>G. paniculata</i>	30.0 9.1	2.5 6.4	30 -1	5	A small Guadua looking similar to Otatea from a distance, found in many tropical locations in the Americas. Thorny with long rhizomes.	J8 K5
<i>G. velutina</i>	50.0 15.2	4.0 10.2	28 -2	5	Culms thick walled but not solid. Erect. New shoots have beautiful maroon culm sheaths, which cling tightly to the lower internodes.	C7
<i>G. sp. 'Aureocaulis'</i> MOONLIGHT					Blonde white culms with random width green stripes and white nodal rings. Leaves strongly white-variegated.	C6 D1 D8 J8 K7

**GENUS species****COMMON NAME**

Max Height feet/ meters	Max diam inch/ cm	Min Temp °F °C	Shade Sun 5=full sun
----------------------------------	----------------------------	-------------------------	-------------------------------

**Comments - Description****Vendor Codes**

(see pages 38 and following)

<b>HIBANOBAMBUSA</b>	A running genus from Japan thought to be a natural bigeneric hybrid between Sasa veitchii and Phyllostachys nigra 'Henon'.									
<b>H. tranquillans</b>	<b>16.0</b> 4.9	<b>1.3</b> 3.3	<b>3</b> -16	3-5	The only species of the genus has single, rarely 2 branches per node and large leaves, like Sasa. Does well in sun or shade.	B3 B9 C6 D0 D9 E0 G7 G8 H2 I4 K0				
<b>H. tranquillans</b> <b>'Shiroshima'</b>	<b>16.0</b> 4.9	<b>1.3</b> 3.3	<b>3</b> -16	4	This form has strikingly attractive leaves variegated in cream and green. The colors persist throughout the year.	A1 B0 B3 B4 B6 B7 B8 B9 C1 C6 C7 C8 D0 D3 D7 D9 E0 E6 E7 E8 F0 F2 F6 F7 F8 G1 G4 G5 G7 G8 H0 H1 H2 H5 H7 H9 I3 I4 I8 J0 J3 J4 J5 J6 J8 K0 K5 K6 K7 L1				

<b>HIMALAYACALAMUS</b>	Clump-forming mountain bamboos from the Himalayas with attractive culms and lush foliage.						
<b><i>H. falconeri</i></b>	<b>30.0</b> 9.1	<b>1.3</b> 3.3	<b>15</b> -9	3	US clone is from Damarapa with no stripes. Also see Drepanostachyum sengteeanum.	A3 B3 B8 C1 D0 D9 E7 F7 G4 H5 J4 K0 K5	
<b><i>H. falconeri</i> 'Damarapa'</b> CANDY-STRIPE BAMBOO	<b>20.0</b> 6.1	<b>2.0</b> 5.1	<b>15</b> -9	2	Beautiful cultivar with masses of leaves on long, slender branchlets. Culms green, striped with yellow or lavender-pink. Formerly misidentified, and Drepanostachyum hookerianum. Species stil uncertain.	A3 B3 B8 C1 D0 D9 E0 E7 F7 G4 G5 H5 H7 I5 I8 J3 J4 K0 K5 L1	
<b><i>H. hookerianus</i></b> BLUE BAMBOO	<b>20.0</b> 6.1	<b>0.8</b> 2.0	<b>20</b> -4	2	Light blue culms become blue-purple in first winter. Formaly sold as Drepanostachyum falcatum. Named seedling clones have not maintained differences when mature.	A3 B3 B8 C1 D0 D9 E0 E6 E7 G4 G5 H5 I8 J3 J4 K0 K5	
<b><i>H. planatus</i></b>	<b>20.0</b> 6.1	<b>0.5</b> 1.3	<b>15</b> -4	3	From C Nepal. As <i>H. falconeri</i> but with rougher culm sheaths. Split from <i>H. asper</i> . Previously Neomicrocalamus microphyllus.	A3 B3 B8 C1 D0 D9 E0 E7 G4 G5 H7 I8 J4 K5	
<b><i>H. porcatus</i></b>	<b>20.0</b> 6.1	<b>1.0</b> 2.5	<b>20</b> -4	3	From Nepal. Grows above 2000 meters. Tight clumper, finely ridged internodes.	A3 B3 C1 D0 E7 F7 G4 H5 I8 J4 K5 K7	

<b>INDOCALAMUS</b>	Small, running bamboos from China with large, broad leaves; similar to Sasa but with non-prominent culm nodes.							
<b><i>I. cordatus</i></b>	<b>5.0</b> 1.5	<b>0.3</b> 1.3			A new introduction from China.	C6 I4		
<b><i>I. latifolius</i></b>	<b>10.0</b> 3.1	<b>0.5</b> 1.3	<b>0</b> -18	3	Similar to <i>I. tessellatus</i> , leaves about a foot long.	B3 B7 B9 C1 C6 D0 D7 D9 E7 E8 F2 F7 G1 G4 G7 G8 H2 I3 I4 J4 J8 K2 K4 K5		
<b><i>I. latifolius 'Hopei'</i></b>	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>0</b> -18	3	Even taller, larger leaved and more cold hardy than species. Spreads slowly.	B3 C6 E7 I4		
<b><i>I. longiauritus</i></b>	<b>5.0</b> 1.5	<b>0.3</b> 0.8	<b>-5</b> -21	3	Culms hairy below the nodes; prominent auricles and oral setae.	C1 C6 D0 E0 E7 G4 G7 I1 I4 J4 K4 K6		
<b><i>I. sp. 'Hamadae'</i></b>	<b>15.0</b> 4.6	<b>0.6</b> 1.5	<b>-5</b> -21	3	The only Japanese Indocalamus. Culms taller and thicker than <i>I. tessellatus</i> , branches commonly not 1 but 3. The large leaves were used for wrapping rice balls. Native to Kyushu.	A3 B3 C6 D9 E7 F7 I4 J8 K4		
<b><i>I. sp. 'Solidus'</i></b>	<b>8.0</b> 2.4	<b>0.4</b> 1.0	<b>-5</b> -21	3	Culms solid, leaves only 8 to 10 inches long. Species not known.	B0 B3 B4 B9 C6 C8 E7 E8 F2 F6 F8 H2 H9 I1 I3 I4 J9 K2 K4 K6		
<b><i>I. tessellatus</i></b>	<b>7.0</b> 2.1	<b>0.5</b> 1.3	<b>-10</b> -23	3-5	Usually less than 4 feet tall, it can reach 10ft and has the largest leaves of any bamboo in cultivation, up to 26 inches by 5 inches. Adapts easily to growing in pots. Does well in shade or sun.	A3 B0 B3 B6 B7 B8 B9 C1 C6 C7 C8 D0 D4 D8 D9 E0 E6 E7 E8 F0 F2 F6 F7 F8 G0 G1 G2 G4 G7 G8 H0 H1 H2 H5 H7 H8 H9 I3 I4 I5 I8 J0 J4 J8 K0 K2 K4 K5 K6 L1		

**GENUS species**  
**COMMON NAME**

**Max**   **Max**   **Min**   **Shade**  
**Height**   **diam**   **Temp**   **Sun**  
**feet/**   **inch/**   **°F**   **5=full**  
**meters**   **cm**   **°C**   **sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### **INDOCALAMUS**

<b><i>I. victoralis</i></b>	<b>4.0</b> 1.2	<b>0.2</b> 0.5	<b>0</b> -18	3	A new introduction from China.	C6 I4 J4
-----------------------------	-------------------	-------------------	-----------------	---	--------------------------------	----------

<b>INDOSASA</b>	A group of mid-size running bamboos from southern China and Vietnam.					
<b><i>I. crassiflora</i></b>	<b>20.0</b> 6.1	<b>1.6</b> 4.1			Culm wall thick, nearly solid. Glabrous, slightly pruinose.	B3 C6 D0 E7 J4 J8
<b><i>I. gigantea</i></b>	<b>50.0</b> 15.2	<b>4.0</b> 10.2			From south China. Also known as <i>Acidosasa gigantea</i> .	I4

<b>LITHACHNE</b>	Genus of clumping herbaceous bamboos from the tropical western hemisphere with asymmetric, truncate-based leaf blades.					
<b><i>L. humilis</i></b>	<b>1.0</b> 0.3	<b>0.1</b> 0.3	<b>32</b> 0	3	The small leaves fold down together at night. It flowers frequently, producing viable seed.	

<b>MELOCALAMUS</b>	A small group of scrambling bamboos with persistent culm sheaths and large leaves.					
<b><i>M. arrectus</i></b>					From Yunnan. Used in weaving. Fruit edible. Red blush on largish leaves.	

<b>MELOCANNA</b>	A genus native to India and Burma, with 3 species, only one of which is in the United States. Open clumpers with long-necked rhizomes.					
<b><i>M. baccifera</i></b>	<b>60.0</b> 18.3	<b>3.0</b> 7.6	<b>32</b> 0	5	Thin walled, erect. Fruits, the size of a pear, sometimes sprout on the plant. Shoots & fruit edible.	

<b>MENSTRUOCALAMUS</b>	Very similar to <i>Chimonobambusa</i> and may be synonymous. One species, from Sichuan China.					
<b><i>M. sichuanensis</i></b>	<b>15.0</b> 4.6	<b>0.8</b> 2.0			Used as an ornamental in China.	D0

<b>NASTUS</b>	A genus of slender to large bamboos found from Madagascar to the Solomon Islands. Erect, scrambling, or climbing, many branches at each node.					
<b><i>N. elatus</i></b>	<b>60.0</b> 18.3	<b>4.0</b> 10.2	<b>25</b> -4	5	Long narrow light grayish-green leaves, erect new lime green culms turn yellowish with age. From coastal New Guinea. Needs humid area. Shoots edible raw.	D8 K5 K7 L0

<b>NEOHOUEAUA</b>	Medium-sized clumping bamboos from SE Asia. Culm tips often scrambling. Included in <i>Schizostachyum</i> in some references.					
<b><i>N. mekongensis</i></b>	<b>5.0</b> 1.5	<b>0.4</b> 1.0	<b>40</b> 4		A small clumping bamboo from Vietnam suitable for low hedges.	C6 C7 K7

**GENUS species**  
**COMMON NAME**

**Max**   **Max**   **Min**   **Shade**  
**Height**   **diam**   **Temp**   **Sun**  
**feet/**   **inch/**   **°F**   **5=full**  
**meters**   **cm**   **°C**   **sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

<b>NEOLOLEBA</b>	Tropical genus from Indonesia, PNG, & N Australia.						
<b>N. atra</b> IRON RANGE BAMBOO	<b>16.0</b> 4.9	<b>1.2</b> 3.1	<b>40</b> 4		From New Guinea and northernmost Australia. Large leaves. May be a Schizostachyum. Tender.		
<b>OCHLANDRA</b>	A group of shrubby gregarious reed-like bamboos, native to southern India and Sri Lanka, with persistent culm-sheaths.						
<b>O. stridula</b> REED BAMBOO	<b>18.0</b> 5.5	<b>0.8</b> 2.0		5	Native to Sri Lanka, where it is used extensively for basketry and for paper pulp. Good for craft work. May be misidentified Semiarundinaria species.	C1 C7 D0 G4	
<b>OLIGOSTACHYUM</b>	A group of small to medium running bamboos from the coast of China, similar to Semiarundinaria. Swollen nodes.						
<b>O. glabrescens</b>	<b>6.0</b> 1.8	<b>0.4</b> 1.0			From Fujian and Zhejiang, China. Long narrow leaves.		
<b>OLMECA</b>	A Mexican genus, with two species. Both species have large fleshy fruits, and rhizomes with long necks, very open clumps.						
<b>O. recta</b>	<b>45.0</b> 13.7	<b>2.0</b> 5.1		4	Green culms; nodes subdued on main culm but bulge on branches. Branches at about 10 ft; looks like a palm. Fruits to one inch diameter.		
<b>OTATEA</b>	Genus of American clumping bamboos with 3 known species. From central Mexico to Central America.						
<b>O. acuminata</b> 'Michoacan'	<b>15.0</b> 4.6	<b>1.0</b> 2.5	<b>28</b> -2	5	Coarser, with burgundy culm tips, darker culms, more persistent culms sheath and a stiffer look to the leaves.	A3 C1 D0 G4 K5	
<b>O. acuminata ssp. acuminata</b>	<b>15.0</b> 4.6	<b>0.7</b> 1.8	<b>28</b> -2	5	Smaller and more delicate looking than aztecum, it comes from the hot, humid lowlands of eastern Mexico.	A3 A9 C1 C3 C7 D0 G4 I8 J3 K5 K7	
<b>O. acuminata ssp. aztecum</b> MEXICAN WEEPING	<b>20.0</b> 6.1	<b>1.5</b> 3.8	<b>22</b> -6	4	The long narrow leaves are produced in such abundance that they almost completely obscure the culms. Clumps open with culms spaced up to 1 or 2 feet.	A0 A3 A9 B3 B5 B8 B9 C1 C7 D0 D8 E0 E2 E9 F0 F7 F8 F9 G1 G4 G5 H1 H5 I6 I8 J1 J4 K0 K2 K5 K7 L0	
<b>O. acuminata ssp. aztecum 'Dwarf'</b> DWARF MEXICAN WEEPING	<b>4.0</b> 1.2	<b>0.7</b> 1.8	<b>22</b> -6	4	A dwarf form of the above. Looks like a basketball.	A3 C1 G4 I8 J3	
<b>O. fimbriata</b>	<b>14.0</b> 4.3	<b>0.7</b> 1.8	<b>24</b> -4	4	Leaves up to a foot long and 3/4 inch wide, waxy whitish culms, from Mexico to northern Colombia.	C1 D0 G4 I6 J8 K5	
<b>O. glauca 'Mayan Silver'</b>	<b>20.0</b> 6.2	<b>1.5</b> 3.8	<b>22</b> -6	4	Previously known as O. acuminata 'Mayan Silver'. From Chiapas, Mexico, with hollow culms covered in silver-white waxy powder. Leaves weeping and narrow.	A3 B0 B3 C1 C7 D0 D8 E2 G4 I8 J1 J8 K5 K7	
<b>OXYTENANTHERA</b>	Clumping bamboos from the savanna woodlands of tropical Africa.						
<b>O. abyssinica</b>	<b>30.0</b> 9.1	<b>4.0</b> 10.2	<b>30</b> -1	5	Native to Ethiopia. Bright green, no thorns. Zigzag culms.	A3 K7	

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### OXYTENANTHERA

<b><i>O. braunii</i></b> WINE BAMBOO	<b>30.0</b> 9.1	<b>4.0</b> 10.2	<b>30</b> -1	<b>5</b>	May be the same species as <i>O. abyssinica</i> . Young shoots are cut off to produce sap that is fermented for "wine" in Tanzania.	A3
---	--------------------	--------------------	-----------------	----------	---	----

<b>PHYLLOSTACHYS</b>	Medium to giant runners which have a distinct groove above pairs of unequal branches at mid-culm nodes. They shoot in spring.					
<b><i>P. acuta</i></b>	<b>26.0</b> 7.9	<b>2.5</b> 6.4	<b>0</b> -18	<b>5</b>	Introduced from Zhejiang Province, China in 1984. Named for its sharp-pointed shoots.	C6 D0 I4 J0 K4
<b><i>P. angusta</i></b> STONE BAMBOO	<b>22.0</b> 6.7	<b>1.3</b> 3.3	<b>-2</b> -19	<b>5</b>	Called Stone Bamboo because of the hard texture of its culms which in China are used to make fine bamboo furniture.	A1 A6 B0 B3 B4 B7 B9 C1 C6 C8 D0 D9 E0 E6 E7 E8 E9 F0 F2 F6 F8 G1 G2 G4 G8 H5 H7 H9 I3 I4 J0 J4 K0 K2 K4 K5 K6
<b><i>P. arcana</i></b>	<b>27.0</b> 8.2	<b>1.3</b> 3.3	<b>0</b> -18	<b>5</b>	Named after its "hidden" characters of distinctive recognition. In China it is used for shoots and split culms are woven into mats.	B7 B9 C6 D0 D9 E7 F6 G1 G8 H2 H9 I4 J0 J8 K4 K5 K6
<b><i>P. arcana</i> 'Luteosulcata'</b>	<b>27.0</b> 8.2	<b>1.3</b> 3.3	<b>0</b> -18	<b>5</b>	Same as <i>P. arcana</i> but with a yellow groove.	B3 D5 E7 I3 J8 K4
<b><i>P. atrovaginata</i></b> INCENSE BAMBOO	<b>35.0</b> 10.7	<b>2.8</b> 7.1	<b>-10</b> -23	<b>5</b>	The shoots are among those having the least bite when raw. These plants were formerly listed as <i>P. congesta</i> .	A1 A6 B0 B3 B4 B9 C1 C6 C7 D0 D3 D9 E0 E6 E7 E8 F2 F6 F8 G1 G4 G7 G8 H7 H9 I1 I3 I4 J0 J4 J5 J6 K0 K2 K4 K5 K6 L1
<b><i>P. aurea</i></b> GOLDEN, FISHPOLE BAMBOO	<b>27.0</b> 8.2	<b>1.8</b> 4.6	<b>5</b> -15	<b>5</b>	The most commonly cultivated bamboo in the U.S., easily identified by one to several short internodes at the base of some of its culms. It is most invasive in areas with warm summers. Culm may grow to 3 inches diameter in favorable conditions.	A0 A1 A3 A9 B0 B2 B3 B4 B6 B7 B8 B9 C1 C3 C4 C6 C7 C8 C9 D0 D3 D4 D5 D9 E6 E7 E8 E9 F0 F2 F6 F7 G0 G2 G4 G5 G7 G8 G9 H2 H7 H9 I4 I5 J0 J4 J5 J9 K0 K2 K4 K5 K7 K8 L1
<b><i>P. aurea</i> 'Albovariegata'</b> VARIEGATED GOLDEN BAMBOO	<b>27.0</b> 8.2	<b>1.8</b> 4.6	<b>5</b> -15	<b>5</b>	Same, except that the leaves are smaller, striped with white. Many plants flowered recently; some have survived but nearly all reverted to normal form.	B0 B3 C6 D5 I4 K4 K6
<b><i>P. aurea</i> 'Dr Don'</b>	<b>27.0</b> 8.2	<b>1.8</b> 4.6	<b>10</b> -12	<b>5</b>	Glaucous blue culms with denser wax than usual	B3 H5 J8
<b><i>P. aurea</i> 'Flavescens-inversa'</b>	<b>27.0</b> 8.2	<b>1.8</b> 4.6	<b>5</b> -15	<b>5</b>	The green culms have a pale yellow groove.	B3 B4 B7 B8 B9 C1 C4 C6 C7 D0 D9 E6 E7 E9 F6 F7 G4 G7 G8 H2 H5 I3 I4 J0 J4 J5 K2 K4 K5 K6 K7
<b><i>P. aurea</i> 'Holochrysa'</b> GOLDEN GOLDEN	<b>27.0</b> 8.2	<b>1.8</b> 4.6	<b>5</b> -15	<b>5</b>	Unlike the typical form whose culms stay green until old, these culms soon turn yellow, then golden orange.	B0 B2 B3 B4 B6 B7 B9 C1 C6 D0 D9 E6 E7 E9 F6 F7 G4 G5 G7 G8 H2 H5 H7 H9 I4 J0 J4 J5 K0 K2 K4 K5
<b><i>P. aurea</i> 'Koi'</b>	<b>27.0</b> 8.2	<b>1.8</b> 4.6	<b>5</b> -15	<b>5</b>	The culms turn from green to yellow after the first 6 months, but the culm grooves remain green.	A3 A9 B3 B4 B6 B7 B8 B9 C1 C4 C6 C7 D0 D9 E6 E7 E8 E9 F0 F2 F6 F7 G0 G4 G7 G8 H2 H5 H9 I3 I4 I8 J0 J4 J5 J8 K0 K2 K4 K5 K8 L1
<b><i>P. aurea</i> 'Takemurai'</b>	<b>35.0</b> 10.7	<b>3.0</b> 7.6	<b>5</b> -15	<b>5</b>	It lacks the short internodes of the typical form.	B3 B9 C1 C6 D0 G4 I4 J4 K4 K5
<b><i>P. aureosulcata</i></b> YELLOW GROOVE BAMBOO	<b>45.0</b> 13.7	<b>2.2</b> 5.6	<b>-5</b> -20	<b>5</b>	The culms are more slender and delicate than golden bamboo; young culms are green with a yellow groove. Culm internodes distinctly rough to the touch when young, and an occasional culm has a zigzag kink.	A1 A3 A9 B0 B3 B4 B6 B7 B8 B9 C1 C6 C7 C8 D0 D3 D4 D5 D7 D9 E0 E6 E7 E8 E9 F0 F2 F6 F7 F8 G1 G2 G4 G5 G7 G8 G9 H0 H2 H6 H8 H9 I1 I3 I4 I5 J4 J5 J6 J9 K0 K2 K4 K5 K6 K8 L1
<b><i>P. aureosulcata</i> 'Alata'</b>	<b>30.0</b> 9.1	<b>2.0</b> 5.1	<b>-5</b> -20	<b>5</b>	Similar to the above, but with a green groove. Culms are often markedly zigzag. Probably synonymous with <i>P. aureosulcata</i> 'Pekinensis'.	B3 B4 B7 B8 B9 C1 C6 D0 D7 D9 E6 E7 E8 F2 F7 F8 G4 G7 H0 H5 H8 I3 I4 J0 K4 K5 K8

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### PHYLLOSTACHYS

<i>P. aureosulcata</i> 'Aureocaulis'	26.0 7.9	1.5 3.8	-5 -20	5	Culms are entirely yellow except for a few vertical green stripes.	A1 A9 B0 B3 B4 B7 B8 B9 C1 C4 C6 D0 D3 D5 D7 D9 E0 E4 E6 E7 F2 F7 F8 G4 G5 G7 H2 H5 H7 I1 I3 I4 J0 J4 J5 J6 J8 K0 K2 K4 K5 K6 L1
<i>P. aureosulcata</i> 'Harbin'	26.0 7.9	1.5 3.8	-5 -20	5	The culms are yellow with multiple green grooves running the length of each internode; rare.	B0 B3 B4 B7 C1 C6 D0 E6 E7 E9 F7 F8 G4 G7 G8 H0 H1 H2 H5 I1 I3 I4 J6 J8 J9 K0 K2 K4 K5
<i>P. aureosulcata</i> 'Harbin Inversa'	26.0 7.9	1.5 3.8	-5 -20	5	Yellow culms with fine green striping, no grooves other than the sulcus. It has a beautiful orange/crimson highlight for a while in the spring when grown in full sun.	B0 B3 B4 C1 C6 D0 D3 D5 E6 E7 E9 F8 G4 G7 H0 H1 I1 I4 J4 J8 K4 K5 L1
<i>P. aureosulcata</i> 'Pekinensis'	30.0 9.1	2.0 5.1	-5 -20	5	Has a green groove; probably synonymous with <i>P. aureosulcata</i> 'Alata'.	B3 E7 I4 K4
<i>P. aureosulcata</i> 'Spectabilis' GREEN GROOVE	26.0 7.9	1.5 3.8	-5 -20	5	The culms are yellow with a green groove, just opposite of the typical form. Smaller in hottest areas.	A1 A3 B0 B3 B4 B6 B7 B8 B9 C1 C4 C6 C7 C8 D0 D3 D5 D7 D9 E0 E4 E6 E7 E8 E9 F2 F6 F7 F8 G4 G5 G7 G8 H0 H1 H2 H5 H6 H7 H8 H9 I1 I3 I4 I5 I8 J0 J3 J4 J5 J6 J8 K0 K2 K4 K5 K6 K7 K8 L1
<i>P. aurita</i>	20.0 2.1	1.0 2.5			Strong culms with hairy shoots.	B3 E7 I4
<i>P. bambusoides</i> GIANT JAPANESE TIMBER, MADAKE	72.0 21.9	6.0 15.2	5 -15	5	The most utilized bamboo in Japan where it is valued for its large straight thick-walled culms. Flowered extensively in the 1970's and many plants died. Most plants have regained their vegetative vigor.	A1 A3 B0 B3 B4 B7 B9 C1 C3 C4 C6 C7 D0 D3 D4 D5 D7 D8 D9 E6 E7 E9 F0 F6 F7 G0 G2 G4 G5 G7 G8 H2 H5 H7 H9 I3 I4 I8 J0 J4 J5 J8 J9 K0 K2 K4 K5 K6 K8 L1
<i>P. bambusoides</i> 'Albovariegata'	25.0 7.6	1.8 4.5	5 -15	5	Apricot fading to white leaf variegation is startling in the spring, but it fades by the end of the year. Culms green.	B3 B7 C6 D0 D5 E7 E9 F7 G7 J0 J4 J8 K2 K4
<i>P. bambusoides</i> 'Allgold'	35.0 10.7	2.0 5.1	5 -15	5	The culms are entirely golden yellow except for an occasional thin green stripe.	A3 B0 B3 B4 B6 B7 B8 B9 C1 C4 C6 C7 D0 D3 D5 D9 E6 E7 F1 F6 F7 G1 G4 G5 G7 G8 H2 H5 H7 H9 I3 I4 I5 I8 J0 J4 J5 J8 K0 K2 K4 K5 K7 L1
<i>P. bambusoides</i> 'Castillon'	35.0 10.7	2.0 5.1	5 -15	5	Golden yellow culms with green grooves and stripes. An occasional leaf is striped in cream. It died due to flowering, and a new clone with less leaf variegation, sometimes called 'McClure's Castillon', has been introduced.	A1 A3 B0 B3 B4 B6 B7 B8 B9 C1 C3 C4 C6 C7 C8 D0 D3 D5 D8 D9 E6 E7 F0 F6 F7 G1 G4 G7 G8 H2 H5 H7 H9 I3 I4 I5 I8 J0 J3 J4 J5 J8 J9 K0 K2 K4 K5 K8 L1
<i>P. bambusoides</i> 'Castillon Inversa'	35.0 10.7	2.0 5.1	5 -15	5	This is the complement of the above; culms are green with yellow grooves.	A3 B3 B4 B8 B9 C1 C6 C7 D0 D9 E7 F7 G4 G7 H2 H5 I8 J0 J4 J8 K0 K4 K5 K6 K8
<i>P. bambusoides</i> 'Golden Dwarf'	12.0 3.7	1.0 2.5	5 -15	5	Shrublike with golden leaves and culms.	K5
<i>P. bambusoides</i> 'Job's Spots'	50.0 15.2	4.0 10.2	5 -15	5	Culm sheaths with upper-central burgundy spots.	D0 K5
<i>P. bambusoides</i> 'Kawadana'	20.0 6.1	2.0 5.1	5 -15	5	Culms and foliage leaves have yellow stripes.	B3 B4 D0 D9 F7 J8 K4 K5
<i>P. bambusoides</i> 'Marliac'	25.0 7.6	1.5 3.8	5 -15	5	A form with wrinkled culms due to numerous longitudinal grooves running the length of each internode on all sides of the culm. A rare ornamental.	B3 B4 B8 C1 C3 C6 C8 D0 D7 D9 E7 F7 G4 G7 H5 H9 I3 J0 J4 K4 K5
<i>P. bambusoides</i> 'Ribleaf'	50.0 15.2	4.0 10.2	5 -15	5	Leaves short, wide and ribbed along the parallel venation.	J4 K5



**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
feet/  
meters

**Max**  
**diam**  
inch/  
cm

**Min**  
**Temp**  
°F  
°C

**Shade**  
**Sun**  
5=full  
sun

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### PHYLLOSTACHYS

<i>P. bambusoides</i> 'Richard Haubrich'	35.0 10.7	2.0 5.1	5 -15	5	Sport from base of 'Castillonis' with dramatic green stripes on white leaves, slow grower. Bamboo 23: 7. 2002	B3 C1 D0 D5 D9 G4 J0 J4 J5 J8 K4 K5
<i>P. bambusoides</i> 'Slender Crookstem'	48.0 14.6	3.0 7.6	0 -18	5	Smaller than regular <i>P. bambusoides</i> with culms that often show a marked zigzag of lower internodes.	B3 B4 B8 C1 C4 C6 D0 D9 E7 F0 F6 G4 G8 H2 I3 I4 K2 K4
<i>P. bambusoides</i> 'Subvariegata'	48.0 14.6	3.0 7.6	5 -15	5	The leaves have light green stripes on a dark green background.	B3 C6 D0 J4 K4
<i>P. bambusoides</i> 'Tanakae'			5 -15		Culms marked with elliptical purplish-brown spots.	A3 B3 B4 B7 B8 C6 D0 D9 F6 G0 H2 H9 K0 K2 K4
<i>P. bambusoides</i> 'White Crookstem'	48.0 14.6	3.0 7.6	0 -18	5	The older culms are covered with white powder.	B0 B8 C6 D0 F6 G1 H2 H9 I3 I4 K4
<i>P. bisetii</i>	40.0 12.2	2.0 5.1	-10 -23	5	A vigorously growing species whose culms are somewhat darker green than "golden bamboo." It is one of the first species of the genus to shoot in spring.	A1 B3 B4 B6 B7 B9 C1 C3 C4 C6 C8 D0 D3 D5 D7 D9 E0 E6 E7 E8 E9 F0 F1 F2 F6 F7 F8 G1 G2 G4 G5 G7 G8 G9 H0 H2 H5 H6 H7 H8 H9 I1 I3 I4 I8 J0 J4 J5 J6 K0 K2 K4 K5 K6 K8 L1
<i>P. bisetii</i> 'Dwarf'	18.0 5.5	1.0 2.5	-10 -23	5	Differs by being smaller, and having whitish patches on the culms; hardier, perhaps.	A6 B3 B4 C1 C6 C8 D0 E0 E7 F8 G4 G8 H2 H5 H9 I1 I3 I4 J0 J6 K4 K6
<i>P. dulcis</i> SWEETSHOOT BAMBOO	40.0 12.2	2.8 7.1	0 -18	5	Arching culms. Named because its shoots are particularly free of any acrid taste.	B0 B3 B4 B6 B7 B8 B9 C1 C4 C6 C7 C8 D0 D3 D8 E0 E6 E7 E8 F0 F2 F6 F7 F8 G1 G2 G4 G7 G8 H2 H5 H7 H9 I1 I3 I4 J5 J8 K0 K2 K4 K5 K6 K8
<i>P. edulis</i> MOSO	75.0 22.9	7.0 17.8	5 -15	5	Largest of the hardy bamboos. Young culms are covered with a velvety coat of soft hairs. The most used bamboo in China, used for food, timber, paper, plywood, flooring.	A1 B0 B2 B3 B4 B6 B7 B8 B9 C1 C6 D0 D3 D5 D9 E0 E6 E7 F6 F7 F8 G4 G5 G7 G8 H2 H5 H7 H9 I3 I4 J0 J3 J4 J5 J8 J9 K0 K2 K4 K5 L1
<i>P. edulis</i> 'Anderson'	75.0 22.9	7.0 17.8	-6 -21	5	From the grove at Anderson, SC. Hardy to -6 F.	B7 D0 D3 F6 G2 G7 G8 H2 H9 I4 K2 K4
<i>P. edulis</i> 'Bicolor'	75.0 22.9	7.0 17.8	5 -15	5	Yellow culms with green sulcus.	B3 B7 D5 J8
<i>P. edulis</i> 'Goldstripe'	75.0 22.9	7.0 17.8	5 -15	5	A Moso seedling that shows gold striation.	B3 C6 D0 D3 G8 H2 J8 K4 K5 L1
<i>P. edulis</i> 'Heterocycla'			5 -15		This is the famous Tortoise Shell Bamboo, with nodes slanted alternately in opposite directions. In Japan it is called Kikkochiku.	B3 B7 C6 F8 G1 K4
<i>P. elegans</i>	32.0 9.8	2.3 5.8	0 -18	5	The species is highly regarded for its shoots. In spring it is one of the first species of the genus to shoot.	B0 B3 B7 C6 E7 E8 E9 F6 G1 H2 H9 I4 K2 K4
<i>P. flexuosa</i>	31.0 9.5	2.8 7.1	0 -18	5	Named because some of the culms show a distinct zigzag pattern. One form is hardy to -8 F.	B3 B7 B9 C6 C8 D0 D9 E7 E9 F6 F8 G8 H2 H9 I3 I4 J0 K0 K4 K5 K6
<i>P. flexuosa</i> 'Kimmei'	31.0 9.5	2.8 7.1	0 -18	5	Like the type, but striped with yellow.	B3 D0 I4 J4 J8 K4 K5
<i>P. glauca</i>	34.0 10.4	2.0 5.1	0 -18	5	Named for blue-white powder that completely covers young culms. In China, grows as large as <i>P. bambusoides</i> .	B0 B3 B4 B7 B9 C1 C6 C7 D0 F6 G1 G4 G8 H2 H5 H9 I3 I4 J0 K0 K4 K5
<i>P. glauca</i> 'Notso'	34.0 10.4	2.0 5.1	-2 -19	5	Similar to the species, except young culms do not have the blue glaucous color. May take lower temperatures.	C6 F2 I1 I4 K4

*GENUS species*  
COMMON NAME

Max Height  
feet/  
meters

Max diam  
inch/  
cm

Min Temp  
°F  
°C

Shade Sun  
5=full  
sun

Comments - Description

Vendor Codes  
(see pages 38 and following)

**PHYLLOSTACHYS**

<i>P. glauca</i> 'Yunzhu'	34.0 10.4	2.0 5.1	0 -18	5	Has purplish-black spots or ovals on the culms.	B3 B4 B7 B9 C6 E6 E7 F2 F7 H2 H7 J0 J8 K4 K5 L1
<i>P. heteroclada</i> WATER BAMBOO	33.0 10.1	1.5 3.8	-11 -24	5	Larger, more erect, and less zigzag than <i>P. h. 'Purpurata'</i> .	B0 B3 B7 B9 C6 C7 D0 D3 D7 D8 D9 E0 E7 E8 E9 F2 F6 F8 G8 H5 I1 I4 J0 J4 K4 K6
<i>P. heteroclada</i> 'Purpurata'	18.0 5.5	0.8 2.0	5 -15	5	The slender, zigzag culms often bend to the ground under the weight of rain or in a strong wind. Air channels in rhizomes permit growth in wet locations.	B0 B3 B8 B9 C1 C6 C7 C8 D0 D7 D9 E0 E6 E8 F2 F6 G1 G4 G7 G8 H7 I3 I4 J5 K4 K5 L1
<i>P. heteroclada</i> 'Solidstem'	24.0 7.3	1.3 3.3	-5 -20	5	Similar to the above except that culms are solid below.	A6 B0 B3 B7 B9 C4 C6 D0 E7 E8 F2 G8 H2 H9 I3 I4 J0 K2 K4
<i>P. hispida</i>	11.0 3.4	1.5 3.8			Short culms, with densely packed hairs like <i>P. edulis</i> (Moso).	A6 C6 E7 I4
<i>P. humilis</i>	20.0 6.1	1.0 2.5	3 -16	5	One of the smallest members of the genus, it is widely cultivated in Japan. Culms darken with age.	B2 B4 B7 B8 B9 C1 C6 C7 D0 D7 D9 E6 E7 E8 F7 G4 G7 H2 H5 H7 H9 I1 I3 I4 J0 J4 K0 K2 K4 K5
<i>P. incarnata</i>	40.0 12.2	3.0 7.6	-10 -24	5	Culms sheaths are purple. Culms are olive green.	C6 J4
<i>P. iridescens</i>	40.0 12.2	2.8 7.1	3 -16	5	Some internodes near base have yellow striping. Sweet shoots, used for timber.	B3 B4 B7 B9 C1 C4 C6 D0 D9 E7 G7 I3 I4 K2 K4
<i>P. kwangsiensis</i>				5	Resembles <i>P. edulis</i> (Moso) with hairy young culms. It is said to grow better in areas with cool summers.	B3 E7 H2
<i>P. lithophila</i>			8 -13	5	Like <i>P. makinoi</i> but with paler shoots, smaller culm sheath blades and leaf sheaths with sparse or no oral setae.	B3 B4 C6 E6 E7 I1 I4 J8 K4
<i>P. lofushanensis</i>	15.0 4.6	1.0 2.5			Shorter than most <i>Phyllostachys</i> . Prominent nodes.	C6 E7 I4
<i>P. makinoi</i>	60.0 18.3	3.0 7.6	0 -18	5	Whitish green culms are covered with a bluish powder.	B2 B3 B6 B7 C1 C6 C7 C8 D0 E7 F2 F6 F7 G1 G4 G7 G8 H2 H9 I1 I3 I4 J0 J8 K4 K5 K6
<i>P. mannii</i> 'Decora'	30.0 9.1	2.5 6.4	-5 -20	5	From the Yangtze valley and adjacent areas of China. In China, it is called the Beautiful Bamboo. One of the best performers under stress of desert heat, cold, and drought in Nevada. Now considered to be conspecific with <i>P. mannii</i> 'Mannii'.	A1 A6 B3 B4 B6 B7 B9 C1 C6 C7 C8 D0 E0 E6 E7 E8 E9 F2 F6 F7 F8 G1 G4 G5 G8 H2 H5 H7 H9 I1 I3 I4 J0 J4 J5 J8 K0 K4 K5 K6 L1
<i>P. mannii</i> 'Mannii' MANNII	25.0 7.6	2.0 5.1	0 -18	5	First identified in northern India, but extends in range to southern China. Shoots in April; slightly astringent. Culms tough, durable, easy to split.	A3 B3 C1 C6 D0 D9 E7 G4 H2 I4 K4
<i>P. meyeri</i>	33.0 10.1	2.0 5.1	0 -18	5	Similar in appearance to <i>P. aurea</i> but without the short internodes.	B0 B3 B4 B7 C1 C6 C7 C8 D0 E7 E9 F2 F7 G0 G1 G4 G8 H2 I3 I4 J4 K4 K5 K6 K8
<i>P. nidularia</i>	33.0 10.1	1.5 3.8	5 -15	5	Distinctive, very prominent culm nodes. The shoots are exceptionally free of acrid taste.	A1 B3 B4 B6 B9 C1 C6 C7 D0 D9 E6 E7 E8 F2 F6 F7 F8 G4 G7 G8 H2 H5 I4 J0 K4 K5
<i>P. nidularia</i> 'Farcta'	33.0 10.1	1.5 3.8	5 -15	5	The culms are solid or nearly so.	B3 B7 C6 D0 E7 E8 F7 H7 H9 I3 I4 K4
<i>P. nidularia</i> 'Smoothsheath'	33.0 10.1	1.5 3.8	0 -18	5	Same, except it lacks the shaggy hairs on the culm leaf sheaths and sheath scars found on the typical form.	A9 B3 C6 D0 E8 I4 K4 K6

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### PHYLLOSTACHYS

<i>P. nigra</i> BLACK BAMBOO	30.0 9.1	2.0 5.1	5 -15	5	Culms turn jet black after the first 6 months to one year. Popular because of its graceful habit and the sharp accent of its culm color. Said to grow larger in northern climates. It is not clear whether there is significant difference between some of the cultivars	A1 A3 A6 A9 B0 B3 B4 B6 B7 B9 C1 C3 C4 C6 C7 C8 C9 D0 D3 D4 D5 D7 D8 D9 E0 E2 E6 E7 E9 F0 F2 F6 F7 F8 G0 G1 G2 G4 G5 G7 G8 H0 H1 H2 H5 H6 H7 H9 I3 I4 I5 I7 I8 J0 J3 J4 J5 J8 J9 K0 K2 K4 K5 K6 K8 L1
<i>P. nigra</i> 'Bory' SNAKESKIN, LEOPARD-SKIN BAMBOO	50.0 15.2	3.0 7.6	0 -18	5	Differs from the above by growing larger. Culms blotched with black, never completely black.	A1 B0 B3 B4 B6 B7 B8 B9 C1 C3 C4 C6 C7 C8 D0 D3 D5 D7 D9 E6 E7 E8 F2 F6 F7 F8 G2 G4 G5 G7 G8 H2 H5 H9 I3 I4 I5 J0 J4 J5 J8 J9 K0 K2 K4 K5 K6 K8
<i>P. nigra</i> 'Daikokuchiku'	57.0 17.4	3.3 8.4	5 -15	5	A clone from California, claimed to be larger than the type, with culms supposedly turning black more rapidly than other clones.	A1 A3 A9 B0 B3 B6 B8 C1 C6 C7 D0 D5 D8 D9 E4 E6 E9 F0 F6 G4 G5 G8 H5 H9 I4 I5 J4 K0 K4
<i>P. nigra</i> 'Hale'	20.0 6.1	1.5 3.8	0 -18	4	Similar to the type, but smaller and hardier. Culms turn black almost immediately.	A6 A9 B0 B3 C1 C6 D0 D5 E0 E6 E7 F2 F8 G4 G8 G9 H1 H2 H9 I4 J4 J5 J6 J8 K4 K6
<i>P. nigra</i> 'Henon'	65.0 19.8	4.5 11.4	0 -18	5	Culms totally green, usually much larger than Black bamboo. Distinctive culms are rough to the touch and whitish green.	A1 A3 B0 B2 B3 B4 B7 B8 B9 C1 C3 C4 C6 C7 C8 D0 D3 D7 D8 D9 E0 E6 E7 E8 F0 F2 F6 F7 F8 G0 G1 G2 G4 G5 G7 G8 H0 H2 H5 H6 H8 H9 I3 I4 I5 J0 J4 J5 J8 J9 K0 K2 K4 K5 K6 K8
<i>P. nigra</i> 'Megurochiku'	54.0 16.5	3.5 8.9	3 -16	5	Green, similar to 'Henon' but the culm grooves are brown or purplish-black.	A3 B0 B3 B4 B7 B8 C1 C4 C6 C7 D0 D3 D7 D9 E6 E7 E8 E9 F7 G4 G5 G7 G8 H2 H5 H9 I3 I4 J0 J4 J8 J9 K0 K2 K4 K5 K8 L1
<i>P. nigra</i> 'Mejiro'	50.0 15.2	3.0 7.6	0 -18	5	Like 'Bory' but with paler sulcus.	B3 C6 D5 E7
<i>P. nigra</i> 'Muchisasa'	12.0 3.7	1.0 2.5	5 -15	5	The culms turn brownish-black, not dense purplish black.	C6 I4 J4 K4 K6
<i>P. nigra</i> 'Othello'	20.0 6.1	2.0 5.1	5 -15	5	Culms very black, tightly packed together in clumps, turn early from green to black.	B0 C1 D0 G4 I4 K4
<i>P. nigra</i> 'Punctata'	60.0 18.3	4.0 10.2	5 -15	5	A large form. Culms are spotted in the first year, purplish in the second, and black the third.	C1 C6 C7 E7 G4 G7 H5 I3 I4 J0 K2 K4 K5 K8
<i>P. nigra</i> 'Shimadake'	54.0 16.5	3.5 8.9	0 -18	5	Similar to Henon but with occasional brown vertical stripes on the culm after the first year.	B0 B3 B4 B7 B8 C6 C7 D0 D7 E6 E7 F6 G4 I4 J4 J8 K2 K4 K5
<i>P. nigra</i> 'Tosaensis'	30.0 9.1	1.5 3.8	5 -15	3	Like Bory but with 1 or 2 long brown spots per internode, leaves sometimes variegated.	D0 I4 J4 K4
<i>P. nuda</i>	34.0 10.4	1.8 4.6	-15 -26	5	Reputed to be the hardiest species of the genus. New culms are dark green and powdery. Not tolerant of winter winds. P. nuda is the true "stone bamboo".	A1 B3 B4 B7 B8 B9 C1 C6 C7 C8 D0 D3 D7 D9 E0 E6 E7 E8 E9 F0 F2 F6 F7 F8 G1 G2 G4 G7 G8 H0 H1 H2 H7 H8 H9 I1 I3 I4 I5 J0 J4 K0 K2 K4 K5 K6 K8 L1
<i>P. nuda</i> 'Localis'	34.0 10.4	1.8 4.6	-15 -26	5	Similar, internodes near the base are blotched, spotted, or striped purple. Blotches show at 6 -12 months.	B3 B4 C6 D3 E0 E6 E7 F2 F8 H0 I1 I3 I4 K4 K5
<i>P. parvifolia</i>	40.0 12.2	4.0 10.2	0 -18	5	Small leaves make this a shining star. Culms have powdered rings under nodes, like P. nuda. From a distance resembles P. nigra 'Henon', but the culms are comparatively thicker and the leaves are smaller.	B3 C1 C6 I4 J4 J8
<i>P. platyglossa</i>	26.0 7.9	1.5 3.8	0 -18	5	Mature culms have long internodes. Grown for its shoots in China. Timber inferior.	B3 B4 B9 C1 C6 D0 D3 D9 E6 E7 G4 H2 H7 I3 I4 J0 J4 K0 K4 K5

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

**PHYLLOSTACHYS**

<i>P. praecox</i>	33.0 10.1	2.0 5.1	5 -15	5	Young culms dark green, purplish nodes. Grown for its shoots in China.	B3 B7 C1 C6 D0 E7 G4 H2 I1 I4 J0 J5 K4
<i>P. praecox 'Prevernal'</i>	33.0 10.1	2.0 5.1	5 -15	5	The middle of internodes are smaller in diameter than the ends.	B3 C6 D8 F6 H9 I4 K4
<i>P. praecox 'Viridisulcata'</i>	33.0 10.1	2.0 5.1	5 -15	5	Yellow culm with green sulcus and few green stripes, shoots yellowish, some leaves have yellow stripes.	B3 C6 D5 E7 I4 J8 K4
<i>P. prominens</i>	33.0 10.0	2.8 7.0			Extremely winter-hard and sturdy bamboo with very thick-walled Stems.	B3 I4
<i>P. propinqua</i>	30.0 9.1	2.0 5.1	0 -18	5	Reintroduced to U.S. from China via Germany. Hardier than most others of the genus.	B8 C6 D0 D9 F6 H2 I4 J0 J8 K4
<i>P. propinqua 'Beijing'</i>			-10 -23		Shoots are gray, leaves larger. Reported to take temperatures down to -15F, grows faster than the type.	B3 C6 D0 E7 F2 I4 J6 K4
<i>P. robustiramea</i>	30.0 9.1	2.5 6.4	10 -12	5	Small bamboo, usually only 10 feet tall and 1 inch thick.	C6 I4 K4
<i>P. rubromarginata</i>	60.0 18.3	3.0 7.6	-5 -21	5	Noted for its good quality wood and edible shoots, it tolerates cold, dry winds. Tests in Alabama showed it to be superior in culm production and cold tolerance.	A1 B0 B3 B6 B7 B8 B9 C1 C6 C7 C8 D0 D3 D4 D7 D8 D9 E0 E6 E7 E8 E9 F0 F2 F6 F7 F8 G0 G1 G2 G4 G7 G8 G9 H2 H7 H8 H9 I1 I3 I4 I5 I8 J0 J4 J5 J6 J9 K2 K4 K5 K6 K8 L1
<i>P. stimulosa</i>	25.0 7.6	1.5 3.8	-5 -21	5	Prominent nodes. Native to Zhejiang Province, China.	B3 B4 B9 C6 E7 F7 F8 H2 I3 I4 J0 J8 K4 K6
<i>P. varioauriculata</i> Black bamboo	13.0 4.0	1.0 2.5			New introduction	C6 I4 J4 K0
<i>P. violascens</i>	20.0 6.1	2.0 5.1	0 -18	5	Culms blackish-violet at first, sometimes striped with violet. Sheaths deep purple.	B3 B4 B7 B8 B9 C1 C6 C8 D0 D3 D9 E6 E7 E9 F7 G4 G7 G8 H5 I3 I4 I8 J4 J8 K0 K2 K4 K5 L1
<i>P. virella</i> Green skin bamboo	30.0 9.3	2.0 5.0			New introduction	I4
<i>P. viridiglaucescens</i>	35.0 10.7	2.0 5.1	-5 -21	5	The culms grow very straight and the wood is of excellent quality.	B7 C6 C8 D0 F2 G7 G8 I3 I4 K2 K4 K5 K6
<i>P. viridis</i>	47.0 14.3	3.3 8.4	0 -18	5	A large species, high quality wood, excellent shoots. Culms feel somewhat rough due to tiny indentations.	A6 B0 B6 B8 C6 C7 C8 D0 E7 F2 F6 F7 G1 G2 G7 G8 H2 I1 I4 J4 K4 K5
<i>P. viridis 'Houzeau'</i>	45.0 13.7	3.0 7.6	0 -18	5	Differs by having culms that are green with a yellow groove.	B0 B6 B7 B8 C1 C3 C6 C7 D0 D9 E6 F2 F6 F7 G1 G4 G7 G8 H2 H9 I3 I4 J4 K0 K4 K5
<i>P. viridis 'Robert Young'</i>	40.0 12.2	3.0 7.6	5 -15	5	The culms and branches soon turn from sulfur green to old gold. Longitudinal green stripes of variable width mark many internodes.	A1 A3 A6 B0 B2 B3 B6 B7 B8 B9 C1 C3 C4 C6 C7 C8 D0 D3 D8 D9 E6 E7 E9 F0 F2 F6 F7 G1 G2 G4 G5 G8 H2 H5 H9 I3 I4 J0 J3 J4 J8 J9 K0 K2 K4 K5 K8 L1
<i>P. vivax</i> VIVAX	70.0 21.3	5.0 12.7	0 -18	5	Resembles <i>P. bambusoides</i> except that the culms have thinner walls and a white powdery band beneath each node at sheath-fall. Gray-green when mature.	A1 A3 B0 B3 B4 B7 B8 B9 C0 C1 C3 C4 C6 C7 C8 D0 D3 D4 D7 D8 D9 E0 E6 E7 E9 F0 F1 F2 F6 F7 F8 G0 G1 G2 G4 G5 G7 G8 H0 H2 H5 H7 H9 I3 I4 I8 J0 J4 J5 J8 K0 K2 K4 K5 K8 L1
<i>P. vivax 'Aureocaulis'</i>	70.0 21.3	5.0 12.7	0 -18	5	The culms turn yellow with a few narrow green stripes.	A1 A3 B0 B2 B3 B4 B6 B7 B8 B9 C1 C4 C6 C7 C8 D0 D3 D5 D9 E0 E6 E7 E9 F0 F2 F6 F7 F8 G4 G5 G7 G8 H2 H5 H7 H9 I1 I3 I4 I5 J0 J3 J4 J5 J8 K0 K2 K4 K5 L1

**GENUS species**  
**COMMON NAME**

**Max Height**  
feet/  
meters

**Max diam**  
inch/  
cm

**Min Temp**  
°F  
°C

**Shade Sun**  
5=full  
sun

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### PHYLLOSTACHYS

<i>P. vivax</i> 'Black Spot'	<b>70.0</b> 21.3	<b>5.0</b> 12.7	<b>0</b> -18	5	The culms have black spots.	B3 D0 E7 G7 J8
<i>P. vivax</i> 'Huangwenzhu'	<b>70.0</b> 21.3	<b>5.0</b> 12.7	<b>-5</b> -21	5	Internodes green with yellow groove. From Henon. More frost resistant than the type.	A3 B0 B3 B6 B7 C1 C6 D0 D8 D9 E7 E9 F2 F6 F8 G4 G7 H2 I4 J4 J8 K4
<i>P. vivax</i> 'Huangwenzhu Inversa'	<b>70.0</b> 21.3	<b>5.0</b> 12.7	<b>0</b> -18	5	The internodes are yellow with a green groove	A3 B3 C1 C6 D0 D5 E7 G4 I5 J4 J5 J8

<b>PLEIOBLASTUS</b>	Genus of small and medium size running bamboos with persistent culm sheaths. Most are native to Japan, were formerly classified in Arundinaria.					
<i>P. akebono</i>	<b>2.0</b> 0.6	<b>0.3</b> 0.8	<b>10</b> -12	3	The small leaves, no more than 3 inches long by 1/2 inch wide, are often green shading to white to the tips.	A9 B3 C1 D0 E7 F7 G4 H5 I4 I8 J4 J8 K4 K5
<i>P. amarus</i>	<b>16.0</b> 4.9	<b>0.8</b> 2.0	<b>0</b> -18	3	Young culms are heavily pruinose; used for umbrellas in China.	B7 C6 I4 K5
<i>P. argenteostriatus</i>	<b>3.0</b> 0.9	<b>0.3</b> 0.8	<b>10</b> -12	2	The green leaves, which are more or less striped with white or yellow, are hairless on both surfaces.	B3 B9 C1 C6 C8 D0 D3 D7 D9 E6 E7 E8 F0 F7 F8 G0 G4 G8 H7 I1 I4 I8 J0 J4 K5 K6
<i>P. chino</i>	<b>10.0</b> 3.1	<b>0.8</b> 2.0	<b>5</b> -15	3-5	A medium size bamboo native to Japan.	B3 B7 B8 B9 C6 D0 D7 D9 E0 E7 F7 G1 G7 H8 I1 I4 K2
<i>P. chino</i> 'Angustifolia'	<b>10.0</b> 3.1	<b>0.8</b> 2.0	<b>10</b> -12	3	Distinguished by very narrow leaves, 1/4" x 5".	C1 C6 D0 F7 G4 I4 J4
<i>P. chino</i> 'Elegantissimus'	<b>10.0</b> 3.1	<b>0.8</b> 2.0	<b>10</b> -12	3	Leaf blades narrow and frequently white stripes mottled with green dots. May be same as angustifolia.	B3 C6 D0 E0 E8 G7 H9 I4 J4
<i>P. chino</i> 'Kimmei'	<b>10.0</b> 3.1	<b>0.8</b> 2.0	<b>10</b> -12	3	Leaves and culms have yellow stripes.	A6 B3 B9 C1 C6 C7 D0 D9 E7 G4 I4 J0 J4 K0 K4 K5
<i>P. chino</i> 'Murakamianus'	<b>10.0</b> 3.1	<b>0.8</b> 2.0	<b>10</b> -12	3	Leaves are highly variegated with white stripes; some are totally white. On average 25% of the leaf is green.	B0 B3 B4 C1 C6 D0 E0 E6 E7 F6 G4 H2 H9 I4 J4 J8 K0 K2 K5 K6
<i>P. chino</i> 'Vaginatus Variegatus'	<b>6.0</b> 1.8	<b>0.5</b> 1.3	<b>10</b> -12	3	Differs from the type by its smaller, narrower, white striped leaves, which are hairless on both surfaces. The rhizomes run deep in the ground.	A6 B0 B3 B4 B9 C1 C6 D0 D8 D9 E0 E6 E7 F6 F7 G4 G8 H0 H2 H5 H8 H9 I3 I4 J4 K0 K5 K6
<i>P. distichus</i> DWARF FERN LEAF	<b>2.0</b> 0.6	<b>0.2</b> 0.5	<b>-5</b> -21	3	Branchlets bear tiny, two ranked leaves which are often only 1 inch long by 1/4 inch wide. A good ground cover or container plant.	B2 B3 B8 B9 C1 C6 C8 D0 D9 E6 E7 F7 F8 G4 G7 G8 H0 H7 H9 I4 I8 J0 J4 J5 J8 K2 K5 K8
<i>P. distichus</i> 'Mini'	<b>1.0</b> 0.3	<b>0.2</b> 0.5	<b>-5</b> -21	3	Like the above, but only 8-12" high.	B0 B3 B7 C1 C6 C8 D0 E7 F0 F6 F8 G1 G4 G7 G8 H1 H9 I1 I4 J4 K2 K5 K6
<i>P. fortunei</i> DWARF WHITESTRIPE	<b>4.0</b> 1.2	<b>0.2</b> 0.5	<b>10</b> -12	2	Dwarf variegated bamboo. Leaves keep their white stripes through the year, softly hairy on the lower surface. Aka P. variegatus.	A3 B0 B3 B6 B8 B9 C0 C1 C6 D0 D3 D9 E0 E6 E7 F7 F8 G0 G4 G5 G7 G8 H0 H1 H2 H5 H7 H8 H9 I4 I5 J4 J8 K0 K2 K4 K5 K6 K8 L1
<i>P. gauntlettii</i>	<b>3.0</b> 0.9	<b>0.3</b> 0.8	<b>0</b> -18	3	The slender, dwarf culms stand stiffly erect. Leaves about 7 inches long by 3/4 inch wide.	C6 I1 I4
<i>P. gramineus</i>	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>5</b> -15	4	The long rather narrow leaves are grass-like in appearance.	B3 B7 B8 B9 C1 C6 C7 D0 D9 E6 E7 F6 F7 F8 G4 G7 G8 H8 I4 J4 K0 K2 K5 K6
<i>P. gramineus</i> 'Monstrispiralis'	<b>12.0</b> 3.7	<b>4.0</b> 10.2	<b>5</b> -15	3	Tillering culms are distorted with spiraling internodes, single ones normal.	B0 C6 D0 E7 H9 J4

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### PLEIOBLASTUS

<i>P. hindsii</i>	15.0 4.6	1.0 2.5	0 -18	4	Similar to <i>P. gramineus</i> , but with wider, more erect leaves.	B3 B6 B7 B8 C1 C6 D0 D5 D9 E6 E7 F7 G1 G4 G7 H2 I4 J4 K0 K5
<i>P. humilis</i>	7.0 2.1	0.3 0.8	0 -18	3	An attractive dwarf with dark green leaves. An aggressive runner good for erosion control.	B8 B9 C1 C6 D0 D7 D9 E0 E6 F7 F8 G4 G8 H2 H5 H7 I4 J4 K4 K5 K6 K8
<i>P. humilis</i> ' <i>Albovariegatus</i> '	4.0 1.2	0.1 0.3	-10 -23	4	Introduced to this country by Gerald Bol in about 1994-5, and assumed to be a variety of <i>Pl. humilis</i> , this plant has brightly striped leaves, 50-50 white and green.	B3 D0
<i>P. humilis</i> ' <i>Variegatus</i> '	4.0 1.2	0.1 0.3	0 -18	3	An attractive dwarf with dark green leaves. Striped.	C6 D0 E7 G1 I4 K2
<i>P. juxianensis</i> JUXIAN BITTER B.	22.0 6.7	1.3 3.2	0 -18	5	From Zhejiang, China. Culms used for making umbrella stalk. White ring below nodes.	C6 E7 E8 I4 K2
<i>P. kodzumae</i>	9.5 2.9	0.8 1.9			New Introduction	C6 I4
<i>P. kongosanensis</i>	6.0 1.8	0.4 1.0	0 -18	4	Dark green leaves.	B6 C1 C6 G4 G8 I4 I8
<i>P. kongosanensis</i> ' <i>Akibensis</i> '	6.0 1.8	0.4 1.0	0 -18	4	The culms are densely hairy except for the nodes which have only a few hairs.	I4
<i>P. kongosanensis</i> ' <i>Aureostriatus</i> '	6.0 1.8	0.4 1.0	0 -18	4	The dark green leaves have an occasional golden stripe and are covered with soft hairs on their lower surface.	B3 C6 E7 F6 H2 H9 I3 I4 J4 K0 K5 K6
<i>P. linearis</i>	14.0 4.3	1.0 2.5	10 -12	5	A native of Taiwan, a vigorous runner with long, narrow, grass-like leaves.	A6 B3 B6 B7 B8 B9 C1 C6 D0 D9 E6 E7 F7 G1 G4 G7 G8 H2 H7 H9 I4 J4 K0 K5
<i>P. linearis</i> ' <i>Nana</i> '	4.0 1.2	0.5 1.3	10 -12	5	Shorter, with narrower leaves.	C1 C6 D0 F7 G4
<i>P. nagashima</i>	7.0 2.1	0.3 0.8	-5 -21	3-5	A dwarf Japanese bamboo, usually grows no more than 2 feet tall.	B3 C6 E8 I1 I4
<i>P. oleosus</i>	16.0 4.9	1.3 3.3	0 -18	5	Similar to <i>Brachystachyum densiflorum</i> var. <i>villosum</i> but with culm leaf sheath margins greenish ciliate.	C6 G1 H2 I1 I4
<i>P. pygmaeus</i>	2.0 0.6	0.1 0.3	0 -18	3	Similar to <i>P. distichus</i> except that the leaves are hairy below. Other small bamboos are often sold under this name.	B0 B3 B7 B9 C1 C4 C6 D0 D3 D7 E6 E7 F6 F8 G1 G4 G8 G9 H2 H5 H8 H9 I1 I4 I5 I8 J0 J3 J4 J5 J9 K0 K2 K5 K8
<i>P. pygmaeus</i> ' <i>Ramosissimus</i> '	6.0 1.8	0.1 0.3	0 -18	3	Similar to <i>P. distichus</i> and <i>P. pygmaeus</i> but taller and hardier.	B0 C6 D0 E6 E7 F6 H2 H8 H9 I4 J4 K2
<i>P. shibuyanensis</i> ' <i>Tsuboi</i> ' UEDA-ZASA	9.0 2.7	0.3 0.8	-5 -21	3	A vigorous growing dwarf with rather small, white striped leaves.	B3 B4 B7 B9 C1 C6 C8 D0 D3 D9 E0 E6 E7 F7 G4 G7 G8 H0 H2 H5 H7 H8 H9 I3 I4 I5 I8 J3 J4 J8 K0 K2 K5 K6 K8 L1
<i>P. simonii</i> MEDAKE	20.0 6.1	1.5 3.8	5 -15	4	A medium size hardy bamboo that produces straight culms which are useful for many purposes.	A9 B3 B7 B8 B9 C6 C7 C8 D0 D3 D9 E0 E7 E8 F7 F8 G0 G2 G7 G8 H2 H8 H9 I4 K2 K5
<i>P. simonii</i> ' <i>Variegatus</i> '	20.0 6.1	1.5 3.8	5 -15	4	Has some leaves variegated. Leaves on a culm may be different types—broad, narrow, green, or white striped.	B3 B6 B7 B8 C1 C6 D0 E7 E8 F6 F7 G4 G7 G8 H0 H2 H5 H9 I3 I4 J4 J8 K2 K6
<i>P. sp.</i> ' <i>Greenstripe</i> '	1.5 0.5				New Introduction	D0 I4

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
feet/  
meters

**Max**  
**diam**  
inch/  
cm

**Min**  
**Temp**  
°F  
°C

**Shade**  
**Sun**  
5=full  
sun

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### PLEIOBLASTUS

<i>P. viridistriatus</i> DWARF GREEN STRIPE	3.0 0.9	0.3 0.8	0 -18	2	The new leaves in spring are golden-yellow with green stripes, about 7 by 1.5 inch, densely hairy on the lower surface. Old culms should be mowed in winter making way for brilliant new growth in spring.	A3 B0 B3 B6 B7 B8 C1 C6 C8 D0 D3 D9 E0 E4 E6 E7 E8 F6 F7 F8 G0 G4 G8 H0 H1 H2 H5 H7 H8 H9 I1 I4 I5 J3 J4 J8 J9 K0 K2 K4 K5 K6 K8
<i>P. viridistriatus</i> 'Chrysophyllus'	3.0 0.9	0.3 0.8	0 -18	2	Same as Pl. viridistriatus, except that the leaves are yellow with only very faint green stripes.	B3 B7 B9 C1 C6 D0 E0 E6 E7 F7 F8 G4 G8 H0 H2 H5 H8 H9 I4 I8 J4 J8 K2 K5
<i>P. xestrophyllus</i>	6.0 1.8	0.4 1.0	0 -18		Up to 6 ft tall, 3/8" thick, furry culms. Grows wild in Honshu; leaves green. May be a form of <i>P. nagashima</i> .	I4

<b>PSEUDOSASA</b>	Small to medium size running bamboos which usually have only one branch at a node.					
<i>P. amabilis</i> TONKIN CANE, TEA STICK	50.0 15.2	2.5 6.4	15 -9	5	The culms are straight, thick walled, non-prominent nodes, valued for its wood. Used for split bamboo fishing poles, decorative wood trim. Native to a very small area of China.	A6 B0 B3 B7 C1 C6 D0 E6 E7 E8 F6 F7 G2 G4 G8 H2 H9 I4 J0 J4 K0 K2 K5
<i>P. cantori</i>	16.0 4.9	1.3 3.3	0 -18	3	New from China. Even joints with black waxy ring above and below nodes. Used for furniture.	B3 C6 E6 E7 F7 H2 H5 I4 J4 K0 K5
<i>P. guanxianensis</i>	11.0 3.4	0.5 1.5			New introduction from China.	C6 H5 I4
<i>P. japonica</i> ARROW BAMBOO (YADAKE)	18.0 5.5	0.8 2.0	5 -15	3-5	Erect culms with large broad leaves, up to a foot long by 1.5 inches wide. Less invasive than most other runners. It does well in tubs and pots. The culms were used in ancient Japan to make arrows.	A3 A9 B0 B2 B3 B5 B6 B7 B8 B9 C0 C1 C6 C7 C8 D0 D3 D4 D7 D8 D9 E0 E6 E7 E8 E9 F0 F1 F2 F6 F7 F8 G0 G1 G4 G7 G8 G9 H0 H1 H2 H5 H7 H8 H9 I4 I5 I6 I8 J0 J4 J5 J8 J9 K0 K2 K4 K5 K6 K8 L1
<i>P. japonica</i> 'Akebono'	18.0 5.5	0.8 2.0	5 -15	3	Leaves are green at the base, shade to yellow-white at the tips.	B3 C1 C6 D0 D9 E7 F6 F7 G4 I3 I4 J4 K4 K5
<i>P. japonica</i> 'Akebono-suji'	18.0 5.5	0.8 2.0	5 -15	3	Leaves similar to 'Akebono' except that green stripes also run from base to tip of the leaves.	B3 C1 C6 D0 D8 E6 E7 F7 G4 J8
<i>P. japonica</i> 'Pleioblastoides'	18.0 5.5	0.8 2.0	5 -15	3	Differs only in having three branches at the node instead of just one.	B3 C1 C6 D0 F8 G4 G7 H2 I4 J4
<i>P. japonica</i> 'Tsutsumiana' GREEN ONION BAMBOO	18.0 5.5	0.8 2.0	5 -15	3	Similar to the type except that the culm internodes tend to be swollen, in shape somewhat like a green onion.	B0 B2 B3 B7 B8 B9 C1 C3 C6 C7 D0 D3 D8 E0 E6 E7 E8 E9 F0 F6 F7 F8 G1 G4 G7 G8 G9 H2 H5 H9 I4 I8 J0 J4 J9 K0 K2 K4 K5 K6
<i>P. japonica</i> 'Variegata'	18.0 5.5	0.8 2.0	5 -15	3	Similar to the type, but with white stripes on the leaves.	A3 B3 C1 C6 D0 E0 E7 G4 G7 H9 I4
<i>P. longiligula</i>	26.0 7.9	1.7 4.3	0 -18	3	Thick tall culms with even nodes, used in China for furniture making.	B3 C6 E7 F7 I1 I4 J4 K5
<i>P. owatarii</i>	3.0 0.9	0.3 0.8	0 -18	3	Endemic to Yakushima, a small island in Japan. Form 'pygmaea' is only a few inches tall.	B3 C6 D0 E0 E6 E7 F7 I4 J4 K0 K5
<i>P. usawai</i>	16.0 4.9	0.8 2.0	10 -12	3	From Taiwan where it grows at elevations up to about 4,000 feet.	B3 C1 D0 E7 F7 G4 I4 J4 K5
<i>P. viridula</i>	18.0 5.5	0.8 2.0	5 -15	3	Long wide green leaves.	C6 E6 E7 F7 H5 H7 I4 K5

**GENUS species**  
**COMMON NAME**

**Max**   **Max**   **Min**   **Shade**  
**Height**   **diam**   **Temp**   **Sun**  
**feet/**   **inch/**   **°F**   **5=full**  
**meters**   **cm**   **°C**   **sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

<b>RADDIA</b>	Small herbaceous clump-forming bamboos. Leaves numerous, often in crowded ladder-like complements. Exhibit sleep movements, leaves fold upwards at night or under moisture or temperature stress.				
<i>R. brasiliensis</i>	2.0 0.6		3		Flowers frequently, although spikelets inconspicuous. Needs constant water, good drainage, and chelated iron.
<i>R. distichophylla</i>	1.0 0.3				Fern-like leaves, up to 20 pairs of leaves. Thrives in cultivation. Small (no height spec available).

<b>RHIPIDOCLADUM</b>	A genus of American clumping bamboos which grow from Mexico to Argentina, at low to moderate elevations.				
<i>R. pittieri</i>	30.0 9.1	0.4 1.0			They arch and droop forming graceful curtains of foliage over canyon walls, on wet cliffs in Costa Rica.
<i>R. racemiflorum</i>	15.0 4.6	1.0 2.5	26 -3		Slender climbing culms; tips hang down as long vines carrying tufts of small light green leaves.

<b>SAROCALAMUS</b>	A genus of small to medium-sized running Sino-Himalayan mountain bamboos with few, erect branches.				
<i>S. faberi</i>	3.0 0.9	0.3 0.8	-4 -20		From Sichuan. Superficially similar to Arundinaria tecta but with more delicate leaves.
<i>S. fangianus</i>	5.0 1.5	0.4 1.0	10 -12	3	Very similar to S. faberi and may be synonymous.

<b>SASA</b>	Running species, dwarf or up to 6 feet tall, with at most one branch per node. The leaves are usually large.				
<i>S. cernua</i>	2.5 0.8				New Introduction.
<i>S. gracillima</i>	2.5 0.8				
<i>S. hayatae</i>	1.0 0.3	0.3 0.8	0 -18	2	Shorter, with leaves to 6 ins long rather than 10 ins. Was incorrectly identified as S. veitchii 'Minor'
<i>S. kagamiana</i>	6.0 1.8	0.3 0.8	0 -18	2	Leaves to a foot long and 2 1/4 inches wide, 4 to 9 at branch ends.
<i>S. kagamiana ssp. yoshinoi</i>	2.0 0.6	0.1 0.3	0 -18	2	Dwarf subspecies of the above; leaves 2 or 3 at the ends of culms and branches.
<i>S. kurilensis</i>	10.0 3.1	0.8 2.0	0 -18	2	One of the most widely distributed bamboos in Japan. Its native range extends to 50° north on Sakhalin Island, Russia.
<i>S. kurilensis 'Simofuri'</i> SIMOFURI	6.0 1.8	0.5 1.3	0 -18	2	Same, except that the leaves are variegated with many fine white stripes. A very attractive ornamental.
<i>S. megalophylla</i>	6.0 1.8	0.3 0.8	0 -18	2	Leaves up to 10" long. Native to most of Japan, Sakhalin, and the Kuriles.
<i>S. nagimontana</i>	2.0 0.6	0.2 0.5	-5 -21	2	Large dark green leaves. From Mt. Nagi in Japan. Hairy culm sheaths.
<i>S. nipponica (hort.)</i>	2.0 0.6	0.1 0.3	8 -13	2	Nodes prominent; large leaves. From Pacific coast of Japan. Low-growing; variegated green/white.



**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### SASA

<i>S. oshidensis</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>-2</b> -19	3	A vigorous growing dwarf bamboo that tolerates both cold and heat.	B3 C6 D0 I1 I4 K6
<i>S. palmata</i>	<b>7.0</b> 2.1	<b>0.5</b> 1.3	<b>0</b> -18	2	The thick, leathery leaves are up to 15 inches long by 2 1/2 inches wide. It does well in pots, looks best when grown in the shade. Grows taller in cool climates.	A1 A9 B0 B2 B3 B7 B8 B9 C1 C4 C6 C7 C8 D7 D9 E6 E7 F6 F7 F8 G1 G4 G7 G8 H0 H2 H6 H8 H9 I3 I4 I5 I8 J4 J8 K0 K2 K4 K5 K6 K7 K8 L1
<i>S. senanensis</i>	<b>7.0</b> 2.1	<b>0.5</b> 1.3	<b>-2</b> -19	2	Similar to <i>S. palmata</i> , but leaves hairy below.	B3 C6 D0 E0 E7 F8 H0 H2 H8 I3 I4 K4 K6
<i>S. shimidzuana</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>0</b> -18	2	Leaves up to 11 inches long and 2 inches wide, the underside covered with soft hairs. AKA <i>S. asahinae</i>	C6 E7 I4
<i>S. sp.</i>					Many retailers carry an assortment of 'little green runners' of uncertain identification.	B3 F2 H1 I4 J4
<i>S. tsuboiana</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>5</b> -15	2	A Japanese bamboo with large, dark green, attractive leaves.	A3 B3 B9 C1 C6 C8 D0 D3 D9 E7 F7 F8 G4 H2 I1 I4 J4 K0 K2 K5 K6
<i>S. veitchii</i> KUMA-ZASA	<b>5.0</b> 1.5	<b>0.3</b> 0.8	<b>5</b> -15	2	In Winter dark green leaves have very broad white margins. This, along with large leaves on short plants gives a unique, striking appearance.	A3 B3 B7 B8 C1 C6 C8 D0 D7 D9 E0 E6 E7 F0 F6 F7 F8 G0 G2 G4 G7 G8 H0 H2 H5 H8 H9 I3 I4 J0 J4 J5 J8 K0 K2 K4 K5 K6

<b>SASAEELLA</b>	Similar to Sasa except that culms are more erect, leaves are smaller and the oral setae have bristles only near the base.					
<i>S. bitchuensis</i>	<b>6.0</b> 1.8	<b>0.4</b> 1.0	<b>5</b> -15	2	Native to the eastern side of Honshu, Japan; it has densely hairy culm leaf sheaths.	B7 B8 C6 D0 H2 I1 I4 J4
<i>S. hidaensis 'muraii'</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>0</b> -18	3	Japanese bamboo with hairy sheaths on culm and foliage leaves.	B3 C1 C6 E7 G4 I4 K5
<i>S. masamuneana</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>3</b> -16	3	Typical form with plain green leaves. Also called <i>S. rhynchantha</i> or <i>S. m. rhynchantha</i>	B0 B9 C6 D0 D9 E7 F7 G1 H2 I1 I4 J4 K2 K5
<i>S. masamuneana</i> 'Albostriata' FUIRI-SHIYAZASA	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>5</b> -15	3	An attractive variegated bamboo with thick leaves striped in white or cream. Also called <i>S. glabra</i> 'Albostriata'.	A6 B3 B6 B7 B8 B9 C1 C6 C8 D0 D3 D5 D7 D9 E0 E6 E7 F6 F7 F8 G1 G4 G7 G8 H0 H1 H2 H5 H8 H9 I1 I3 I4 I8 J4 J8 K0 K2 K5 K6 K8 L1
<i>S. masamuneana</i> 'Aureostriata'	<b>6.0</b> 1.8	<b>0.3</b> 0.6	<b>5</b> -15	3	It starts out with totally green leaves and over the course of the summer it begins to develop intense golden stripes	C6 E7 I4 K0
<i>S. ramosa</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>0</b> -18	4	Usually only about 3 feet tall, it is a rampant runner suitable for growing in pots or for erosion control.	B3 B9 C1 C6 D0 D3 E6 E7 F7 F8 G4 H2 H9 I1 I4 I5 J5 K8
<i>S. sasakiana</i>	<b>10.0</b> 3.1	<b>0.4</b> 1.0	<b>0</b> -18	4	A robust Sasaella with 3 branches at each node.	I4
<i>S. shiobarensis</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>0</b> -18	3	Japanese bamboo with hairless culm leaf sheaths.	I4

<b>SASAMORPHA</b>	A genus of large-leaved running bamboos similar to Sasa.					
<i>S. borealis</i>	<b>6.0</b> 1.8	<b>0.3</b> 0.8	<b>-5</b> -20	2	Native to Hokkaido, Japan, it is hardier than most other Japanese bamboos.	B3 C6 E7 F7 G1 I1 I4 K2

**GENUS species****COMMON NAME**

Max Height feet/ meters	Max diam inch/ cm	Min Temp °F °C	Shade Sun 5=full sun
----------------------------------	----------------------------	-------------------------	-------------------------------

**Comments - Description****Vendor Codes**

(see pages 38 and following)

<b>SCHIZOSTACHYUM</b>	Giant to shrub-like tropical, clumping, nodes are usually un-swollen, culm walls thin. Continuously produce flowers without dying, rarely set seed.					
<b><i>S. brachycladum</i></b>	<b>45.0</b> 13.7	<b>4.0</b> 10.2	<b>35</b> 2	5	Erect, tight-clumping, drooping tips. Cultivars with coloured culms popular ornamentals in Asia.	A0 A9 C1 D1 D8 I6 K5 K7 L0
<b><i>S. brachycladum 'Bali Kuning'</i></b>	<b>45.0</b> 13.7	<b>4.0</b> 10.2	<b>35</b> 2		Culms yellow with the occasional thin green stripe, leaves have occasional cream stripes.	I6
<b><i>S. caudatum</i></b>	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>35</b> 2	5	Densely tufted, drooping tips, almost solid. Sheath light green tinged with orange. Considered sacred in Sumatra, Indonesia.	
<b><i>S. glaucifolium</i></b>	<b>65.0</b> 19.8	<b>4.0</b> 10.2	<b>35</b> 2	5	Yellow, with green stripes. A "canoe plant" brought to Hawaii by the Polynesians.	L0
<b><i>S. jaculans</i></b>	<b>30.0</b> 9.1	<b>1.3</b> 3.3	<b>35</b> 2	5	Erect, straight culms with drooping tips. Internodes can be over 3 ft long. May be synonym for <i>S. lima</i> .	A0 K7
<b><i>S. lima</i></b>	<b>40.0</b> 12.2	<b>3.5</b> 8.9		5	Very long internodes.	
<b><i>S. sp. 'Murray Island'</i></b>	<b>16.0</b> 4.9	<b>1.0</b> 2.5	<b>37</b> 3	4	Has very long internodes, up to 1 meter. Used in the Solomon Islands to make pan flutes and for weaving.	A0 A9 K7

<b>SEMIARUNDINARIA</b>	Medium size running bamboos with nearly cylindrical culms and culm sheaths that hang for some time attached at the middle of their base.									
<i>S. fastuosa</i> NARIHIRA BAMBOO	30.0 9.1	1.5 3.8	0 -18	5	Stately cultivar with very erect, straight culms and very short branches Culms eventually turn mottled purplish brown. Internodes narrowly grooved above the branches.	A3 A6 B0 B3 B6 B7 B8 B9 C1 C3 C6 C7 C8 D0 D3 D4 D7 D9 E6 E7 E9 F2 F6 F7 F8 G1 G2 G4 G5 G7 G8 H0 H2 H5 H7 H8 H9 I3 I4 I5 I8 J0 J4 J5 J8 K0 K2 K5 K8 L1				
<i>S. fastuosa 'Viridis'</i>	30.0 9.1	1.5 3.8	0 -18	5	Similar to the species except that the culms remain green, branches are a little longer, and growth is more vigorous.	A6 B0 B3 B7 B8 B9 C1 C3 C6 C7 D0 D3 D4 D9 E0 E6 E7 E8 F7 F8 G1 G4 G5 G7 H2 I3 I4 J0 J4 J5 K5 K6 K8				
<i>S. fortis</i>	26.0 7.9	1.5 3.8	0 -18	5	It originated from middle and north Kyushu, Japan.	B3 C1 C6 D0 E7 F6 G4 H2 I3 I4				
<i>S. kagamiana</i>	30.0 9.1	1.5 3.8	-5 -21	5	Similar to <i>S. fastuosa</i> with longer branches and pubescent leaves & leaf sheaths.	C1 C6 I3 I4 J4 K5				
<i>S. lubrica</i>	15.0 4.6	1.0 2.5	23 -5		A recent introduction. Perhaps is <i>Oligostachyum lubricum</i> Shoots edible.	I4 I8 J4				
<i>S. makinoi</i> MAKINOI	16.0 4.9	0.8 2.0	5 -15	4	The culms soon turn reddish-brown. An attractive small bamboo suitable for growing in pots.	B2 B3 C1 C6 C8 D0 D7 G4 G7 I3 I4 I8 J4 K5 L1				
<i>S. okuboi</i> BIRODONA	25.0 7.6	1.5 3.8	5 -15	5	The leaves are distinctive in being wider for their length than leaves of other bamboos.	B0 B3 B7 B9 C1 C6 D0 D7 D9 E6 E7 F0 F6 F7 G4 G7 G8 H2 H5 H7 H9 I1 I3 I4 J4 K0 K2 K5 K6				
<i>S. sp. 'Maruyamana'</i>	20.0 6.1	1.0 2.5	-6 -21			C6 I4				
<i>S. sp. 'Korea'</i>	5.0 1.5	0.3 0.8	0 -18		Unidentified species imported by Gerald Bol from Korea.	B3 C6 D0 D9 E7 I4 J4				
<i>S. yashadake</i>	25.0 7.6	1.5 3.8	0 -18	5	Similar to <i>S. fastuosa</i> except with broader leaves and long hairs at the base of the culm leaf sheaths.	B3 B7 B8 C6 C7 D0 D9 E7 F7 H5 I4 J0				

**GENUS species**  
**COMMON NAME**

**Max**  
**Height**  
**feet/**  
**meters**

**Max**  
**diam**  
**inch/**  
**cm**

**Min**  
**Temp**  
**°F**  
**°C**

**Shade**  
**Sun**  
**5=full**  
**sun**

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### SEMIARUNDINARIA

<i>S. yashadake</i> 'Kimmei'	<b>25.0</b> 7.6	<b>1.5</b> 3.8	<b>5</b> -15	5	The culms are yellow with green grooves; leaves are yellow striped.	A1 B3 B4 B6 B7 B9 C1 C6 C7 D0 D3 D7 D9 E0 E6 E7 E9 F6 F7 F8 G4 G7 H1 H5 H7 H9 I3 I4 J0 J4 J8 K0 K5 L1
<i>S. yashadake</i> 'Kimmei Inversa'	<b>15.0</b> 4.6	<b>1.0</b> 2.5	<b>5</b> -15	5	Like Semiarundinaria yashadake Kimmei ,but redish to green culms with yellow sulcus	C6 D9 E7 J4

<b>SHIBATAEA</b>	A genus with very dense, short, zig-zagged angular culms with 3-5 branches per node, often clipped into balls.					
<i>S. chinensis</i>	<b>2.0</b> 0.6	<b>0.1</b> 0.3	<b>-5</b> -21	3	Similar but smaller than <i>S. kumasaca</i> , it may also be hardier. Shows less leaf burn under alkaline conditions.	B0 B3 C6 D0 E7 E8 F7 G8 H2 H9 I1 I4 I8 J4 K0 K5
<i>S. kumasaca</i> OKAME-ZASA	<b>7.0</b> 2.1	<b>0.3</b> 0.8	<b>-5</b> -21	3	Short, broad leaves on slender, nearly solid culms with prominent nodes and short slightly zigzag internodes. Prefers acid soil, shows extensive leaf burn if in alkaline environment.	A9 B0 B3 B7 B8 B9 C1 C6 C8 D0 D3 D7 D9 E6 E7 E8 F0 F2 F6 F7 F8 G0 G1 G2 G4 G7 G8 H0 H1 H2 H5 H8 H9 I1 I3 I4 I5 I8 J4 K0 K2 K5 K6 K8
<i>S. kumasaca</i> 'Albostriata'	<b>7.0</b> 2.1	<b>0.3</b> 0.8	<b>-5</b> -21	3	Similar, but with white striped leaves.	B8 D0
<i>S. kumasaca</i> 'Aureostriata'	<b>7.0</b> 2.1	<b>0.3</b> 0.8	<b>-5</b> -21	3	Similar, but has gold stripes on the young leaves.	B3 B8 C7 D0 F7 I4 J4
<i>S. lancifolia</i>	<b>7.0</b> 2.1	<b>0.3</b> 0.8	<b>0</b> -18	3	The leaves are longer and narrower than on others of the genus.	B0 B3 B9 C6 D0 E7 E8 F0 F6 H2 H9 I4 J4 K2 K6
<i>S. nanpingensis</i>	<b>5.5</b> 1.7	<b>0.2</b> 0.5			Culm sheaths pale green, densely deciduously white pubescent especially toward base.	C6 I4

<b>SINOBAMBUSA</b>	Running bamboos similar to Semiarundinaria except that the culm sheaths promptly fall off.					
<i>S. gigantea</i>	<b>55.0</b> 16.8	<b>4.0</b> 10.2	<b>10</b> -12		Spectacular shoots with a ring of long purple hairs around the nodes.	C7
<i>S. intermedia</i>	<b>16.0</b> 4.9	<b>1.0</b> 2.5	<b>10</b> -12	4	Culm internodes up to 2 ft long, rough to the touch. May be a Semiarundinaria species.	B0 B3 B7 C6 C7 D0 E7 F7 I3 J4 J8 J9 K5
<i>S. tootsik</i>	<b>30.0</b> 9.1	<b>1.5</b> 3.8	<b>10</b> -12	4	A vigorous growing runner with straight, erect culms.	A9 B6 B7 D0 D9 E6 E7 E9 F9 G7 H9 J4 K5 K7
<i>S. tootsik</i> 'Albostriata'	<b>30.0</b> 9.1	<b>1.5</b> 3.8	<b>10</b> -12	4	Similar to the type, but with yellowish white striped leaves.	A9 B0 B2 B3 B6 B7 C1 C6 C7 D0 D8 D9 E2 E6 E7 E9 F0 F6 G4 G5 H2 H5 H9 I8 J1 J3 J4 J8 K0 K2 K5 K7

<b>THAMNOCALAMUS</b>	Clumping bamboos from the mountains of eastern Asia and Africa, similar to Fargesia.					
<i>T. crassinodus</i> 'Aristatus hort. US'	<b>12.0</b> 3.7	<b>0.5</b> 1.3	<b>10</b> -12	3	US Plants grown as <i>T. aristatus</i> seem to be cultivars of <i>T. crassinodus</i> . <i>T. aristatus</i> is a synonym of <i>T. spathiflorus</i> .	A3 B3 B4 C1 D0 D9 E0 E6 F7 G4 G7 J4 K0 K5
<i>T. crassinodus</i>	<b>18.0</b> 5.5	<b>0.8</b> 2.0			From Nepal and Tibet. Culm nodes swollen, branching very strong, some clones with small leaves. No auricles.	B3 B4 B8 C1 D0 D5 D9 E0 E6 E7 F7 F8 G4 G7 H7 I5 J4 J5 K0 K5 L1
<i>T. crassinodus</i> 'Kew Beauty'	<b>15.0</b> 4.6	<b>0.8</b> 1.6	<b>15</b> -9	3	very small leaves on blue-grey canes which become red or brown with age.	B3 D5 D9 E7 H5 J4
<i>T. crassinodus</i> 'Mendocino'	<b>18.0</b> 5.5	<b>0.8</b> 2.5	<b>10</b> -12	3	Large very droopy blue-green leaves adorn blue culms with darker knobby nodes. Shoots purple.	B3 K5

**GENUS species**  
**COMMON NAME**

**Max Height**  
feet/  
meters

**Max diam**  
inch/  
cm

**Min Temp**  
°F  
°C

**Shade Sun**  
5=full  
sun

**Comments - Description**

**Vendor Codes**  
(see pages 38 and following)

### THAMNOCALAMUS

<i>T. crassinodus</i> 'Merlyn'	25.0 7.6	1.0 2.0	5 -15		Tallest and hardiest of several clones.	B3 B4 C1 D0 D5 D9 E0 E7 F7 G4 H5 H7 J4 K5
<i>T. nepalensis</i> 'Nyalam'	8.0 2.5	0.5 1.0	5 -15		From Tibet. Short, upright and hardy. No oral setae. Broad pendulous leaves.	B3 D0 E7 J4
<i>T. spathiflorus</i>	16.0 4.9	0.8 2.5	15 -9	3	From the E Himalayas. Culms become very red. Foliage leaves with prominent oral setae. Less hardy.	B3 C1 D0 E7 F7 G4 G5 J4
<i>T. tessellatus</i> BERGBAMBOES	16.0 4.9	0.8 2.5	0 -18	4	Bergbamboes of S. Africa. Clumps tight to loose, sun-tolerant, leaves randomly arranged, leaf sheaths persistent.	A3 B3 B8 C1 C4 D0 D3 D7 D9 E6 E7 F7 F8 G4 H5 I3 I5 J0 J4 K0 K5 K7 K8 L1

<b>THYRSOSTACHYS</b>	A genus of moderate size, tropical clumping bamboos with rather small leaves and persistent culm sheaths.					
<i>T. oliveri</i>	40.0 12.2	3.0 7.6	25 -4	5	Similar to <i>T. siamensis</i> , possibly larger. The plant at Quail Gardens has grown very rapidly.	C1 K7
<i>T. siamensis</i> MONASTERY BAMBOO	40.0 12.2	3.0 7.6	25 -4	5	One of the most graceful bamboos known. Culm walls very thick, almost solid. Sheath persistent. In monasteries in Thailand.	A0 B2 B5 C1 C5 C6 D1 D8 E2 F0 F9 G4 I6 J1 K7 L0

<b>YUSHANIA</b>	A large group of spreading thornless frost-hardy bamboos from Taiwan, the Himalayas and Africa. Rhizomes pachymorph, often with long rootless necks, but also tillering, so forming spreading thickets.					
<i>Y. alpina</i> GREEN MOUNTAIN BAMBOO	24.0 7.3	2.0 5.1	19 -7	5	Native to Africa. It has been used for water pipes in Tanzania. Formerly listed as <i>Arundinaria alpina</i> .	K5
<i>Y. anceps</i>	12.0 3.7	0.5 1.3	10 -18	3	One of the beautiful mountain bamboos from the Himalayas of India.	B3 B8 C1 D0 D9 E6 G4 G7 G8 I3 J4 K0 K5
<i>Y. anceps</i> 'Pitt White'	25.0 7.6	0.5 1.3	10 -18	3	May grow taller than the above. Narrow leaves, weeping. A clone from Britain.	B0 B3 B8 C1 D0 D9 E0 E6 E7 F6 F7 G4 G7 H1 H2 H5 H7 H9 I4 I5 I8 J0 J5 K5
<i>Y. boliana</i>	24.0 7.3	2.0 5.1	10 -12	3	Pale blue culms, reaches large size quickly. From Sichuan originally, via Fuji Bamboo Garden in Japan. Culms well spaced in warmer climates.	A3 B3 B4 C1 D0 D3 D9 E0 E7 G4 G7 H5 H7 I5 I8 J0 J4 J5 K0 K5
<i>Y. brevipaniculata</i>	6.0 1.8	0.4 1.0	-4 -20	3	Previously known as <i>Y. chungii</i> . Very large auricles. Found at altitudes of 2.5-3.8 km in western Sichuan, China.	B3 E7 F7 J4 K5
<i>Y. brevipaniculata</i> 'Wolong'	6.0 1.8	0.3 0.6	-4 -20	3	As species but shorter with thin arching culms & long narrow foliage.	B3 E7
<i>Y. exilis</i>	6.0 1.8	0.4 1.0	-4 -20	3	Previously known as <i>Y. chungii</i> aff. Slender, elegant plant.	B3 K5
<i>Y. maculata</i>	10.0 3.1	0.6 1.5		3	From Yunnan and Sichuan. Grows in pine forests at elevation 1.8-3.5 km. Young culms have fine striae.	B3 D0 I3 I4 J4
<i>Y. maling</i>	20.0 6.1	1.0 2.5	0 -18	4	The most common spreading bamboo in E Nepal. Long solid rhizome necks. Rough internodes on new culms.	B3 C1 D0 D9 E7 F7 G4 G5 J4 K5

# Bamboo Products

(See vendor information on pages 38 and following)

Product	Vendor Code
Art	A0 B3 B8 B9 C7 D2 D4 D5 D8 E1 G0 G4 G7 H2 H4 I0 J2 K3 K6
Bamboo Removal	A3 A9 B0 B3 B4 B8 B9 C1 C6 D3 D5 E7 F2 G0 G2 G4 G7 H2 H6 H8 I5 I6 J4 J5 K4 L1
Blinds, screens	B0 B8 C7 D3 D5 G4 G7 H2 I8 L2
Books	A0 A1 A4 B0 B3 B4 B8 B9 C1 C2 C6 C7 D0 D2 D4 D5 D9 E6 G4 G7 G8 H0 H2 H5 H9 J2 J9 K5
Consulting, Agriculture	A3 A9 B0 B3 B5 B7 C2 C3 C6 C7 C8 D1 D7 D9 E7 G4 G7 H2 I3 I4 I8 J4 J5 J7 K4 K5 L0
Consulting, Landscape	A0 A3 A9 B0 B2 B3 B4 B5 B7 B8 B9 C0 C1 C2 C3 C5 C6 C7 D5 D7 D9 E3 E4 E7 F2 F4 G4 G7 G8 H2 H6 H8 I3 I4 I5 I6 J4 J5 J7 K0 K3 K4 K5 K6 K7 L0 L1
Craft Workshops	A5 A8 B0 B1 B6 C2 C7 G0 G7 H4
Crafts, Jewelry	A3 A8 B4 B8 C7 D2 D3 G0 H4 H9 I8
Fences, screens, water pipes	A0 A2 A3 A9 B0 B4 B8 C0 C7 D0 D3 D4 D9 G0 G4 G7 H2 I8 J0 K3 L2
Fertilizer	A0 A3 A9 B0 B8 C6 D4 D5 D9 E3 F8 G4 G7 I6 K4 K5 K7
Flooring	B0 G4 G7 K4
Furniture	B8 B9 C7 D0 D5 G4 G7 K3 L2
Garden Ornaments	A0 A3 B8 B9 C1 C6 C7 D3 D4 D5 D9 G0 G4 G7 I0 I5 K3 K5 L2
Gifts	B6 B8 B9 C1 C7 D2 D4 D5 D8 G4 G7 H9 I8 J2 K3 K6 L2
Magazines	D5
Musical Instruments, music	A3 B1 B6 C7 D2 D8 G0 G7 H6
Other	A5 B8 C6 C7 D2 D7 D8 D9 G0 G9 I4 I8 J2
Plant labels and signs	C1 K3
Plants for foreign shipment only	G4
Plywood, paneling	A2 B8 G4 K4 K5
Poles	A0 A1 A2 A3 A8 A9 B0 B3 B4 B5 B6 B8 B9 C0 C1 C2 C5 C6 C7 C8 D0 D3 D4 D5 D7 D8 E8 F1 G0 G2 G4 G5 G7 G8 G9 H1 H2 I0 I3 I7 I8 J0 J2 K2 K3 K4 K5 L1 L2
Potting soil	A9 B0 B8 B9 C6 D4 D5 D9 F8 G7 K7
Rhizome barriers	A1 B0 B3 B4 B7 B8 B9 C0 C1 C6 D0 D3 D5 D7 D9 E6 F2 F8 G0 G4 G5 G7 H0 H2 H5 H7 H8 I8 J0 J4 J9 K4 K5 K8 L1
Seminars, lectures	A0 A5 A9 B0 B2 B3 B4 B5 C0 C1 C2 C7 C8 E4 E7 F4 G0 G1 G4 G7 H8 I3 I4 I5 I8 J2 J7 K5 K6 K7 L0 L1
Structural and engineering design	C2 I4 K5
Structures of bamboo	A3 B8 B9 C0 D0 G4 G7 I3 I8 K3 L2
Surfboards	A3
Tools	B0 B4 B8 B9 C1 C7 D5 D9 G0 G4 G7 H9 K5 K6
Walking, hiking sticks	A3 A8 B0 B6 B8 B9 C0 C7 D7 D8 E8 G0 G2 G4 G7 J0 K3 K5 L2


## Vendors by Code (See pages 39 and following for detailed vendor information)

A0	A Bamboo Man	F9	H & H Bamboo
A1	Alligator Alley	G0	Haiku Bamboo Nursery
A2	Bamboo & Rattan Works Inc.	G1	High Plains Bamboo and Koi
A3	Bamboo 4 U	G2	Hollow Bamboo
A4	Bamboo Art	G3	Homosassa Bamboo Nursery
A5	Bamboo Arts & Craft Network	G4	Horticultural Consultants, Inc.
A6	Bamboo Bend	G5	Instant Jungle
A7	Bamboo Botanicals	G6	Island Bamboo Landscapes
A8	Bamboo Branch	G7	Jade Mountain Bamboo Nursery
A9	Bamboo Collection	G8	jmbamboo
B0	Bamboo Company Nursery	G9	Johnson Bamboo
B1	Bamboo Flutes	H0	Klyn Nurseries Inc.
B2	Bamboo For You	H1	Landscapes Plus
B3	Bamboo Garden	H2	Lewis Bamboo, Inc.
B4	Bamboo Gardener LLC	H3	LNB Farms
B5	Bamboo Gardens	H4	Lynda Brothers, Artist
B6	Bamboo Gardens and Music	H5	Mad Man Bamboo
B7	Bamboo Gardens of Louisiana	H6	Marblemount Bamboo
B8	Bamboo Giant	H7	McKenzie Valley Bamboo
B9	Bamboo Guy Nursery	H8	Michigan Bamboo Company
C0	Bamboo Habitat	H9	MidAtlantic Bamboo
C1	Bamboo Headquarters.com	I0	Midwest Bamboo Ltd.
C2	Bamboo Institute of Tennessee	I1	Needmore Bamboo Co
C3	Bamboo International	I2	Newshoots Bamboo Nursery
C4	Bamboo oasis	I3	Northern Groves
C5	Bamboo Orlando	I4	Our Bamboo Nursery
C6	Bamboo Plantation	I5	Outdoors By Design
C7	Bamboo Ranch	I6	Palm Beach Bamboo Inc.
C8	Bamboo Satori	I7	Peter Wollman
C9	Bamboo Source	I8	Pura Vida Tropicals
D0	Bamboo Sourcery	I9	Reagan Furquerson
D1	BambooFlorida.com	J0	RKR Bamboo Plantation
D2	Bambooman, LLC	J1	Roy Rogers
D3	Bastian's Bamboo	J2	San Diego Botanic Garden
D4	BeautifulBamboo.com	J3	San Marcos Growers
D5	Beauty & The Bamboo	J4	Sequoyah Ridge Nursery
D6	Bill Hollenback	J5	Shweeash Bamboo
D7	Blue Heron Farm	J6	Stanton Bamboo
D8	Bountiful Earth, Inc.	J7	Susanne Lucas, Horticulturist
D9	Boxhill Farm	J8	TejasTropicals LLC
E0	Burt Associates Bamboo	J9	The Bambusetum
E1	Cal Hashimoto, Sculptor	K0	The Plant Farm
E2	Caldwell Nursery	K1	Thea Lanzisero
E3	Carter Bamboo	K2	Thigpen Trail Bamboo Farm
E4	Cedar Mill Bamboo	K3	TOO2BAMBOO
E5	Cliff Sussman	K4	Touch the Earth, Inc.
E6	Clinton Inc. Bamboo Growers	K5	Tradewinds Bamboo Nursery
E7	Connor Bamboo	K6	Tripple Brook Farm, Inc.
E8	David C Andrews	K7	Tropical Bamboo, Inc.
E9	Davis Bamboo	K8	Viewcrest Nurseries
F0	Dunroven Farm	K9	West County Oasis Bamboo Garden
F1	Evergreen Acre	L0	Whispering Winds Bamboo
F2	Fast Grass Bamboo Nursery	L1	Wild Bird Bamboo
F3	Fruitland Farms	L2	Yucatan Bamboo, Inc.
F4	Gale Beth Goldberg, AIA		
F5	Garden Bamboo Nursery		
F6	Georgia Bamboo		
F7	Grassworks Bamboo		
F8	Greentop, LLC		

Paid  
Advertisements

**RHIZOME  
BARRIER**


**We ship anywhere, any length!**



**We Stock:**  
24", 40 & 60 mil  
30", 40 & 60 mil  
36", 40 & 60 mil  
*Cut any length to your specs!*

**(866) 293-2925**  
buy online:  
**www.BambooHeadquarters.com**

2838 Bellfort Ave. | Houston, TX 77051  
(713) 665-7256 | Fax (713) 665-0565



**HORTICULTURAL  
CONSULTANTS,  
INC.**

Specializing in specimen quality:  
**PALMS,  
BAMBOO,  
& CYCADS**

**www.hciglobal.com**  
(800) 460-PALM (7256)

<b>A0</b>	<b>A Bamboo Man</b> 7810 SW 118 Street Miami, FL 33156	305-378-9449 Fax: 305-378-2018 Gary & Cindy Rich bamboo@bellsouth.net	Retail/wholesale/mail-order, deliver locally, ship within USA. Tropical bamboos, all sizes of poles, fencing, Consulting, landscapes. <b>www.bambooman.net</b>
Retail, Wholesale, Mail Order			
<b>A1</b>	<b>Alligator Alley</b> 4636 NW 10TH ST Oklahoma City, OK 73127	405-949-2553 Fax: 405-949-2137 Bryan Swinney bryan@alligatoralley.com	Open Monday through Saturday. Call first if driving from a long distance, to make sure owner is in. Otherwise feel free to drop in any time to buy, trade or just talk about bamboo! Orders for custom dug divisions are taken beginning February 14. <b>http://www.alligatoralley.com/bamboostock.html</b>
Retail, Takes Credit Cards, Local Delivery			
<b>A2</b>	<b>Bamboo &amp; Rattan Works Inc.</b> 470 Oberlin Ave. South LAKEWOOD, NJ 08701	732-370-0220 Fax: 732-905-8386 Suzanne Maison suzbamboo@verizon.net	Established 1880. Tropical, Oriental, Polynesian, interior and exterior materials. If that's the look you're looking for give us a call. Family owned and operated for 5 generations. We are not an internet company. 1-800-4-bamboo. <b>www.bambooandrattan.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Catalog, Takes Credit Cards, Ships USA, Ships Worldwide			
<b>A3</b>	<b>Bamboo 4 U</b> 3625 Gopher Canyon Road Vista, CA 92084	760-224-2211 Fax: 760-749-0395 JoAnne & Stu Wyman bamboostu@live.com	Have wide variety of species from each clumping bamboo Genus. ie...Bambusa,Borinda,Chusquea,Dendrocalamus, Fargesia,Gigantochloa,Himalayaclamus,Otatea. Many runners as well. We sell wholesale and retail. Call for appointment. So Cal delivery. <b>www.Bamboo4U.biz</b> <b>www.BambooStu.com</b>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA, Ships Worldwide			
<b>A4</b>	<b>Bamboo Art</b> 54 Westover Dr. Asheville, NC 28801	828-254-0023 Carol Stangler cstangler@aol.com	Author of "Craft and Art of Bamboo - 30 Eco-Friendly Projects to Make for Home and Garden" (Lark Books, 2008). <b>www.CraftandArtofBamboo.com</b>
Services Only			
<b>A5</b>	<b>Bamboo Arts &amp; Craft Network</b> 6707 Willamette Dr Austin, TX 78723	512 929 9565 Fax: 512 927 2127 Carole Meckes info@bamboocraft.net	Information & resources on the arts & crafts of growing, using, & working with bamboo. "Our main interest is to provide a platform for the exchange of information, ideas and experiences on all aspects regarding bamboo and it's usage." Forum & Galleries <b>www.bamboocraft.net</b>
Services Only			
<b>A6</b>	<b>Bamboo Bend</b> 6628 Ruxton Lane Austin, TX 78749-4100	512-301-2929 Steve Muzos gardentex@hotmail.com	Ornamental bamboos, attractive frost-hardy clumpers & temperate runners. Bamboo consulting services available.By appointment only, local sales only (no shipping). <b>www.bamboobend.com</b>
Visit by Appointment Only, Retail, Local Delivery			
<b>A7</b>	<b>Bamboo Botanicals</b> #110 - 200 Keary Street New Westminster, BC V3L 0A6	(604) 626-1410 Matt Lang info@bamboobotanicals.ca	<b>www.bamboobotanicals.ca</b>
Visit by Appointment Only, Retail, Takes Credit Cards, Local Delivery			
<b>A8</b>	<b>Bamboo Branch</b> 6707 Willamette Drive Austin, TX 78723	512-929-9565 Fax: 512-927-2127 Carole Meckes bamboo@texas.net	Bamboo poles, pieces and parts. Specializing in custom cuts for your special bamboo craft projects. Split bamboo pieces, bamboo beads and bamboo bead jewelry. Small orders welcome. Visits by appointment. Retail. Mail Orders. Paypal, credit cards. <b>www.bamboobranch.com</b>
Visit by Appointment Only, Retail, Mail Order, Takes Credit Cards, Ships USA			
<b>A9</b>	<b>Bamboo Collection</b> 9700 SW 114 STREET MIAMI, FL 33176	305 205 8184 ahmed m chehab ELSIE1900@AOL.COM	Retail/Wholesale Delive,Install,Move/Remove. Private/Government Consulitng, mail order. POles/Green Or DRie Custom Cut &DEsign Call Ahmed/Dr Bamboo 305 205 8184
Visit by Appointment Only, Retail, Wholesale, Mail Order, Catalog, Takes Credit Cards, Local Delivery, Ships USA, Ships Worldwide, Services Only			

<b>B0</b>	<b>Bamboo Company Nursery</b> 16483 Fisher Road Franklinton, LA 70438	985-789-2584 Fax: 985-8399550 Alain Flexer Bamboo_Nursery@Hotmail.com	Bamboo Company Nursery is a retail/wholesale nursery with over 100 species of Bamboo. We also offer Bamboo Poles, crafts, clothing and fresh shoots for sale. We are open Tuesday to Saturday. Call for our hours. No appointments/fees to tour nursery. <b>www.moso.us</b>
Retail, Wholesale, Takes Credit Cards, Local Delivery			
<b>B1</b>	<b>Bamboo Flutes</b> 235 Woods St. Santa Cruz, CA 95062	831-227-8394 Michael Kanner mkanner32@sbcglobal.net	Handmade shakuhachi & transverse bamboo flutes; repairs; performances, children's workshops. Wholesale/retail, catalog, will ship worldwide. <b>http://www.bambumariflutes.com</b>
Retail, Mail Order, Ships USA, Ships Worldwide			
<b>B2</b>	<b>Bamboo For You</b> 4812 253rd St. E. Myakka City, FL 34251	941-677-8001 Marx Broszio emailmarx@gmail.com	Retail/Wholesale. VISA/MC/AMEX. Delivery to SE & SW Florida. Specializing in non-invasive, ornamental, clumping varieties of bamboo. Some running varieties available. Bamboo photos and descriptions on web site. Visits by appointment only. <b>www.bambooforyou.com</b>
Visit by Appointment Only, Retail, Wholesale, Takes Credit Cards, Local Delivery			
<b>B3</b>	<b>Bamboo Garden</b> 18900 NW Collins Rd North Plains, OR 97133	503-647-2700 Fax: Call for number Ned Jaquith bamboo@bamboogarden.com	Specializing in rare bamboo with over 340 species. Descriptions, growing instructions, and many pictures at <a href="http://www.bamboogarden.com">www.bamboogarden.com</a> Retail, Wholesale, Internet, & mail order. Color catalogs available. <b>www.bamboogarden.com</b>
Retail, Wholesale, Mail Order, Catalog, Takes Credit Cards, Local Delivery, Ships USA			
<b>B4</b>	<b>Bamboo Gardener LLC</b> PO BOX 17949 Seattle, WA 98127	206-371-1072 James P. Clever james@bamboogardener.com	Bamboo plant Nursery. Books on Bamboo and Japanese Gardens & Pandas Too! Rhizome barrier containment systems, 80mil thick and top quality seam kits. Design, Consulting, Installation & Maintenance Services. Licensed - Bonded - Insured BAMBOGL913BH <b>www.bamboogardener.com</b>
Visit by Appointment Only, Retail, Mail Order, Local Delivery, Ships USA, Ships Worldwide			
<b>B5</b>	<b>Bamboo Gardens</b> 1200 Virginia Avenue Palm Harbor, FL 34683-4441	727-784-0517 Jerry & Mary Ann Smith BambooGardens1@aol.com	Retail: Local sales. Catalog. Visits by appointment. Seminars & consultations available. Specializing in Tropical clumping bamboo only. Tours by special arrangement. <b>www.BambooGardens.net</b>
Visit by Appointment Only, Retail, Catalog, Local Delivery			
<b>B6</b>	<b>Bamboo Gardens and Music</b> 476 Masada Dr Cohutta, GA 30710	706-280-9862 Fax: 7066946409 Greg White Hunt bamboo.muse@yahoo.com	Local, retail, stabilized container plants. Display gardens by appointment. Original music CDs & bamboo flutes. No shipping on plants. Shipping on CDs & flutes! Original music and performance concerts by Greg White Hunt. See <a href="http://www.gregwhitehunt.com">www.gregwhitehunt.com</a> <b>www.bamboo-flute.com and www.gregwhitehunt.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Local Delivery, Ships USA, Ships Worldwide			
<b>B7</b>	<b>Bamboo Gardens of Louisiana</b> 38124 Hwy 440 Mount Hermon, LA 70450-3000	985-795-2300 Fax: 985-795-8300 Lee Berry / Randy Harding Lee1235@aol.com	Retail/Wholesale. Local/regional sales of temperate and tropical bamboos. Over 100 varieties. Field dug and containerized specimens. Many large display groves. Sales by appointment. <b>www.bamboogardensla.com</b>
Visit by Appointment Only, Retail, Wholesale, Takes Credit Cards, Local Delivery, Ships USA			
<b>B8</b>	<b>Bamboo Giant</b> 5601 Freedom Blvd Aptos, CA 95003	831-687-0100 Fax: 831-687-0200 Larry Gullman, Julie Gullman sales@bamboogiant.com	Licensed Landscape Contractors, Privacy Hedge Specialists, Deliver/Install West Coast, Wholesale/Retail, bamboo soil, fertilizers, barrier, poles, fencing, furniture, books, bamboo fiber shirts, self-guided tours, open 7 days, Visa & Mastercard accepted <b>www.BambooGiant.com</b>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			



<b>B9</b>	<b>Bamboo Guy Nursery</b> 6005 weber rd tillamook, OR 97141	503-842-7329 Scott Hill Bambooguy@oregoncoast.com	Retail local sales. Visits by appointment recommended, deliver locally, ship products within U.S. 100+ varieties of bamboo. Books on bamboo and Japanese landscape, 40 varieties of Japanese maples, poles, barrier, and indigenous art. Installation <b>www.Bambooguy.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>C0</b>	<b>Bamboo Habitat</b> 1214 Snyder Road Perkiomenville, PA 18074	610-754-9829 Fax: 610-754-0506 Jim Shannon bamboo@ptd.net	Winter hardy Phyllostachys Vivax, Pseudosasa Japonica and Pleioblastus Fortunei (pickup). Rhizome barrier, root control, bamboo poles, palm thatching, bamboo fencing, willow fencing, reed fencing and tropical wall coverings. Ship USA. <b>www.bamboohabitat.com</b>
Visit by Appointment Only, Retail, Takes Credit Cards, Ships USA			
<b>C1</b>	<b>Bamboo Headquarters.com</b> 2498 Majella Road Vista, CA 92084	760-758-6181 Fax: 760-631-1909 Ralph J.C. Evans Ralph@BambooHeadquarters.com	Retail, Wholesale, Mail Order. Online Store/Catalog. Visits by appointment. Visa/MC/Amex. Commercial quantities of popular varieties available now. We Ship worldwide. Over 250 varieties. Rhizome barrier. Consulting. <b>www.BambooHeadquarters.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA, Ships Worldwide			
<b>C2</b>	<b>Bamboo Institute of Tennessee</b> 30 Myers Rd Summertown, TN 38483-7323	931-964-4151 Fax: n/a Adam or Sue Turtle Bambooconsultant@aol.com	Internships available, also hands-on short courses in bamboo craft & construction, field ID, culture, etc. We offer custom tours, workshops, speakers, consultations, presentations, research. <b>www.growit.com/bamboo</b>
Services Only			
<b>C3</b>	<b>Bamboo International</b> 1902 Boundary Avenue Ramona, CA 92065	760 788-8145 Fax: 760 788-8145 Ken or Patty Brennecke brennecke@netzero.net	Retail, wholesale, local sales. Propagation to order. <b>www.bamboo-international-growers.com</b>
Retail, Wholesale			
<b>C4</b>	<b>Bamboo oasis</b> 16283 sw scholls ferry rd beaverton, OR 97007	503-703-1345 David Weitzer dweitzer@verizon.net	We offer removal and containment of bamboo plants. We specialize in privacy hedges and plants in hardy varieties from tall timber bamboo to smaller solidstem. Our root barrier is made from recycled plastic. <b>bamboooasis.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery, Services Only			
<b>C5</b>	<b>Bamboo Orlando</b> Orlando, FL 32810	407 615-7070 Fax: 407 297-3742 Mark DrMark@cfl.rr.com	Hobbyist/Back yard grower. Limited quantities of plants and very limited time to interact (appointment only). Small plants, large plants (25 ft+) and large 30 gallon pots sometimes available. \$300 minimum purchase. B. oldhamii is primary seller.
Visit by Appointment Only, Retail, Wholesale			
<b>C6</b>	<b>Bamboo Plantation</b> 642 Columbine Ln Brookhaven, MS 39601	601-833-3937 Fax: 601-833-3937 Jim Bonner customerservice@bambooplantation.com	We have a wide selection of rare and hard to find bamboos that are available retail, wholesale, and by mail order. Garden Center hours Tue-Sat 9-5. We will deliver to most areas in the Gulf Coast Region and ship within the US. All payment forms accepted. <b>www.bambooplantation.com</b>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			
<b>C7</b>	<b>Bamboo Ranch</b> Tucson, AZ 85745	520-743-9879 Fax: 520-743-9879 Matt Finstrom bambooranch@juno.com	Over 120 species. Desert grown for the southwest. We also sell bamboo fiber clothing, housewares, accessories, furniture, poles, windchimes, unusual bamboo tools. Large demo garden. Raisin' cane in Tucson since 1986. Open by appointment Wed.-Sat. Cash or check <b>www.bambooranch.net</b>
Visit by Appointment Only, Retail, Mail Order, Ships USA			
<b>C8</b>	<b>Bamboo Satori</b> 10324 Cranberry Road Guthrie, OK 73044	405-590-0179 Fax: 405-282-1355 Linda Finley lindaFinley01@sbcglobal.net	Retail Sales with local delivery. Large Selection of running bamboos in pots or custom dug for landscapers or homeowners. Poles and fresh shoots are seasonally available. We also do educational programs and group tours. By appointment only.
Visit by Appointment Only, Retail, Local Delivery			

<b>C9</b>	<b>Bamboo Source</b> PO Box 167 West Columbia, TX 77486	979-345-2906 Fax: 979-345-4229 Bamboo Source Brazoscitrus@msn.com	Bamboo Source located just south of Houston TX. We specialize in cold hardy clumping (non-invasive) types. All of our bamboo is container grown from 1gal to 100gallon containers. Local Deliveries available. <b>Bamboosourceonline.com</b>
	Visit by Appointment Only, Wholesale, Local Delivery		
<b>D0</b>	<b>Bamboo Sourcery</b> 666 Wagon Road Sebastopol, CA 95472	707-823-5866 Fax: 707-829-8106 Jennifer York bamboo@bamboosourcery.com	Retail, Wholesale, Local. Visits by appointment. Many rare & hard-to-find species. Credit cards. Will deliver to SF Bay area. Catalog/prices via web. <b>www.bamboosourcery.com</b>
	Visit by Appointment Only, Retail, Wholesale, Catalog, Takes Credit Cards, Local Delivery		
<b>D1</b>	<b>BambooFlorida.com</b> 4444 69th Street Vero Beach, FL 32967	772-473-0383 Sherry Snodgress tropicalbamboo@msn.com	Wholesale. Local sales of clumping tropicals. By appointment only. Other bamboos by special order. Call for availability. No mail orders. Consulting. Price list on web site. <b>www.BambooFlorida.com</b>
	Visit by Appointment Only, Retail, Wholesale		
<b>D2</b>	<b>Bambooman, LLC</b> 273 Chatterton Pkwy. White Plains, NY 10606	914-309-5895 Danny Chan Danny@bambooman.com	Retail Tuned Bamboo flutes, panflutes, quenás. Bamboo music CDs, Bamboo Musical Performances on CDs & DVDs. Bamboo products, silk bamboo, bamboo shaped metal products. \\\\"Hear The Musical Sounds & Rhythm of Bamboos\\\\" at <a href="http://www.bambooman.com/bamboomusic.php">www.bambooman.com/bamboomusic.php</a> <b>www.bambooman.com</b>
	Retail, Mail Order, Catalog, Takes Credit Cards, Ships USA, Ships Worldwide		
<b>D3</b>	<b>Bastian's Bamboo</b> 2812 140th Ave S.W. Tenino, WA 98589	360-357-7299 Sandra Bastian bamboogal@netzero.net	Retail, 50+ varieties, crafts, fountains, benches, planters, barrier, fencing, some installation & removal. Workshops - Closed Sundays. <b>www.bastiansbamboonursery.com</b>
	Retail, Catalog, Local Delivery		
<b>D4</b>	<b>BeautifulBamboo.com</b> 19546 Bamboo Bend Dr. Groveland, FL 34736	352 429 2425 Fax: 352 429 2425 Ralph, Sherry, or Tim Boas sherry@beautifulbamboo.com	Need Privacy? Want Beauty? Plant Bamboo! Fast-Growing, Non-Invasive Clumping & Running Bamboos Giant to Dwarf Varieties - 30 min. west of Orlando, Florida. Open 7 days a week by appointment. Online catalog. <b>www.BeautifulBamboo.com</b>
	Visit by Appointment Only, Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA		
<b>D5</b>	<b>Beauty &amp; The Bamboo</b> 306-NW. 84th St. Seattle, WA 98117-3117	206-781-9790 Fax: 206-297-2810 Stan Andreasen bambu501@aol.com	Location(Seattle Washington)Open 7-days a week,sun up to sun down by appointment. We sell rare and common bamboo plants. Felco tools,gift certificates,wolverine shovels,bamboo slammers. We deliver locally. Rare Moso'Bicolor' now available. 206-781-9790 <b>beautyandthebamboo.com</b>
	Visit by Appointment Only, Retail, Wholesale, Mail Order, Catalog, Takes Credit Cards, Local Delivery, Ships USA		
<b>D6</b>	<b>Bill Hollenback</b> email for address and schedule Tyler, WA 99004	509-981-0664 Bill Hollenback bamboo@hollenback.com	Test garden in Eastern Washington. Over 60 varieties. Visits by appointment only. <b>www.bambooweb.info</b>
	Visit by Appointment Only		
<b>D7</b>	<b>Blue Heron Farm</b> 12179 State Route 530 Rockport, WA 98283	360-853-8449 Fax: same as phone Anne Schwartz and Michael Brondi als@fidalgo.net	Retail, wholesale. Visits by appointment only. Catalog by request. Will deliver plants regionally & ship rhizomes within US. Large, specimen plants available by custom order. Poles (1/2 to 3 inches) & fresh bamboo shoots available at the nursery. <b>www.blueheron-farm.com</b>
	Visit by Appointment Only, Retail, Wholesale, Catalog, Local Delivery, Ships USA		
<b>D8</b>	<b>Bountiful Earth, Inc.</b> 1200 w. Canal Street New Smyrna Beach, FL 32168	386-427-3330 Fax: 386-427-7896 Chuck Theroux info@bamboo.ws	Bamboo nursery and retail outlet specializing in, but not limited to, tropical clumping varieties. Bamboo flutes, digeridoos, drums and other bamboo crated items are available at our retail store. <b>www.bamboo.ws</b>
	Retail, Takes Credit Cards		

<b>D9</b>	<b>Boxhill Farm</b> 14175 Carnation-Duvall Rd. Duvall, WA 98019	425-788-6473 Fax: 425-844-0405 Bob Schader boxhill@mindspring.com	Retail, wholesale, mail order, will accept credit cards, ship within the USA. Fertilizer, consulting, rhizome barriers. Fine garden designs. <b>www.boxhillfarm.com</b>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery			
<b>E0</b>	<b>Burt Associates Bamboo</b> 3 Landmark Road Westford, MA 01886	978-692-3240 Fax: 617-391-3614 Albert Adelman bamboo@bamboos.com	We welcome visitors from May through September. Mail order year round. Shipping to USA only - all states but HI and AK. <b>www.bamboos.com</b>
Retail, Mail Order, Catalog, Takes Credit Cards, Ships USA			
<b>E1</b>	<b>Cal Hashimoto, Sculptor</b> P.O. Box 377617 Ocean View, HI 96737	808-929-8016 Cal Hashimoto, Sculptor bambooda@alohabb.net	Freestanding & wall-hung contemporary bamboo sculpture. Original fine art. Private & corporate commissions. Visits by appointment. Will ship worldwide. <b>www.bamboofinearts.com</b>
Visit by Appointment Only, Retail, Ships USA, Ships Worldwide			
<b>E2</b>	<b>Caldwell Nursery</b> 2436 Band Road Rosenberg, TX 77471	2813424016 Fax: 2813417367 Chuck and CayDee Caldwell salvia123@hughes.net	6 Acre Nursery located 20 minutes west of Houston off Hwy 59S. Specializing in clumping bamboos and rare plants for the retail and landscape trade. Nursery is landscaped with large clumps of 40 plus speices of bamboo. Hours mon.-sat. 9:00-5:30 Come visit <b>www.caldwellhort.com</b>
Retail, Takes Credit Cards, Local Delivery			
<b>E3</b>	<b>Carter Bamboo</b> PO Box 835 Brazoria, TX 77422	1-979-665-1897 Steve Carter carterbamboo@embarqmail.com	Carter Bamboo is a retail bamboo nursery open by appointment only. We are family owned and located in Wild Peach, Texas between Brazoria and West Columbia. Carter Bamboo specializes in ornamental tropical clumping bamboo. <b>www.carterbamboo.com</b>
Visit by Appointment Only, Retail, Takes Credit Cards, Local Delivery			
<b>E4</b>	<b>Cedar Mill Bamboo</b> 1960 NW 113th Avenue Portland, OR 97229	503-516-2395 Adam Williams sourcelist@cedarmillbamboo.com	Organically grown non-invasive hardy clumping bamboo for the Portland Metro Area. Local sales only, we do not ship plants. Check our web site for the latest availability and pricing. By Appointment Only. <b>www.cedarmillbamboo.com</b>
Visit by Appointment Only, Retail, Takes Credit Cards			
<b>E5</b>	<b>Cliff Sussman</b> 150 W Foothill Blvd San Dimas, CA 91773	909 599 9921 Cliff Sussman MD cliffsussman@gmail.com	Very large collection of tropical and subtropical clumping bamboos. See display garden at my office. Actively importing from Asia. 15 and 25 gallon sizes. Collectors welcome!
Visit by Appointment Only, Wholesale			
<b>E6</b>	<b>Clinton Inc. Bamboo Growers</b> 12260 1st Ave S Seattle, WA 98168-2014	206-242-8848 Fax: 206-444-9428 Erika Harris, Vance Allen, Lee Gartner clintonbamboo@q.com	Retail, Wholesale, Catalog. Local sales May-Sept, Fri-Sun, 9am-5pm, or all other times by appointment. Display gardens, local delivery. 85+ varieties, ornamental grasses, palms, selected perennials. <b>clintonbamboo.com</b>
Retail, Wholesale, Catalog, Takes Credit Cards, Local Delivery, Ships USA			
<b>E7</b>	<b>Connor Bamboo</b> 1035 S.E. 12th. Avenue, Apt. 10 Portland, OR 97214	(503) 734-5735 Ian Connor bambooian@yahoo.com	A collector's nursery growing over 200 ornamental and rare bamboos organically and mite free - some too new to be listed here. Ian Connor is a horticulturist specialising in bamboo and landscape design. Available for lectures and consults nation wide. <b>www.ConnorBamboo.com</b>
Visit by Appointment Only, Retail, Mail Order, Catalog, Local Delivery, Ships USA, Ships Worldwide			
<b>E8</b>	<b>David C Andrews</b> PO Box 358 Oxon Hill, MD 20750-0358	David C Andrews dca.bamboo@gmail.com	Other Phyllostachys plants may be available. Send long Self-Addressed-Stamped-Envelope for information sheet & price list. Local sales, plants not shipped.
Visit by Appointment Only, Retail, Mail Order, Local Delivery			

<b>E9</b>	<b>Davis Bamboo</b> Davis, CA 95616	530-756-7997 Daniel J. Nurco, M.Sc., Ph.D. Dan@DavisBamboo.com	Local retail sales of potted bamboos by appointment. For information on current pricing and availability please visit our Web site or call. <b>DavisBamboo.com</b>
Visit by Appointment Only, Retail			
<b>F0</b>	<b>Dunroven Farm</b> 7423 County Road 247 Rutland, FL 33538	352-330-0766 Ellen King kingfish7423@hotmail.com	A family operated bamboo garden and nursery in Central Florida. Visitors welcome by appointment. <b>www.dunrovenfarmbamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Local Delivery, Ships USA			
<b>F1</b>	<b>Evergreen Acre</b> 24264 Evergreen Rd Philomath, OR 97370	541-929-3742 Debbie Morris songe@peak.org	Wholesale & retail nursery.
Visit by Appointment Only, Retail, Wholesale			
<b>F2</b>	<b>Fast Grass Bamboo Nursery</b> 3098 idel road Rosebud, MO 63091	573-205-9737 Cathy Jaworski jkmjurg@fidnet.com	30+ Bamboo Species, all have wintered over here near ST Louis MO. Large jobs preferred, delivery available. Most plants are dug on order then balled and burlapped. Home 573-764-2018 Cell 573-205-9737 jkmjurg@fidnet.com
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>F3</b>	<b>Fruitland Farms</b> 11701 SW 80 Rd Miami, FL 33156	786-877-5264 Fax: 305-233-7270 Daniel Hodgman alixg1@aol.com	We specialize in fine bamboos for landscape use. Our nursery is located in the Redland historic farming area. With extensive experience growing and landscaping with Bamboo, we can help anyone appreciate and enjoy these wonderful plants. <b>www.bonafidebamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>F4</b>	<b>Gale Beth Goldberg, AIA</b> 322 Elizabeth Street Santa Barbara, CA 93103	805 966-9038 Fax: 805 966-9038 Gale Beth Goldberg bamboozled@bamboostyle.net	Designer of bamboo architecture, interiors, & landscape environments. BAMBOO STYLE book author(now Digital on iPad,iPhone, Kindle & other readers!) conducts educational presentations & workshops. <b>www.bamboostyle.net</b>
Services Only			
<b>F5</b>	<b>Garden Bamboo Nursery</b> 304 Delaware Ave. Pasadena, MD 21122	4433052157 Gary Cook gary@bamboofanatic.com	Mail order/Retail sales by appointment only with local deliveries. We are a small grower with limited quantities of cold hardy bamboo. Over 100 varieties in production, we ship within the USA. Visa, Mastercard and Discover accepted. <b>Bamboofanatic.com</b>
Visit by Appointment Only, Retail, Mail Order, Takes Credit Cards, Ships USA			
<b>F6</b>	<b>Georgia Bamboo</b> 913 Evergreen St Perry, GA 31069	(478) 808-5811 Robby Russell mike.w.hotchkiss@gmail.com	Wholesale and local retail. No mail order. Will deliver in the southeast and ship in the U.S. Visits by appointment. Landscape and shipping size plants, container and B&B. Black bamboo our specialty. Plant list available on request. <b>http://www.gabamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery, Ships USA			
<b>F7</b>	<b>Grassworks Bamboo</b> 3800 Russell Road Grants Pass, OR 97526	541-955-0812 Galyn & Rosemary Carlile bambugalyn@hotmail.com	Retail-local sales only. Over 140 species integrated into a 3 acre ornamental woodland display garden. By appointment only. Landscape consulting. Tours welcome.
Visit by Appointment Only, Retail, Catalog, Local Delivery			
<b>F8</b>	<b>Greentop, LLC</b> 5 Granite Street Rockport, MA 01966	978-546-3110 Fax: 978-546-3117 Christopher DeRosa c.derosa@greentopllc.com	Wholesale, mail order. Local delivery available. Shipping within USA. Ship worldwide. Catalog avail. Accept credit cards (MC/Visa). <b>www.newengbamboo.com</b>
Visit by Appointment Only, Mail Order, Catalog, Takes Credit Cards, Ships USA			

<b>F9</b>	<b>H &amp; H Bamboo</b> Miami Lakes, FL 33015	786-280-7432 Paul Morrow hbbamboo@bellsouth.net	
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>G0</b>	<b>Haiku Bamboo Nursery</b> PO Box 35 Edneyville, NC 28727	(828) 685-3053 and 1(828)685-3050 Fax: (828) 685-3053 Stefani and Keiji Oshima stefanioshima@hotmail.com	Retail/Wholesale. Visits by Appt. Field Grown. BAMBOO POLES WAREHOUSE 20 Tuttle Rd. Hendersonville,NC. M-F 9-5. Top quality bamboo poles. Green and treated for Crafts/Construc. OSHIMA BAMBOO SCHOOL...Hand On business,Shoot,Craft,Nursery/Farm <a href="http://www.haikubamboonursery.net">www.haikubamboonursery.net</a> <a href="http://www.oshimabambooschool.com">www.oshimabambooschool.com</a>
Visit by Appointment Only, Retail, Wholesale, Catalog, Takes Credit Cards, Local Delivery			
<b>G1</b>	<b>High Plains Bamboo and Koi</b> 3211 CR 5800 Lubbock, TX 79415	806-786-0925 Nick C. Parker/Nancy Hubbard hpgardens@xanadoo.com	plants in pots, greenhouse & outdoors. outdoor plants exposed to winds commonly in excess of 45 mph, very hot and dry summers, and winter temps into the teens & below <a href="http://www.hpbamboo.com">www.hpbamboo.com</a>
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>G2</b>	<b>Hollow Bamboo</b> 498 Keel Hollow Rd. New Hope, AL 35760	256-503-3826 Stewart or Deborah Horn hollowbamboo@yahoo.com	Retail & Wholesale of plants and/or poles. No shipping of plants, only pickup or delivery. Large quantities of many species available. Large plants also. Large poles up to 30 plus feet and up to 4.0 inch diameter.
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>G3</b>	<b>Homosassa Bamboo Nursery</b> P O Box 409 Homosassa, FL 34487	352-628-7595 Paul J. Callahan	Specializing in privacy screening hedges using non-invasive clumping bamboo -- average height 10-15'. State registered nursery. Appointment only.
Visit by Appointment Only, Retail			
<b>G4</b>	<b>Horticultural Consultants, Inc.</b> 2838 Belfort Ave Houston, TX 77051	713-665-7256 Fax: 713-665-0565 Grant L. Stephenson gls@hciglobal.com	Wholesale. Worldwide consultant to architects/botanical gardens. Astonishing variety of cold hardy palms, bamboo, cycads & spectacular specimens. Size range: manageable to gargantuan. Ship everywhere. <a href="http://www.hciglobal.com">www.hciglobal.com</a>
Wholesale, Catalog, Takes Credit Cards, Local Delivery, Ships Worldwide			
<b>G5</b>	<b>Instant Jungle</b> 503 West Railroad Ave Cotati, CA 94931	707 794-8292 Fax: 707 794-8293 Andy Kimes Kimes90@Pacbell.net	Specialty bamboo and palm nursery off Highway 101 (5 min. north of Petaluma) on Railroad Ave #503. 50 varieties-top quality-best pricing. Serving Bay Area. <a href="http://www.instantjunglenorcal.com">www.instantjunglenorcal.com</a>
Retail, Wholesale, Local Delivery			
<b>G6</b>	<b>Island Bamboo Landscapes</b> 6540 85th Avenue Pinellas Park, FL 33781	727-548-0595 Fax: 727-548-0595 Kelly Bradshaw island1@tampabay.rr.com	Local bamboo nursery specializing in 20 clumping species from 3 gallon material to 25 gallon in size. Also carry bamboo fencing and bamboo poles 2 inches to 5 inches in diam. Retail and wholesale. Open Mon-Fri. Sat by appointment <a href="http://www.islandlawnservices.com">www.islandlawnservices.com</a>
Retail, Wholesale, Takes Credit Cards			
<b>G7</b>	<b>Jade Mountain Bamboo Nursery</b> 5020 - 116th St E Tacoma, WA 98446	253-548-1129 Fax: 253-238-1253 Chris Davidson, John Douville bamboo@jademountainnursery.com	Jade Mountain is your one stop shop for adding serenity and peace to your home no matter what the size or garden style. We offer: bamboo, Japanese maples, specialty trees, grasses, and shrubs. We supply temple bells, statuary, and bamboo fencing. <a href="http://www.jademountainnursery.com">www.jademountainnursery.com</a>
Retail, Takes Credit Cards, Local Delivery, Ships USA			
<b>G8</b>	<b>jmbamboo</b> 4176 Humber Rd. Dora, AL 35062	2052835638 James Mortensen jim@jmbamboo.com	Cold hardy bamboo for landscaping and privacy. We carry over 100 species Mail order and local sales. Delivery available. Retail and wholesale. Free shipping. <a href="http://www.jmbamboo.com">www.jmbamboo.com</a>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			

<b>G9</b>	<b>Johnson Bamboo</b> 70 Lark Ave. Brooksville, FL 34601	352-544-0330 Geoffrey Johnson jeff@johnsonbamboo.com	Retail, wholesale, mail order, local sales. Visa/MC. Visit by appointment. Catalog. Numerous bamboo in pots, 600 daylily cultivars, rose in pots, and various ginger. Bamboo removal. <b>www.johnsonbamboo.com</b>
Retail, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			
<b>H0</b>	<b>Klyn Nurseries Inc.</b> Box 343 3322 South Ridge Rd. Perry, OH 44081	800-860-8104 Fax: 440-259-3338 Bill Hendricks bhendricks@klynnurseries.com	Wholesale only, no mail order, container grown bamboo for the landscape trade. Visits by appointment. Credit cards. Catalog on request. <b>www.klynnurseries.com</b>
Wholesale, Catalog, Takes Credit Cards, Local Delivery, Ships USA			
<b>H1</b>	<b>Landscapes Plus</b> P.O. Box 156 Pluckemin, NJ 07978	908-658-3055 Ronald Altman D.D.S.	Retail/Local Sales, Visits by appointment only. Local delivery available.
Visit by Appointment Only, Retail, Local Delivery			
<b>H2</b>	<b>Lewis Bamboo, Inc.</b> 121 Creekview Road Oakman, AL 35579	205-686-5728 Roger Lewis, Jr. roger@lewisbamboo.com	Over 150 different varieties of bamboo plants. Sizes from 1 to 100 gallons. Mail order and deliveries within the U.S. Visits by appointments only. Rhizome barrier and consultation services available. <b>www.lewisbamboo.com</b>
Visit by Appointment Only, Retail, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			
<b>H3</b>	<b>LNB Farms</b> 25250 SW 194th Avenue Homestead, FL 33031	305-248-7595 Fax: 305-246-1645 Marc J. Ellenby BambooFields@gmail.com	Bed grown specimens, wholesale only, all tropical clumping bamboos. Will divide large clumps in advance, and prep for installations. <b>www.bamboofields.com</b>
Visit by Appointment Only, Wholesale, Takes Credit Cards, Ships USA			
<b>H4</b>	<b>Lynda Brothers, Artist</b> 4255 Hitch Blvd. Moorpark, CA 93021	805-523-3101 Fax: 805-523-3101 Lynda Brothers Brosart@west.net	Original fine art with bamboo themes and/or bamboo materials. Jewelry, silk paintings, woven tapestry, mixed media bamboo sculptures. Private and corporate commissions. Workshops <b>www.LyndaBrothers.com</b>
Visit by Appointment Only, Retail, Wholesale, Ships USA			
<b>H5</b>	<b>Mad Man Bamboo</b> 5719 Jersey Drive Rocklin, CA 95765	(916) 300-6335 Sean & Christy Bigley sean@madmanbamboo.com	Bamboo nursery based in Rocklin, CA (near Sacramento). We have over 120 varieties of running and clumping bamboo plants in production. We also carry bamboo rhizome barrier. We sell by appointment only. Please call or e-mail to set up an appointment. <b>www.madmanbamboo.com</b>
Visit by Appointment Only, Retail, Mail Order, Takes Credit Cards, Ships USA			
<b>H6</b>	<b>Marblemount Bamboo</b> P.O. Box 123 Marblemount, WA 98267	360-873-2542 Fax: 360-873-2542 Marblemount Bamboo corinaschaedler@yahoo.com	Wholesale. We focus on propagating larger quantities of potted plants of a few marketable species - Nigra, Spectabilis, Bissettii, etc. Specimen plants also available. Will deliver locally and ship in US.
Wholesale, Local Delivery, Ships USA			
<b>H7</b>	<b>McKenzie Valley Bamboo</b> 38753 Camp Creek Rd. Springfield, OR 97478	541.746.9734 Fax: 541.746.9754 John Theus sales@McKenzieBamboo.com	Retail local sales. Accepts credit cards. Local deliveries. 90 varieties planted in a 2 acre display garden. 190 varieties on site. Open weekends during daylight saving time. Other times by appointment. <b>www.McKenzieBamboo.com</b>
Retail, Takes Credit Cards, Local Delivery			
<b>H8</b>	<b>Michigan Bamboo Company</b> 4965 Perryville Rd. Holly, MI 48442	(248)298-9568 Fax: (248)369-8684 Jim Mihelich sales@mibamboo.com	A Licensed Landscape contractor specializing in Privacy screens. We offer free consultations and cold hardy Bamboo plants & rhizome barrier sales by appointment only. <b>www.mibamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			
<b>H9</b>	<b>MidAtlantic Bamboo</b> 1458 Dusty Road Crewe, VA 23930	434-645-7662 Bert & Mary Ann Silverman bamboo@midatlanticbamboo.com	Retail; Mail Order; Plants, BAMBOO SPADES & books. Visits by appointment only. Will deliver or ship via UPS or dedicated truck within Continental USA. On-line catalog. VISA, Master Card and Discover accepted. <b>www.midatlanticbamboo.com</b>
Visit by Appointment Only, Retail, Mail Order, Takes Credit Cards, Local Delivery, Ships USA			

<b>I0</b>	<b>Midwest Bamboo Ltd.</b> 20 Danada Square West, Suite # 117 Wheaton, IL 60189	630-415-7787 Jeff or Cathy Ryan jeff@midwestbamboo.com	Midwest Bamboo Ltd. is proud to supply bamboo poles in many different diameters, fencing materials (slat fences and whole pole fences),thatch,windchimes and more to the people who live in the midwest. Visit our website for more info and to see photos too <b>www.midwestbamboo.com</b>
Retail, Wholesale, Takes Credit Cards, Local Delivery, Ships USA			
<b>I1</b>	<b>Needmore Bamboo Co</b> Nashville, IN 47448	812 988-6896 Brad Salmon info@needmorebamboo.com	Growing 150+ species in southern Indiana zone 5b/6. Specializing in zone 6 screening species. Contact me in early spring for availability of custom dug rare/collector species. Visit by appointment only. <b>www.needmorebamboo.com</b>
Visit by Appointment Only, Retail, Local Delivery			
<b>I2</b>	<b>Newshoots Bamboo Nursery</b> 4505 SW Kanner Hwy Stuart, FL 34997	772-221-7227 Fax: 772-221-7228 Diana Fell diana@newshootsbamboo.com	<b>www.newshootsbamboo.com</b>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA, Ships Worldwide			
<b>I3</b>	<b>Northern Groves</b> 81868 Lost Valley Lane Dexter, OR 97431	541-602-1315 Rick Valley	Wholesale/retail. Visits by appointment. Will deliver locally. Consulting. Oregon Landscape Contractor LCB # 7922
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>I4</b>	<b>Our Bamboo Nursery</b> 30 Myers Rd Summertown, TN 38483-7323	931-964-4151 Fax: 931-964-4228 Sue or Adam Turtle	Wholesale grower, \$1,500 min order for shipping. Retail, by appt only. Also broker. Specialty, stabilized B&B landscape bamboos. Consultation, research, speakers. 26 years experience, 300+ species under trial, USDA zone 6. <b>www.growit.com/bamboo</b>
Visit by Appointment Only, Retail, Wholesale, Ships USA			
<b>I5</b>	<b>Outdoors By Design</b> 221 SE SR 3 Shelton, WA 98584	360-432-8493 Philip Comer stikinmud@comcast.net	Retail Bamboo nursery, bamboo installation and removal, consulting, and full service landscape design and installation <b>www.outdoorsbydesign.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>I6</b>	<b>Palm Beach Bamboo Inc.</b> 18520 49 th st N Loxahatchee, FL 33470	561-753-6630 Rahn Skipper Rahn@PalmBeachBamboo.com	We provide quality Bamboo for South Florida. We are a Palm Beach County Tropical Bamboo Nursery providing container Bamboos for the Landscape. <b>www.PalmBeachBamboo.com</b>
Retail, Wholesale, Takes Credit Cards, Local Delivery			
<b>I7</b>	<b>Peter Wollman</b> 19361 Brookhurst Sp 84 Huntington Beach, CA 92646	Peter Wollman bambooexpressions@gmail.com	We warehouse bamboo poles in Torrance, CA. We have tonkin, moso, black spotted and other poles in diameters from 3/8" to 6". Dried, treated & straightened. Local pick-up or shipping by UPS/Trucking available. bambooexpressions@gmail.com <b>http://www.bambooexpressions.com/</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery, Ships USA			
<b>I8</b>	<b>Pura Vida Tropicals</b> 1541 Sunset Drive Vista, CA 92081	760-726-4038 Cell: 760-519-0397 Fax: 760-726-4038 Bob & Vikki Dimattia bamboobob@cox.net	Retail/wholesale/Deliver locally. Visits by appointment only. Catalog. <b>www.puravidatropicals.com</b>
Visit by Appointment Only, Retail, Wholesale, Catalog, Local Delivery			
<b>I9</b>	<b>Reagan Furqueron</b> 11 Willow Street Yarmouth, ME 04096	207-776-2707 Reagan Furqueron rfurqueron@meca.edu	<b>reaganfurqueron.com</b>
<b>J0</b>	<b>RKR Bamboo Plantation</b> 57098 Fat Elk Road Coquille, OR 97423	541-396-4356 Carole Lee & Len Nelson rkrbamboo@msn.com	
Retail, Wholesale, Local Delivery			

<b>J1</b>	<b>Roy Rogers</b> 6414 N. Gomez Ave. Tampa, FL 33614-4227	813-874-1167 Roy Rogers jrogers3@tampabay.rr.com	E-mail "jrogers3@tampabay.rr.com" for a .pdf listing of bamboos propagated. Retail; Local sales only. Visits by appointment only. Contact by e-mail preferred.
Visit by Appointment Only, Retail			
<b>J2</b>	<b>San Diego Botanic Garden</b> 230 Quail Gardens Drive Encinitas, CA 92024	(760) 436-3036 x204 Fax: (760) 632-0917 Diana Goforth dgoforth@sdbgarden.org	Formerly Quail Botanical Gardens - Botanical Garden with over 100 Bamboos on display. No Plant Sales this year. <b>www.sdbgarden.org</b>
<b>J3</b>	<b>San Marcos Growers</b> P.O. Box 6827 Santa Barbara, CA 93160	805-683-1561 Fax: 805-964-1329 Randy Baldwin sales@smgrowers.com	Strictly wholesale. Many specimens in the garden, landscape professionals are invited. Deliver locally, ship to wholesale customers within California. <b>www.smgrowers.com</b>
Wholesale, Takes Credit Cards, Local Delivery			
<b>J4</b>	<b>Sequoyah Ridge Nursery</b> PO box 832 Occidental, CA 95465	707 824 1482 Fax: 707 824 1840 Hastings and Terri Schmidt bamboo@sonic.net	Wholesale bamboo nursery, with a large variety and sizes of bamboo available. We cater to bay area nurseries, & the landscape and design industry. We provide plants for screening, commercial installations, and specimen plants. Retail by appointment only. <b>bambooridgenursery.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>J5</b>	<b>Shweeash Bamboo</b> 87509 Lewis and Clark Road Astoria, OR	503-440-2998 Dave Crabtree crabtreebamboo@gmail.com	Wholesale, retail, and mail order nursery. Open by appointment. We sell temperate running and clumping bamboo, and can ship anywhere in the USA. See our website <a href="http://www.shweeashbamboo.com">www.shweeashbamboo.com</a> for excellent photos and descriptions. <b>www.shweeashbamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Local Delivery, Ships USA			
<b>J6</b>	<b>Stanton Bamboo</b> 95 North Stone St. West Suffield, CT 06093	860-668-9565 Chris Stanton cstantonbamboo@cox.net	Bamboo species for the northeast, cold hardy in zones 5&6. Specialty Balled & Burlaped bamboo plants ideal for screening, groves, or specimen. Visits by appointment only, call ahead. Local installation, grove management and delivery available.
Visit by Appointment Only, Retail, Local Delivery			
<b>J7</b>	<b>Susanne Lucas, Horticulturist</b> 9 Bloody Pond Road Plymouth, MA 02360	508-685-0342 Fax: none Susanne Lucas susannelucas@gmail.com	Professional horticultural consultations. Visits by appointment only. Landscape design services. Available for educational presentations/workshops. Manager of BambooSelect US. <b>www.bambooselect.us / www.susannelucas.com</b>
Visit by Appointment Only, Wholesale, Services Only			
<b>J8</b>	<b>TejasTropicals LLC</b> 160 Magnolia Trail Cleveland, TX 77328	281-961-4777 Fax: 281-659-0958 David Glover David@Tejastropicals.com	We are a mail order nursery specializing in Bamboo, cold hardy palms, and hardy tropicals. Customers are also welcome to visit the farm by appointment. Most of our plants are 1-5 gallon sizes for shipping but we also have some larger specimens. <b>Tejastropicals.com</b>
Retail, Mail Order, Takes Credit Cards, Ships USA			
<b>J9</b>	<b>The Bambusetum</b> 704 James Nobles Road Chadbourn, NC 28431	910-654-4628 Larry & Ann Nobles bamboo@noblescorp.com	Local Delivery, mail order, ship USA, retail, wholesale, by appointment only. <b>www.porterswamp.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery			
<b>K0</b>	<b>The Plant Farm</b> 177 Vesuvius Bay Rd. Salt Spring Island, BC V8K 1K3	250-537-5995 Fax: 250-537-5995 Jeff Savin info@theplantfarm.ca	Canadian Retail Nursery. Landscaping Design Service. Bamboo, Phormiums, Rhodos, Select Plants and Exotics. Extensive Display Gardens with mature specimens including bamboo. Delivery to Vancouver Island and Lower Mainland of B.C. On-line catalogue. <b>www.theplantfarm.ca</b>
Retail, Wholesale, Catalog, Takes Credit Cards, Local Delivery			



<b>Thea Lanzisero</b> <b>K1</b>	thealanzisero@yahoo.com <b>www.thealanzisero.com</b>	
<hr/>		
<b>Thigpen Trail Bamboo Farm</b> <b>K2</b> 6273 Thigpen Trail Doerun, GA 31744	706-255-4901 or 229-782-7455 Katie and Tracy Cato info@thigpentrailbamboo.com	Retail/Wholesale. Growing 100+ varieties of subtropical clumping and cold-hardy running bamboos. Container grown plants and stabilized B&B field divisions. Will deliver/ship wholesale orders. Visits by appointment only. SW Georgia, USDA Zone 8b/9. <b>www.thigpentrailbamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery, Ships USA		
<b>TOO2BAMBOO</b> <b>K3</b> 410 Sandspur Road Maitland, FL 32751	407-620-7071 Jim & Gretchen Gorfine info@too2bamboo.com	We offer local retail sales by appointment and wholesale pricing. Specializing in tropical clumping bamboos and installation. Top quality Bamboo poles from 1" to 6" diameter. Custom engraved bamboo poles. Custom bamboo structures. Custom Bamboo Surfboards <b>www.too2bamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery		
<b>Touch the Earth, Inc.</b> <b>K4</b> 54 Georgian Road Morristown, NJ 07960	973-538-2218 Fax: 973-538-7673 Bamboo Bob Foley touchtheearth@earthlink.net	Wholesale/retail, design & installation, privacy hedges, delivery, worldwide shipping, landscape, consulting, visits by appointment, grove mgmt, removal, purchase groves. <b>www.bamboobob.com / idigbamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Takes Credit Cards, Local Delivery, Ships USA, Ships Worldwide		
<b>Tradewinds Bamboo Nursery</b> <b>K5</b> 28446 Hunter Creek Loop Gold Beach, OR 97444	541-247-0835 Fax: 541-247-0835 Gib Cooper gib@bamboodirect.com	Retail, Mail Order, Shipping nationally and worldwide. Internet Catalog and Price list, or send long SASE or e-mail. Plants, books, poles, barriers, fertilizer, tools and consultant services. Dir. Bamboo Science: CO2BAMBU.COM <b>www.bamboodirect.com</b>
Visit by Appointment Only, Retail, Mail Order, Catalog, Takes Credit Cards, Ships USA, Ships Worldwide		
<b>Tripple Brook Farm, Inc.</b> <b>K6</b> 37 Middle Road Southampton, MA 01073	413-527-4626 Fax: 413-527-9853 Stephen R. Breyer info@tripplebrookfarm.com	Retail - Wholesale - Mail Order - Ship within USA - Deliver locally - Catalog on request. Open daily. Visits by appointment. Credit cards accepted. Cold-hardy bamboos a specialty - over 60 selections offered. Display plantings. Consultations and lectures. <b>www.tripplebrookfarm.com</b>
Visit by Appointment Only, Retail, Wholesale, Mail Order, Catalog, Takes Credit Cards, Local Delivery, Ships USA		
<b>Tropical Bamboo, Inc.</b> <b>K7</b> 2929 G Road East Loxahatchee, FL 33470	561-784-2413 Fax: 954-301-2497 Robert Saporito info@tropicalbamboo.com	Retail, wholesale, certified for mail order to most States. Field and container nursery growing mostly tropical clumping bamboos. Online Catalog. Display gardens with an extensive tropical bamboo reference collection. Visa/MC/AMEX/Discover <b>www.tropicalbamboo.com</b>
Retail, Wholesale, Mail Order, Takes Credit Cards, Local Delivery, Ships USA, Ships Worldwide		
<b>Viewcrest Nurseries</b> <b>K8</b> 12713 N.E. 184TH St. Battle Ground, WA 98604	360-687-5167 Fax: 360-687-1212 Dawna Haluapo (Oper. Mgr.) bamboo@viewcrest.com	Wholesale, mail order, will ship within US. Catalog on request. Visits by appointment only. Will deliver. Inquire for delivery areas and charges that apply. Visa/MC accepted. 36+ varieties. 1-10 gallon containers. Larger sizes inquire. <b>www.viewcrest.com</b>
Visit by Appointment Only, Wholesale, Mail Order, Catalog, Takes Credit Cards, Local Delivery, Ships USA		
<b>West County Oasis Bamboo Garden</b> <b>K9</b> 3525 Stony Point Road Santa Rosa, CA 95407	707-585-7415 Fax: 707-584-7879 Jesus Mora WestCountyBamboo@gmail.com	Jesus Mora, formerly of Bamboo Sourcing, and Hastings Schmidt have teamed up and opened this fabulous new 5-acre bamboo and palm nursery. With fifty years of experience between them, they are an excellent resource for bamboo novices and aficionados alike <b>www.WestCountyBamboo.com</b>
Retail, Takes Credit Cards, Local Delivery		
<b>Whispering Winds Bamboo</b> <b>L0</b> HC1 Box 180 Hana, HI 96713	808-248-7561 Fax: call ahead Rich von Wellsheim info@whisperingwindsbamboo.com	Cured and treated bamboo poles of various diameters and lengths. 11 different species of timber bamboo including 3 species of black. Wholesale, Retail Nursery Hawaiian Islands only. Visits by appt. <b>www.whisperingwindsbamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Catalog, Takes Credit Cards, Local Delivery, Ships USA		

<b>L1</b>	<b>Wild Bird Bamboo</b> 92 Reef Net Friday Harbor, WA 98250	360 378 2924 Fax: 360 378 3146 John Stamey bayukll@rockisland.com	Wild Bird Bamboo is on San Juan Island, Wa. offering wholesale and retail. We propagate a variety of temperate clumping, mid-size, and timber bamboos. Our farm is an excellent place to view bamboo surrounded by native habitat. <b>www.wildbirdbamboo.com</b>
Visit by Appointment Only, Retail, Wholesale, Local Delivery			
<b>L2</b>	<b>Yucatan Bamboo, Inc.</b> 2400 Fountain View Drive, Apt. #432 Houston, TX 77057	713-278-7344 Fax: 713-278-7355 Robert H. Gow Yucabambu@aol.com	Catalog. Will ship worldwide. Bamboo furniture, fencing, garden accessories, structures. Owner of bamboo plantation employing 75 Mayan craftsmen. <b>yucatanbamboo.com</b>
Retail, Wholesale, Catalog, Takes Credit Cards			

## Paid Advertisements



**Love Bamboo? Sell Bamboo?**  
**Invest in the future.**  
**Bestow a gift this year.**  
[BAMBOOOFTHEAMERICAS.ORG/HELP.HTM](http://BAMBOOOFTHEAMERICAS.ORG/HELP.HTM)  
 Make checks payable to "ABS-BOTA"  
 Send to  
**Sue Turtle, BOTA Treasurer**  
**30 Myers Rd.**  
**Summertown, TN 38483-7323**  
 A bamboo conservation project  
 of the American Bamboo Society (ABS).  
 Contributions are tax deductible.



**Tropical BAMBOO.**  
**NURSERY & GARDENS**  
 Monday – Saturday  
 8:00 am to 4:30 pm  
 Palm Beach 561.784.2413  
 Broward 954.461.7572  
[tropicalbamboo.com](http://tropicalbamboo.com)  
 Display Gardens • Retail & Wholesale  
 Online Shopping Cart & Mail Order



**Vendors by State**

AL	Hollow Bamboo; jmbamboo; Lewis Bamboo, Inc.
AZ	Bamboo Ranch
CA	Bamboo 4 U; Bamboo Flutes; Bamboo Giant; Bamboo Headquarters.com; Bamboo International; Bamboo Sourcing; Cliff Sussman; Davis Bamboo; Gale Beth Goldberg, AIA; Instant Jungle; Lynda Brothers, Artist; Mad Man Bamboo; Peter Wollman; Pura Vida Tropicals; San Diego Botanic Garden; San Marcos Growers; Sequoyah Ridge Nursery; West County Oasis Bamboo Garden
CT	Stanton Bamboo
FL	A Bamboo Man; Bamboo Collection; Bamboo For You; Bamboo Gardens; Bamboo Orlando; BambooFlorida.com; BeautifulBamboo.com; Bountiful Earth, Inc.; Dunroven Farm; Fruitland Farms; H & H Bamboo; Homosassa Bamboo Nursery; Island Bamboo Landscapes; Johnson Bamboo; LNB Farms; Newshoots Bamboo Nursery; Palm Beach Bamboo Inc.; Roy Rogers; TOO2BAMBOO; Tropical Bamboo, Inc.
GA	Bamboo Gardens and Music; Georgia Bamboo; Thigpen Trail Bamboo Farm
HI	Cal Hashimoto, Sculptor; Whispering Winds Bamboo
IL	Midwest Bamboo Ltd.
IN	Needmore Bamboo Co
LA	Bamboo Company Nursery; Bamboo Gardens of Louisiana
MA	Burt Associates Bamboo; Greentop, LLC; Susanne Lucas, Horticulturist; Tripple Brook Farm, Inc.
MD	David C Andrews; Garden Bamboo Nursery
ME	Reagan Furqueron
MI	Michigan Bamboo Company
MO	Fast Grass Bamboo Nursery
MS	Bamboo Plantation
NC	Bamboo Art; Haiku Bamboo Nursery; The Bambusetum
NJ	Bamboo & Rattan Works Inc.; Landscapes Plus; Touch the Earth, Inc.
NY	Bambooman, LLC
OH	Klyn Nurseries Inc.
OK	Alligator Alley; Bamboo Satori
OR	Bamboo Garden; Bamboo Guy Nursery; Bamboo oasis; Cedar Mill Bamboo; Connor Bamboo; Evergreen Acre; Grassworks Bamboo; McKenzie Valley Bamboo; Northern Groves; RKR Bamboo Plantation; Shweeash Bamboo; Tradewinds Bamboo Nursery
PA	Bamboo Habitat
TN	Bamboo Institute of Tennessee; Our Bamboo Nursery
TX	Bamboo Arts & Craft Network; Bamboo Bend; Bamboo Branch; Bamboo Source; caldwell nursery; Carter Bamboo; High Plains Bamboo and Koi; Horticultural Consultants, Inc.; TejasTropicals LLC; Yucatan Bamboo, Inc.
VA	MidAtlantic Bamboo
WA	Bamboo Gardener LLC; Bastian's Bamboo; Beauty & The Bamboo; Bill Hollenback; Blue Heron Farm; Boxhill Farm; Clinton Inc. Bamboo Growers; Jade Mountain Bamboo Nursery; Marblemount Bamboo; Outdoors By Design; Viewcrest Nurseries; Wild Bird Bamboo

**Canada**

BC	Bamboo Botanicals; The Plant Farm
----	-----------------------------------

## Paid Advertisements



Proud member of the American  
Bamboo Society since 1980


**WWW.BAMBOOGARDEN.COM**  
18900 NW Collins Road,  
North Plains, OR 97133

Bamboo Garden is one of the oldest and largest bamboo nurseries in the country, with a collection of over 300 different bamboo varieties. We provide healthy bamboo for retail, mail order, and wholesale markets. We specialize in Timber Bamboo and cold-hardy Clumping Bamboo, with many rare, hard-to-find species.

We have supplied bamboo for many large commercial landscaping projects including Portland Classical Chinese Garden, Oregon Zoo, Wellesley College, Asia Trail of National Zoo in Washington DC, and many others. We also work closely with landscaping companies, providing healthy and beautiful bamboo for landscapes, locally and afar. Please browse through our web site to see quality photographs and descriptions of our wide selection.

Call **(503) 647-2700** or email **bamboo@bamboogarden.com** and our friendly and experienced staff will be happy to answer any inquiries you may have.

Paid Advertisements



established 1954  
**Viewcrest Nurseries**  
 Dawna Haluapo / Jack Doty  
 12713 N.E. 184th St.  
 Battle Ground, WA 98604  
 Ph: 360.687.5167 Fax: 360.687.1212  
[www.viewcrest.com](http://www.viewcrest.com) [thebest@viewcrest.com](mailto:thebest@viewcrest.com) **Bamboo, Mahonia, Nandina & Natives**  
 Container & Field Grown



## Tejas Tropicals

### Bamboo and Cold Hardy Palms

David 281-961-4777  
 Coldspring, Texas

[www.tejastropicals.com](http://www.tejastropicals.com)



**Connor Bamboo**  
*The collector's nursery offering over 200  
 ornamental and rare forms of bamboo*  
  
**Ian Connor**  
*Horticulturalist  
 specialising in bamboo and landscape design*  
  
 (503) 734-5735  
[bambooian@yahoo.com](mailto:bambooian@yahoo.com)  
[www.connorbamboo.com](http://www.connorbamboo.com)

# Information about the American Bamboo Society

## ABS Objectives

The objectives and purposes of the Society are:

1. To provide a source of information on the identification, propagation, application, conservation, culture and appreciation of bamboos. To disseminate and store this information, the corporation maintains a library of references and publishes a Journal and Newsletter.
2. To promote the utilization of a group of desirable species by development of stocks of plants for distribution to botanic gardens and introduction to the general public.
3. To preserve and increase the number of bamboo species in the United States.
4. To plant and maintain bamboo gardens to display the characteristic beauty of mature plants and to provide plant material for research in the taxonomy, propagation and culture of as large a number of species as possible.
5. To support bamboo research in the field and to establish whatever facilities are deemed necessary to carry out the research projects approved by the Directors.

The American Bamboo Society (ABS) was formed in 1979 and became incorporated in the state of California in 1981. Today we have members throughout the United States and many other countries. ABS membership benefits include a subscription to the bimonthly magazine, BAMBOO, and the annual scientific Journal, BAMBOO SCIENCE & CULTURE.

## Chapters

ABS has 10 Chapters who sponsor lectures, conferences, tours, and plant sales in their areas, maintain bamboo libraries, and donate plants to public gardens. Although bamboo seed is quite rare, they distribute seed to members when it is available. The USDA operates a Quarantine Greenhouse for newly imported bamboo species. The ABS is currently working with the USDA to import new species into the United States. In the past the ABS has successfully established many species new to the US. Some of the chapters have copies of this list available for distribution.

The following list gives the names of the representative or contact for each chapter, who can give information about bamboo, membership and activities.

### Florida Caribbean Chapter

Steve Stamper, 400 Pine Bluff Trail, Orlando Beach, FL 32174, Phone: 386-672-4008, e-mail: fc-chapter@americanbamboo.org, www.tropicalbamboo.org

### Hawaii Chapter

Lennart Lundstrom, PO box 5913, Hilo, HI 96720, Phone: 808-896-7052, e-mail: hi-chapter@americanbamboo.org, www.hawaiibamboosociety.org

### Louisiana Gulf Coast Chapter

James Bonner, 642 Columbine Ln, Brookhaven, MS 39601, Phone: 601-833-3937, e-mail: lgc-chapter@americanbamboo.org

### Mid States Chapter

Dan Fox, 901 E. Miller Drive, Bloomington, IN 47401, Phone: 812-336-8238, e-mail: mid-chapter@americanbamboo.org

### Northeast Chapter

Michael Bartholomew, 750 Krumkill Rd, Albany, NY 12203, Phone: 518-458-7617, e-mail: ne-chapter@americanbamboo.org, americanbamboo.org/ChapterPages/NEChapterInfo.html

### Northern California Chapter

David King, 480 West I Street, Benicia, CA 94510, Phone: 707-745-4091, e-mail: ncal-chapter@americanbamboo.org

### Pacific Northwest Chapter

Bill Hollenback, 24714 S Carman Rd, Cheney WA 99004, Phone 509-981-0664, e-mail: pnw-chapter@americanbamboo.org, www.pnwbamboo.org

### Southeast Chapter

C. William King, 7423 County Rd 247, Rutland FL 33538, Phone: 352-330-0766, e-mail: se-chapter@americanbamboo.org, www.sec-bamboo.org

### Southern California Chapter

Cliff Sussman, San Dimas Family Care, 150W Footill Blvd, San Dimas, CA 91773, Phone: 909-599-9921, e-mail: scal-chapter@americanbamboo.org, www.ABSSoCal.org

### Texas Bamboo Society

Steve Muzo, 6628 Ruxton Ln, Auston TX 78749-4100, phone: 512-301-2929, e-mail: tbs-chapter@americanbamboo.org, www.bamboocentral.net

Copies of this list are available either from some of the listed vendors, from chapter offices, or from the ABS Membership Office for \$5.00 (includes postage & handling).

A membership application is on the next page. Please copy and send to the address on the form.

American Bamboo Society  
Membership & Directory Information Form

This Application is for a:

- ☐ New Membership
- ☐ Renewal
- ☐ Gift Membership (we will notify the recipient)
- ☐ Check this box if you DO NOT want to be included in the ABS Annual Membership listing
- ☐ Digital (Conserve resources and download the publications from the internet)

The Digital Publications are located at:

<http://www.americanbamboo.org/publications/>  
where you can download a demo issue.

Date \_\_\_\_\_

Name(s) \_\_\_\_\_

Company \_\_\_\_\_

Address 1 \_\_\_\_\_

Address 2 \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Zip \_\_\_\_\_ Country \_\_\_\_\_

Home Tel \_\_\_\_\_

Work Tel \_\_\_\_\_

Fax \_\_\_\_\_

Other \_\_\_\_\_

E-mail \_\_\_\_\_

WWW \_\_\_\_\_

Annual: \$40 Digital, \$50 Print - Includes a 1-year Primary Chapter membership

3-year: \$110 Digital, \$140 Print - Includes 3-year Primary Chapter for U.S. members; additional Chapters: \$40 each for the 3-year period

Lifetime: \$600 Digital, \$800 Print - Includes ABS membership only

Supporting: \$60 Digital, \$70 Print - Includes a 1-year Primary Chapter membership

Patron: \$120 Digital, \$130 Print (tax-deductible) - Includes a 1-year Chapter membership

International \$40 Digital, \$55 Print (outside U.S.; no Chapter included)

Additional Chapters: \$15/year for each Chapter  
(Please check Chapter listing at right)

TOTAL \$ \_\_\_\_\_

Discover/Mastercard/Visa Authorization:

Account # \_\_\_\_\_

Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

Send this form with completed credit card authorization, or your check payable to:

American Bamboo Society  
315 South Coast Highway 101, Suite U  
PMB 212  
Encinitas, CA 92024-3555

Each year's membership includes:

- A subscription to the newsletter of your primary chapter (and those of any additional chapters you join)
- 6 issues of BAMBOO: The Magazine of the American Bamboo Society
- An annual edition of the ABS Journal: Bamboo Science and Culture
- The ABS Species Source List
- The Annual ABS Membership Directory

Choose your Primary Chapter membership, and any Additional Chapter memberships  
P A

- ☐ ☐ Florida Caribbean Chapter
- ☐ ☐ Hawaii Chapter
- ☐ ☐ Louisiana-Gulf Coast Chapter
- ☐ ☐ Mid-States Chapter
- ☐ ☐ Northeast Chapter
- ☐ ☐ Northern California Chapter
- ☐ ☐ Oregon Bamboo Assoc. Chapter
- ☐ ☐ Pacific Northwest Chapter
- ☐ ☐ Southeast Chapter
- ☐ ☐ Southern California Chapter
- ☐ ☐ Texas Bamboo Society Chapter

You can also sign up on-line at: <http://www.bamboo.org/bamboo-membership.php>



American Bamboo Society  
315 South Coast Highway 101, Suite U  
PMB 212  
Encinitas, CA 92024-3555  
USA

Presort Standard  
US Postage  
**PAID**  
Permit No. 370  
Albany, NY

## Advertise in next year's Source List

(509) 981-0664

[SourceList@AmericanBamboo.org](mailto:SourceList@AmericanBamboo.org)

<b>Table of Contents</b>	<b>Page</b>
Introduction and Overview .....	1
Common Names .....	2
Credits .....	3
Synonyms and Corrected Names .....	4
Species List Table .....	6
Bamboo Products .....	37
Vendors by Code .....	38
Vendors List .....	39
Vendors by State .....	51
Advertising .....	3,5,38,50,52,53
ABS Information – Objectives, and Chapter Contacts .....	54
Membership Application – Join or renew now! .....	55